



**Basement Waterproofing.**

The reinforced concrete basement slab and walls will include a waterproof concrete additive. The walls/slab will be designed to limit crack widths as BS 8007. The second barrier to the ingress of water or water vapour will comprise an internal drained cavity detailed by others

**Client**  
Mrs Abiola

**Project**  
8 Pilgrim's Lane, NW3

**Location**

**Location Plan**

**Drawing Title**  
Basement Plan

| Project Number | Drawing Number | Revision |
|----------------|----------------|----------|
| 612            | 01             |          |
| Date           | Scale          | Status   |
| 20.12.11       | 1:100 at A3    | Planning |
| Drawn          | Checked        | Approved |
| GL             | -              | -        |

Greig Ling  
Consulting Engineers  
Studio 5, 49-59 Old Street  
London EC1V 9HX  
T 020 7889 5611  
F 020 7889 5612  
studio@greiling.com  
www.greiling.com

**Greig-Ling**

© Greig Ling Limited- All rights described in Chapter IV of the Copyright, Designs and Patents Act 1988 have been asserted. This drawing is to be read in conjunction with the specification and all relevant drawings. Contractor to check all dimensions on site. Do not scale from this drawing. Greig Ling Limited to be advised of any variation between the drawings and site conditions.

| Rev | Date     | Description         |
|-----|----------|---------------------|
|     | Oct 2012 | Planning submission |