



205mm nominal thk o/a insitu r.c. composite slab on Corus Comflor 100 deck x 1.0mm thick. Slab in LWC reinforced with 1 layer A393 mesh, 25mm top cover. One row of temp dead props to spans over 3.6m - to Corus recommendations
 203UC beams with lower flange plate to form 'Slimflor' type beams to support deck

vertical movement joint between No. 8 & Downshire Studios

250 thick insitu reinforced concrete slab on 75 concrete blinding

infill extg window with brwk; ext bond to match extg

vertical movement joint between Nos. 8 & 10

top of new r.c. retaining wall at 79.80m

NO 3 DOWNSHIRE HILL REAR GARDEN

DOWNSHIRE STUDIOS

No 6

No 10

Client
Mrs Abiola

Project
8 Pilgrim's Lane, NW3

Location

Drawing Title
Lower Ground Floor Plan

Project Number
612

Date
20.12.11

Drawn
GL

Drawing Number
02

Scale
1:100 at A3

Checked

Revision

Status
Planning

Approved

Greig Ling
Consulting Engineers
Studio 5, 49-59 Old Street
London EC1V 9HX
T 020 7889 5611
F 020 7889 5612
studio@greiling.com
www.greiling.com

Greig-Ling

© Greig Ling Limited- All rights described in Chapter IV of the Copyright, Designs and Patents Act 1988 have been asserted. This drawing is to be read in conjunction with the specification and all relevant drawings. Contractor to check all dimensions on site. Do not scale from this drawing. Greig Ling Limited to be advised of any variation between the drawings and site conditions.

Rev	Date	Description
	Oct 2012	Planning submission

Location Plan