

- EXISTING PARAPET WALL
- EXISTING RENDER
- NEW TIMBER DECK FIXED TO STEEL THROUGH ISOLATOR BLOCKS
- CONTINUOUS STEEL ANGLE FIXED TO EXISTING PARAPET WALL
- NEW STEEL JOIST SUPPORTED OFF STEEL ANGLE
- CONTINUOUS NEOPRENE PAD BETWEEN ANGLE AND WALL
- MINIMUM 30MM GAP BETWEEN STEEL AND EXISTING ROOF
- EXISTING ROOF BUILD UP (ASSUMED)
- EXISTING ROOF JOIST AND INSULATION

DOOR GLAZING BAR TO MIMIC EXISTING SASH TRANSOM & SILL


EXISTING CILL LOWERED BY 550MM TO ALLOW FOR DOOR WITHIN EXISTING OPENING

21. DETAIL SECTION THROUGH PROPOSED TERRACE

REV	DATE	NOTE
A	20 MAR 12	FORMAL PLANNING ISSUE

PROPOSED DRAWINGS

THE CONTRACTOR SHOULD CHECK ALL DIMENSIONS ON SITE.
 NO DIMENSIONS TO BE SCALED FROM THIS DRAWING (EXCEPT FOR PLANNING PURPOSES).
 NO PART OF THE DRAWING IS TO BE COPIED OR REPRODUCED WITHOUT THE PRIOR CONSENT OF THE ARCHITECT.
 IT IS THE CONTRACTOR'S RESPONSIBILITY TO ENSURE COMPLIANCE WITH THE BUILDING REGULATIONS.
 ALL RIGHTS DESCRIBED IN CHAPTER IV OF THE COPYRIGHT, DESIGNS AND PATENTS ACT 1988 HAVE GENERALLY BEEN ASSERTED.



Project: C134 5A & 5B Rossllyn Hill, Camden, NW3 5UL
 C134-21 Detail Section Through Proposed Terrace (Rev A)
 Client: Mr A Manea & Mr M Manea
 Scale @ A3: 1:20 Date: February 2012
 TENPOINTFIVE architecture 182 WHITTINGTON WAY, PINNER, HA5 5JY T: 020 8429 9206 E: MAIL@TENPOINTFIVE.CO.UK