

Recommended Tree Works

Surveyor(s): James Bell

Ref: LEV/FYF/RTW/01

Page

Hide irrelevant

Show All Trees

Tree No.	English Name	Height	Stem Diameter	Crown Spread	Recommended Works	Comments/ Reasons
4	Sycamore	18	810	7779	CCL CR10% Mon CCL =DWD & shape around CR=10% height & spread for windfirmness after trenching	Twin stemmed from 1.5m Early dieback in upper crown & a few dead small diameter branches Advisable for good arboricultural practice
10	Oak, English	16	580	4736	DWD = Minor dead branch in lower crown	Deadwood in crown Indifferent form
12	Oak, English	18	760	4474	CCL =Minor twiggy dieback in some areas of outer crown	Minor twiggy dieback in some areas of outer crown Advisable for good arboricultural practice
28	Pine, Monterey	17	650	7777	CCL = Twiggy deadwood in lower crown	Shallow roots 8m to south Twiggy deadwood in lower crown
34	Oak, English	18	490	5833	CCL = Stubs & snags	Asymmetry (major) Deadwood (minor) throughout crown Advisable for good arboricultural practice
36	Oak, English	18	680	8977	CCL = Minor deadwood over road	Advisable for good arboricultural practice
44	Oak, English	14	570	5555	CCL = Small branch dieback	Deadwood (minor) throughout crown Advisable for good arboricultural practice
46	Oak, English	19	760	7677	CCL = Small branch dieback	Deadwood (minor) throughout crown Advisable for good arboricultural practice

Notes:

CB - Cut Back to boundary/clear from structure.

CL# - Crown Lift to given height in meters.

CT#% - Crown Thinning by identified %.

CCL - Crown Clean (remove deadwood/crossing and hazardous branches and stubs).

CR#% - Crown Reduce by given maximum % (of outermost branch & twig length)

DWD - Remove deadwood.

Fell - Fell to ground level.

FInv - Further Investigation (generally with decay detection equipment).

Pol - Pollard or re-pollard.

Mon - Monitor ongoing condition (annually by staff / owners & every 2-3 yrs by consultant).

Svr Ivy / Clr Bs - Sever ivy / clear base and re-inspect base / stem for concealed defects.

Recommended Tree Works

Surveyor(s): James Bell

Ref: LEV/FYF/RTW/01

Page

Hide irrelevant

Show All Trees

Tree No.	English Name	Height	Stem Diameter	Crown Spread	Recommended Works	Comments/ Reasons
54	Ash, Common	15	850	5555	CCL = remove stubs & snags, dead ivy & small diameter deadwood (largely cosmetic)	Multi stem - 4 Advisable for good arboricultural practice
G55	Sycamore	16	>1500	6666	CL3m CCL Crown lift to 3m over car park; crown clean; removed dead stem (c9cm diameter)	Multi stem - 12 in 2 butts Advisable for good arboricultural practice
59	Hawthorn, Common	8	250	1.5	Fell Replace with new specimen	Advisable for good arboricultural practice
14a	Cypress, Lawson	6	100	1	Fell	Too close to building Advisable for good arboricultural practice

Notes:

CB - Cut Back to boundary/clear from structure.

CL# - Crown Lift to given height in meters.

CT#% - Crown Thinning by identified %.

CCL - Crown Clean (remove deadwood/crossing and hazardous branches and stubs).

CR#% - Crown Reduce by given maximum % (of outermost branch & twig length)

DWD - Remove deadwood.

Fell - Fell to ground level.

FInv - Further Investigation (generally with decay detection equipment).

Pol - Pollard or re-pollard.

Mon - Monitor ongoing condition (annually by staff / owners & every 2-3 yrs by consultant).

Svr Ivy / Clr Bs - Sever ivy / clear base and re-inspect base / stem for concealed defects.