


200mm 150 100 50

KEY

DETAIL NUMBER



DRAWING NUMBER

ALL ELEVATIONS ARE VIEWED FROM OUTSIDE
UNLESS OTHERWISE STATED
DO NOT SCALE THIS DRAWING

TOLERANCES:
1. UNLESS STATED OTHERWISE ALL GLASS PRODUCTS WILL BE
SUBJECT TO THE ACCEPTABLE STANDARDS DETAILED
IN THE GLASS & GLAZING FEDERATIONS PUBLISHED LITERATURE.
2. ANY SUPPORTIVE STEELWORK STRUCTURE MUST HAVE
EACH CONNECTION HOLE WITHIN +/- 3mm OF ITS DESIGNATED
DESIGN POSITION IN ANY DIRECTION.
3. GLASS INSTALLATION WILL BE SUBJECT TO MANUFACTURING
TOLERANCES OF +/- 3mm FOR STANDARD GLASS PRODUCTS
AND ADDITIONAL INSTALLATION TOLERANCES OF +/- 3mm.
INSTALLATION TOLERANCE ARE SUBJECT TO SURROUNDING
STRUCTURES BEING INSTALLED TO +/- 3mm OF DESIGN POSITION.

TOS=+31.540

353

5280 S/O

B

353

STEEL SUPPORT STRUCTURE

500 500 500 500 500 500 500 500 500 500

125

25

25

26

LOCATION:
GRIDLINE 5
1ST FLOOR

10

3960

A

A

3960

3497 between SSL & steel beam


3056 S/O

2890 between FFL & FCL

2987 gl

DET 2B

105



SECTION A-A

5b

Ca

DET 3

DET 4

DET 5

Cb

SSL=+27.580

300

1018 gl

1018 gl

5130
1018 gl

1018 gl

1018 gl

5080 cl opening

5280 S/O

Highlight Status	Approval Status
A	Approved no comment proceed with procurement
B	Amend drawings to comments proceed procurement + re issue drawings
C	Amend drawings to comments + re issue drawings for approval

CONSTRUCTION

INFORMATION AND DETAILS TO BE TREATED IN CONFIDENCE
NOT TO BE COPIED WITHOUT PERMISSION

birchdale glass ltd

Unit L, Eskdale Road, Uxbridge
Middlesex UB8 2RT
Telephone : 01895-259111-Ext.No. 219
Fax : 01895-259045/270459
Email : JBassett@birchdaleglass.com

ISSUE	STAGE	T	A	©	AB
J	JAB	Scale Amended & Drawing Put Onto New Template	23/07/12		
REV	DRN	DETAILS			DATE
PROJECT					
AFRICA HOUSE ATRIUM					
TITLE					
FIRST FLOOR LEVEL SCREEN					
DRN:	BS	CHKD:	APPD		
SCALES :	1:10	PRINT @	A1	DATE:	29/09/11
CONTRACT No. 122630					
DRAWINGS NUMBER					REV
HLN0229/1108655/003b					J