200mm 150 100 50 0

TOS=+39.330

SECTION C-C

192 463 885 371 371 210 96 30 100

DET 7

353 5280 S/O 353

STEEL SUPPORT STRUCTURE

C C

500 500 500 500 500 500 500 500 500

125

25 25 26

A A

3705

3242 between SSL & steel beam

2871 S/O

2700 between FFL & FCL

2797 gl 2797 gl

3705

LOCATION:
GRIDLINE 4
3RD FLOOR

10

"5" "5" "5" "5" "5"

1018 gl 1018 gl 1018 gl 1028 gl 1018 gl

72

SSL=+35.625

DET 2C

FFL

120

300

5130

1018 gl 1018 gl 1018 gl 1018 gl 1018 gl

SECTION A-A

4a

160

5080 cl opening

5280 S/O

100 100

DET 3 DET 4 DET 5

Cb Ca

KEY

DETAIL NUMBER

DRAWING NUMBER

ALL ELEVATIONS ARE VIEWED FROM OUTSIDE
UNLESS OTHERWISE STATED
DO NOT SCALE THIS DRAWING

TOLERANCES;

1. UNLESS STATED OTHERWISE ALL GLASS PRODUCTS WILL BE SUBJECT TO THE ACCEPTABLE STANDARDS DETAILED IN THE GLASS & GLAZING FEDERATIONS PUBLISHED LITERATURE.
2. ANY SUPPORTIVE STEELWORK STRUCTURE MUST HAVE EACH CONNECTION HOLE WITHIN +/- 5mm OF ITS DESIGNATED DESIGN POSITION IN ANY DIRECTION.
3. GLASS INSTALLATION WILL BE SUBJECT TO MANUFACTURING TOLERANCES OF +/- 3mm FOR STANDARD GLASS PRODUCTS AND ADDITIONAL INSTALLATION TOLERANCES OF +/- 3mm, (INSTALLATION TOLERANCE ARE SUBJECT TO SURROUNDING STRUCTURES BEING INSTALLED TO +/- 5mm OF DESIGN POSITION.

Highlight Status		Approval Status
	A	Approved no comment proceed with procurement
	B	Amend drawings to comments proceed procurement + re issue drawings
	C	Amend drawings to comments + re issue drawings for approval

CONSTRUCTION

INFORMATION AND DETAILS TO BE TREATED IN CONFIDENCE
NOT TO BE COPIED WITHOUT PERMISSION

birchdale glass ltd
Unit L,Eskdale Road, Uxbridge
Middlesex UB8 2RT
Telephone : 01895-259111-Ext.No. 219
Fax : 01895-255045/270459
Email : JBassett@birchdaleglass.com

ISSUE STAGE	T	A	©	AB

REV	DRN	DETAILS	DATE
G	JAB	Scale Amended & Drawing Put Onto New Template	23/07/12

PROJECT
AFRICA HOUSE
ATRIUM

TITLE
THIRD FLOOR LEVEL
SCREEN

DRN: BS	CHKD:	APPD
SCALES : 1:10 PRINT @ A1		DATE: 29/09/11
CONTRACT No. 122630		
DRAWINGS NUMBER		REV
HLN0229/1108655/005c		G