Camden

Regeneration and Planning Development Management London Borough of Camden Town Hall Judd Street London WC1H 8ND

Tel 020 7974 4444 Fax 020 7974 1930 Textlink 020 7974 6866

planning@camden.gov.uk www.camden.gov.uk/planning

Application Ref: **2012/3594/T** Please ask for: **Tom Little** Telephone: 020 7974 **5283**

16 August 2012

Dear Sir/Madam

Mickey Jackman 38 Millfield Lane

London

N6 6JB

Town and Country Planning Acts 1990 (as amended) NOTIFICATION TO CARRY OUT EMERGENCY WORKS TO PROTECTED TREE(S) IN A CONSERVATION AREA

Address: 38 Millfield Lane London N6 6JB

Description: DDD - REAR GARDEN: 1 x Willow - Remove - DDD.

Thank you for your letter/telephone call of 09 July 2012 giving notice that the above tree(s) are considered dead/dying /dangerous and require emergency works.

The Council confirms that the remedial works as described above are exempt from the need for further notifications or any formal application to the Council and you are therefore allowed to proceed.

Informative(s):

- 1 You are advised that the appropriate standards for tree work are set out in BS 3998: 2010. Failure to ensure that the proposed works are carried out to these standards may result in damage to the tree(s) and may result in legal action by the Council.
- 2 Please note that any approval given by the Council does not give an exemption from the requirements to comply with the Wildlife and Countryside Act 1981 (as amended), or any other Acts offering protection to wildlife. Of particular note is the protection offered to bats, birds and their nests, whilst being built or in use. For further information contact Natural England on 0300 060 2634.



3 Where the removal of a dead/dangerous tree has taken place the owner has a duty under Section 213 of the Town and Country Planning Act 1990 (as amended) to plant a replacement. In this case the Council requires that a Hornbeam (*Carpinus betulus*) be planted as a standard with a girth size of 12-14cms. The ground should be prepared to the standards set out in BS5236:1975. The tree should be suitably staked and tied. The replacement should be planted by the end of November 2012.

If you have further queries please do not hesitate to contact the Tree Preservation Section on the telephone number above.

Yours faithfully

unlul Stopard

Rachel Stopard Director of Culture & Environment

It is important to us to find out what our customers think about the service we provide. To help us in this respect, we would be very grateful if you could take a few moments to complete our online survey at the following website address: <u>www.camden.gov.uk/dmfeedback</u>. We will use the information you give us to help improve our services.