lead flashing (lead plugged to brickwork and pointed with suitable mastic)

insulated upstand

sedum blanket on drainage mat


-underlay with capping sheet above

rigid insulation vapour barrier ply decking

angle fillet

150mm x 50mm joists (to engineers spec)

12.5mm wallboard with 2-3mm skim finish



EXTENSION ROOF WALL JUNCTION DETAIL 6.

NEW EXTENSION PARAPET DETAIL DETAIL 7.

- aluminium capping on dpm
- lead flashing
- insulated upstand
- sedum blanket on drainage mat
- -underlay with capping sheet above
- rigid insulation
- vapour barrier
- ply decking
- 150mm x 50mm joists (to engineers spec)
- 12.5mm wallboard with 2-3mm skim finish

rev.	date	description				revised by
revisions						
PĽANNING F		drawing title PROPOSED SEDUM ROOF DETAILS				
Lipton Plant Archite		ects	Do not scale from this Islington Green Studie 81-83 Essex Road London N1 2SF client Sarah Roeder Richard Wald	os T +44 (0)20 72 F +44 (0)20 72	288 1333 E mail@	Iparchitects.co.uk
scale 1:10 @ A3	date issued 2012.05.10	drawn by BC	drawing no 247.(1). 4.006			revision