

AS PROPOSED

U-VALUES:

0.2 Floor

- Ground Floor Walls, upgraded 0.25
- First Floor Walls 0.23
- 0.16 Decking Lead Roof 0.25
- 1.5 Windows

Code 6 Lead roof, fully ventilated and detailed in accordance with the guidance of the Lead Sheet Association.

Galvanised railing fixed to top of lintol

Reconstituted stone window linings and lintol, providing the required structural support to the railing over according to Part K of the Building Regulations (Guarding Design: "Guarding should be capable of resisting at least the horizontal force given in BS6399-1:1996") Nate: Brickwork alone in this location will not provide the required

Reinforced Concrete retaining wall/foundation

					S.H. ARCHITE 17 POWIS MEWS L TEL +44(0)20 7722 : FAX +44(0)20 7727 : mail@sophiehicks.cc DRAWING: CROSS SECTIOI SCALE: 1:50@A3 DATE: 29/MAR/1 DRAWN: TH S JOB NO: RS01	ONDON W11 1JN 2631 3328 m N A-A 3
					JOB NO: RS01 CLIENT: -	
		Preliminary: First Issue Preliminary: First Issue	тн тн	SH SH	PROJECT: 1 REC WC1H 8HZ Rea	GENT SQUARE, r Ground Floor flat
REV	DATE	NOTES	REVISED	CHECKED	COPYRIGHT IS RESERVED.	
NOTE:					DRAWING No.	REVISION
CONSTRUCTION AND IMPLEMENTATION OF DESIGNS CONTAINED IN					RS01_L_15	P2

