

ROOF NOT SURVEYED

CHIMNEY ESTIMATED

Dormer not surveyed

2F NOT SURVEYED

185 SUMATRA ROAD; ADJOINING PROPERTY; RECENT FULL DEPTH TWO STOREY EXTENSION - CONSENT no.2005/3531/P

Flat asphalt or 3 layer felt roof to minimum falls  
Cast coping to match that of no.185

Proposed extension to not exceed height of existing 2 storey extension to 185 Sumatra Road

BEDROOM

BEDROOM

BATHROOM  
NEW PROPOSED FLOOR AREA 2.85sqm

BEDROOM/LIVING

KITCHEN/LIVING

BATHROOM  
FLOOR AREA 2.5sqm

BATHROOM  
NEW PROPOSED FLOOR AREA 2.5sqm

Enlarged opening will require new steel beam to Structural Engineers recommendation and calculation

Relocate bathroom with salvaged sanitary fittings with enlarged floor area of 2.5sqm to conform to Camden Councils standards; new acoustic partition separation

BASEMENT NOT SURVEYED

Footpath level approx.

French doors to shared garden

One brick insulated walls to extension; brick to match existing

Form bathroom enclosure in acoustic partitions with new sanitary fittings

New foundations to Structural Engineers specification and calculation

## Section AA : Proposed

Scale 1:50



Job: 187 Sumatra Road - Rear Extension  
 Client: Ms Hamideh Guest  
 Title: Section AA : Proposed  
 Scale: 1 : 50 @ A3  
 Drawing No: 12/01/09  
 Rev: A  
 Drawn by: NB  
 Date: 12/04/12