

Listed Building Consent 2008/0662/L: Condition 3

Heath House, Hampstead, London, NW3

CHARLTON BROWN ARCHITECTS

FURTHER INFORMATION FOR RELEASE OF CONDITIONS

NB THIS IS SUBMITTED IN ADDITION TO PHYSICAL SAMPLES OF THE BRICKS, TILES, STONE, PAINTED TIMBER. THE DOCUMENT IS INTENDED TO BE A SUMMARY FOR EASE OF REFERENCE.

The Old Chapel 4a Shepherd's Walk Hampstead London NW3 5UE

www.charltonbrown.com
office@charltonbrown.com
telephone +44 (0)20 7794 1234
facsimile +44 (0)20 7435 5085

Contents

- Internal courtyard walls: Ibstock West Hoathly 50/50 handmade multi and medium multi stock
- Main house:
 - Main facing brick: Bovingdon Handmade Mid Range Imperial
 - Detail (quoins etc): Bovingdon Selected Light Mult Imperial
 - Arches: Rubbed and gauged Bovingdon Selected Light Mult Imperial
- Side Extension:
 - Main facing brick: Ibstock Funton Old Chelsea Yellow Imperial/Handmade
 - Detail (quoins etc): Ibstock Funton Old Chelsea Yellow Imperial/ Handmade
 - Arches: Rubbed and gauged Bovingdon Selected Light Mult Imperial
- Roof Tiles Keymer handmade Traditional Tiles 50:50 mix of Elizabethan:Antique
- Stone coping/balustrade Portland stone, Perryfield quarry, supplied by A F Jones of Reading.
- Painted Timber Idigbo and Sapele (FSC hardwoods) conservatory painted to match windows

Pointed panels as photographed are located on site and available for inspection.

Physical samples of the above have been delivered to the offices of London Borough of Camden, FAO Charles Rose.

Internal Courtyard Boundary walls

Brickwork: Istock West Hoathly 50:50 Handmade and Medium Multi Stock - this matches that previously approved for works in connection with the boundary walls.

Bricks supplied by Roger Kynaston of Brickability, brick factors: rogerkynaston@brickability.co.uk, 0779 1789672

Facing bricks laid in Flemish Bond with both bed and perpend joint to match the existing bed dimensions.

Pointing: 1 part hydraulic lime (NHL 3.5), 3 parts sieved, washed sharp sand. Flush pointed then brushed to expose aggregate



Sample panel erected on site behind existing garage.



Existing Boundary wall brickwork



Image of Brick: NB this is as approved for the repair and alterations to the property boundary walls

Main House (repairs and replacement)

Main facing brick: Bovingdon Handmade Mid Range Imperial

Detail (quoins etc): Bovingdon Selected Light Multit Imperial

Arches: Rubbed and gauged Bovingdon Selected Light Multi Imperial cut by Apex Brickcutters Ltd

Bovingdon Bricks, Ley Hill Road, Bovingdon, Hertfordshire HP3 0NW

Bricks supplied by Roger Kynaston of Brickability, brick factors. rogerkynaston@brickability.co.uk, 0779 1789672

Arches cut and pointed with traditional lime putty by: Apex Brickcutters Ltd, Jim McMichael, jim.mcmichael@apexbrickcutters.co.uk, 07775 707412

Facing bricks laid in Flemish Bond with appropriate queen closers at window openings with both bed and perpend joint to match the existing bed dimensions

Facing brickwork pointing

1 part hydraulic lime (NHL 3.5), 3 parts sieved, red sharp sand together with traditional black and brown pigments, flush pointed then brushed to expose aggregate

Quoins and brickwork pointing

1 part hydraulic lime (NHL 3.5), 3 parts sieved, red sharp sand together with traditional red and brown pigments, flush pointed then brushed to expose aggregate

Brickwork pointing by Peter Sloane, Brick Image Ltd, 07961867484



Existing brickwork (above) with Sample panel (below)



Existing brickwork quoins and arch



Arches: Rubbed and gauged Bovingdon Selected Light Multi Imperial cut by Apex Brickcutters Ltd



Main facing brick: Bovingdon Handmade Mid Range Imperial



Detail (quoins etc): Bovingdon Selected Light Multit Imperial

New Extension

Main facing brick: Ibstock Funton Old Chelsea Yellow Imperial/Handmade
Detail (quoins etc): Ibstock Funton Old Chelsea Yellow Imperial/ Handmade
Arches: Rubbed and gauged Bovingdon Selected Light Multi Imperial

Ibstock Bricks, Funton Works
Bovingdon Bricks, Ley Hill Road, Bovingdon, Hertfordshire HP3 0NW

Bricks supplied by Roger Kynaston of Brickability, brick factors. rogerkynaston@brickability.co.uk, 0779 1789672

Arches cut and pointed with traditional lime putty by: Apex Brickcutters Ltd, Jim McMichael, jim.mcmichael@apexbrickcutters.co.uk, 07775 707412

Facing bricks laid in Flemish Bond with appropriate queen closers at window openings with both bed and perpendicular joint to match the existing bed dimensions

Facing brickwork pointing

5 parts sieved and washed building sand, 1 part Lime, 1 part Lafarge General Purpose Cement, 1/4 part of Cement Tone Russet Brown Mortar Dye, flush pointed then brushed to expose aggregate.



Photograph of site sample panel of facing brickwork



Arches: Rubbed and gauged Bovingdon Selected Light Multi Imperial cut by Apex Brickcutters Ltd



Arches: Bovingdon Selected Light Multi Imperial

New Roof Tiles

Keymer handmade Traditional Tiles 50:50 mix of Elizabethan:Antique laid evenly mixed

Keymer Tiles Ltd, Nye Road, Burgess Hill, West Sussex, RH15 0LZ

Tiles supplied by Roger Kynaston of Brickability, brick factors
rogerkynaston@brickability.co.uk,
0779 1789672




Portland Stone for new balustrade, cornice and copings

Portland Stone from the Perryfield Quarry. Supplied by A F Jones Stonemasons,
33 Bedford Road Reading RG1 7EX 0118 957 3537



Front of submitted Portland stone sample



Rear of submitted Portland stone sample