



Copyright: All rights reserved. This drawing must not be reproduced without permission.
Only the original drawing should be relied upon. Contractors, subcontractors and suppliers must verify all dimensions on site before commencing any work or making any shop drawings.
All shop drawings to be submitted to the architect for comment prior to fabrication.
This drawing is to be read in conjunction with the Architect's specification, bills of quantities / schedules, structural, mechanical & electrical drawings and all discrepancies are to be reported to the architect.
Do not scale from this drawing. Dimensions are in millimetres unless otherwise stated.

NOTES

This drawing to be read in conjunction with:-

- Guestroom Wall/Lining drawing no 0835 / AT-520, 523 & 524
- Typical Part Corridor Section drawing no 0835 / AT-530.

All details are to be confirmed with Acoustic & Thermal consultants.
External wall buildup to be reviewed in relation to any dew point / condensation issues.

Dry lining and secondary glazing specialist input required.

Additional sitework / noggings to be confirmed in relation to wall mounted fixed furniture / mirrors / TVs etc.

All existing timber flooring, masonry walls and plaster / lath ceiling to be made good prior to new fixings. Any replacement ceiling system should provide 30mins minimum fire resistance.

- Issued to Gillis Quenneville for comment	30.1.11	KS
rev amendments	date	by
<div> <div> dexter moren associates architecture urban design interior design creative media www.dextermoren.com dmore@dextermoren.com </div> <div> 57a jamestown road london nw1 7db UK t: 020 7267 4440 f: 020 7267 6044 </div> </div>		

project
Great Northern Hotel
King's Cross London

client
Aries GNH (GP) Limited

drawing title
Proposed Guestroom Wall Linings
Part Plan & Sections

scale	date	drawn by	checked by
1:5 @ A1 1:10 @ A3	14.11.11		KS
job no.	drawing no.	revision	
0835	AT-525	/	