



Door No	Room	Gridline	Material & Finish	Overpanel	Structural Opening	Leaf Height	Door Handing	Opening Force	Signage	Fire Requirements	Manifestation	Ironmongery	Access Control
G21/D1e	G/21	W20/21	Existing (Timber/Glass)	yes	As existing	Existing	DD	TBC	n/a	none	n/a	SS thrust bearing hinges Overhead door closer Magnetic lock Push plates Pull handles Door stop [HS2 in ironmongery schedule]	Card Reader & Keypad Emergency Door Release Magnetic Door Release Button Controller (above suspended ceiling) Door Contacts (x2) Magnetic Door Holder - Closed (x2)

01	07.07.11	JMP			
Issue	Date	By	Chkd	Appd	

**John McAslan + Partners**  
 49 Princes Place London W11 4QA  
 Tel : +44 (0)20 7227 2663  
 Fax : +44 (0)20 7221 8835  
 www.mcaslan.co.uk



Client  
**King's Cross Station  
 Redevelopment Programme  
 Package 6**

Drawing Title  
**Western Range Building  
 External Doors  
 Sheet 4/7  
 G21/D1e**

Scale at A1  
 CCMS No  
 Drawing Status  
**For Construction**

JMP Job No	Drawing No	Rev.
1365	ENG-SKE-JMP-WRB-CAZ-2153	01