



01 G28a/D1n - External Elevation



02 G27c/D1n - External Elevation

Door No	Room	Gridline	Material & Finish	Overpanel	Structural Opening	Leaf Height	Door Handing	Opening Force	Signage	Fire Requirements	Manifestation	Ironmongery	Access Control
G28a/D1n	G/28a	W25/26	Timber/Glass	yes	As existing	To match existing	DD	TBC	n/a	none	n/a	SS thrust bearing hinges Heavy duty door closer Magnetic lock Horizontal pull handle Horizontal push plate Mortise latch Kickplate internally [TR4A in ironmongery schedule]	Card Reader & Keypad Emergency Door Release Magnetic Door Release Button Volumetric Sensor (x2) Controller Door Contact (x2) Magnetic Door Holder - Closed (x2) F/A Input/Output Relay
G27c/D1n	G/27c	W25	Salvaged timber door with vision panels	no	To suit door	Existing	CC	TBC	Internal: Fire exit External: Fire exit keep clear	FD30	n/a	SS thrust bearing hinges Door closer Magnetic lock Pull handle externally Push plate internally Kick plate internally [HJ1 in ironmongery schedule]	Card Reader (both sides) Emergency Door Release Local Isolator Controller Door Contact Magnetic Door Holder - Closed F/A Input/Output Relay

01 07.07.11 JMP

Issue	Date	By	Chkd	Appd

John McAslan + Partners
 49 Princes Place London W11 4QA
 Tel: +44 (0)20 7227 2663
 Fax: +44 (0)20 7221 8835
 www.mcaslan.co.uk

Architect
 Landscape Architect



Client
Network Rail

Job Title
**King's Cross Station
 Redevelopment Programme
 Package 6**

Drawing Title
**Western Range Building
 External Doors
 Sheet 6/7
 G28a/D1n and G27c/D1n**

Scale at A1

CMMS No

Drawing Status
For Construction

JMP Job No	Drawing No	Rev.
1365	ENG-SKE-JMP-WRB-CAZ-2155	01