

New timber section to create required lead upstand to form robust detail

Refer to NBS H71/110
Form 75mm rolls at 600-750 centres in Code 5 rolled lead on polyester geotextile underlay on WBP ply with 25mm projection into gutter. Roof Pitch to be confirmed on site

Refer to photograph opposite for existing situation. Structure to be reviewed upon opening up. Existing roof structure retained where possible or replace to match existing.

Assumed detail - Existing brickwork.

Assumed gutter support tbc on site inspection

Existing gutter remains in situ, to be refurbished following further inspection on site. Form gutter new lining in liquid applied waterproofing system subject to specialist input

S/S or copper clips as per LDA details

Existing stone slab held down with existing iron strap embedded into the brickwork. Detail assumed.

Hydraulic lime render reinstated to match existing profiles.

Existing Dentil course

Existing render quoins feature

Detail 01
Existing Cornice Detail Section
Scale 1:5

Window Casement opening out - detail subject to Window Supplier input

Void if existing to be packed with insulation

Insulation may be required to external wall zone subject to confirmation by Insulation supplier of internal Wall build up & Dew Point check

Copyright. All rights reserved. This drawing must not be reproduced without permission.
Only the original drawing should be used. Corrections, annotations and changes must be made on the original drawing and all drawings are to be submitted to the architect for comment prior to fabrication.
This drawing is to be used in conjunction with the Architect's specification, Bill of Materials / Schedule of Materials, structural & electrical drawings and all drawings are to be submitted to the architect.
Do not scale from this drawing. Dimensions are to dimensions unless otherwise stated.

NOTES

Dimensions taken from "Exterior and Cornice and Plinth Course" drawing No. 212_04_721 Rev A issued by Walls on the January 2008.



Detail 02
Existing Cornice Structure
Opened Up

C	Photo added, construction to be undertaken in accordance with the information	05.10.11	JH
B	CONSTRUCTION ISSUE	02.08.11	KS
A	Issued for construction. All work scaled dimensions added	01.08.10	EC
REV	FOR TENDER as part of Road Package	18.08.10	EC

dexter moren associates
architectural urban design
interior design creative media
www.dextermoren.com
info@dextermoren.com

57d
jamesstown road
Barnsley S61 7AB
UK
t: 020 7267 4440
f: 020 7267 6044

project
Great Northern Hotel
Kings Cross London
client
Aries GNH (GP) Limited

drawing title
Cornice / Gutter Detail
Existing Section Detail
drawing status
CONSTRUCTION ISSUE
scale
1:5 @ A1
1:10 @ A3
date
22.07.10
drawn by
EC
checked by
KS
job no.
0835
drawing no.
AT-518
revision
C