



Pond Design Parameters:

Area drained = +/-80m2.
Typical storm rainfall = 0.025m.
Required Pond capacity = 80 x 0.025 = 2m3.

Pond plan area = +/-7m2.
Therefore extra over depth required to accommodate storm water = 2m3/7m2 = 285mm.



NOTES:
This drawings is to read with all other Planning Drawings.

This drawing has been prepared solely for the purposes of discharge of Planning Consent Condition 2 and shall not be used in any other context.



Rev	Date	Initials	Description
-----	------	----------	-------------

Greig Ling
Architects and
Consulting Engineers
49-50 Old Street
London EC1V 9HX
T: 020 7689 5611
F: 020 7689 5612
studio@greigling.com
www.greigling.com

© Greig Ling Limited. All rights described in Chapter IV of the Copyright, Designs and Patents Act 1988 have been asserted. This drawing is to be read in conjunction with the specification and all relevant drawings. Contractor to check all dimensions on site. Do not scale from this drawing.
Greig Ling Limited to be advised of any variation between the drawings and site conditions.

Project		
2 WADHAM GARDENS LONDON, NW3 3DP		
Date	Scale	Status
07.03.2011	1:50 @A3	PLANNING
Drawn	Checked	Approved
PG	AG	

Drawing Title		
PROPOSED RETENTION POND DETAILS LANDSCAPING		
Project Number	Drawing Number	Rev.
450	(PL)15	-

Greig-Ling