



**Notes**

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be checked on site and any discrepancies noted in writing to the Employer's Representative. All dimensions are in millimetres unless noted otherwise.

Where there appears to be ambiguity between the drawings and other information, the Contractor shall seek the advice of the Employer's Representative for clarification.

Refer to drawing KX6-CAG-0000 for general notes and abbreviations. For detail of Architectural Specification codes (shown on drawings as 'LIN-01', for example) refer to the Technical Reference Sheet.

Drawings to be read in conjunction with the Architectural Specification and other relevant information, including the schedules and Engineer's documents. For individual repair locations, details and scope, refer to the Repair Schedule and Architectural Specification as applicable.

Half tone line work shows scope by others. Refer to detail drawings for further scope definition.

01	17/06/11	JMP	DJ	-
Northern Gateline - ceiling updated				

Issue	Date	By	Chkd	Appd



**Author**  
**JOHN MCASLAN + PARTNERS**  
 7-9 William Road  
 London NW1 3ER  
 T +44 (0)20 7313 6000  
 F +44 (0)20 7313 6001  
 www.mcaslan.co.uk

**Job Title**  
 King's Cross Station  
 Redevelopment Programme  
 Package 6

**Drawing Title**  
 Western Range Building  
 First Floor Reflected Ceiling Plan  
 Northern Wing

Scale at A1: 1:50

CCMS No

**For Construction**

JMP Job No	Drawing No	Rev.
1365	WRB-CAZ-2179	01

Key	
	Acoustic Ceiling, as CLG-22
	Plasterboard Double layer, as CLG-21
	Fireboard Lining, as CLG-01a
	Suspended fireboard ceiling as CLG-02b
	Suspended perforated metal ceiling panel, as CLG-15 & CLG-54
	Suspended Timber Ceiling (Corridor), as CLG-06
	Existing Ceiling, as CLG-50
	Suspended Luminaire with Space
	Surface Mounted Rectangular Luminaire
	Recessed Rectangular Luminaire - Central Block
	Recessed Rectangular Luminaire
	Surface Mounted Circular Luminaire
	Recessed Circular Luminaire
	Suspended MDF Ceiling, as CLG-70
	Smoke Detector / Sounder / Xenon
	PIR
	Supply
	Extract
	Sprinkler - diagrammatic location - to be confirmed with Specialist Sub-Contractor
	Access Panel, as AP-02a
	VRV unit wall fixed & height to CL above FFL
	VRV unit flush to ceiling
	Grille
	Ceiling mounted CCTV camera - final setting out to be agreed with specialist consultant
	Ceiling mounted speaker - final setting out to be agreed with specialist consultant
	Ceiling type - refer to specification Height (mm) above FFL (Height (mm) above datum)

**GENERAL**  
 Level of suspended light fittings between 2800mm and 3200mm, to be confirmed on site for each location.  
 For setting out of corridor panelling refer to WRB-CAD-2600 to WRB-CAD-2669 and WRB-CAD-2371/2. to be agreed with specialist consultant.  
 For ceiling details refer to WRB-CAD-5600 and WRB-CAD-5607-5609.