

Network Rail

---

**King's Cross Station  
Redevelopment Programme**

---

Package 6

GRIP5 Comms Design CCRF Update

**Volume III – Section B3**

CIS and Clock Field Equipment  
Schedule

---

Report ref:

**ENG-REP-FCL-G5-COM-TSCS-0094**

**ISSUE 5.0**

ISSUE/REVISION SCHEDULE

Prepared By  
Ed Darby




.....

Checked by  
Rufus Potter



.....

Approved by  
Alastair Knights



.....

Author  
Date: 23/02/11

Checker  
Date: 23/02/11

Approver  
Date: 23/02/11

| Date       | Issue | Comments                                                                                                                                |
|------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------|
| April 2010 | 1.0   | Issued for IDC Review                                                                                                                   |
| April 2010 | 2.0   | Issued for Construction                                                                                                                 |
| June 2010  | 3.0   | Issued for Construction. Displays MS19/20 & MN19/20 amended.                                                                            |
| Sept 2010  | 3.1   | Issued for Construction.<br>Updated by GRIP6 to reflect MTS / Package 3 interface changes<br><i>GRIP6 changes identified in italics</i> |
| Dec 2010   | 4.0   | Issued for IDC Review – CCRF Update                                                                                                     |
| March 2011 | 5.0   | Issued for Construction incorporating CCRF0053                                                                                          |
|            |       |                                                                                                                                         |
|            |       |                                                                                                                                         |
|            |       |                                                                                                                                         |
|            |       |                                                                                                                                         |

CONTENTS

1 CIS FIELD EQUIPMENT SCHEDULE..... 4

## 1 CIS FIELD EQUIPMENT SCHEDULE

| CIS Ref. | Area   | Location               | Dwg ref.      | Grid  | Info Type | Fixed to:                       | Manufacturer | Model     | Display RAL      | Bracket | Bracket RAL      | Height AFFL approx (m) |
|----------|--------|------------------------|---------------|-------|-----------|---------------------------------|--------------|-----------|------------------|---------|------------------|------------------------|
| F1E      | Bridge | Platform 0,1 escalator | KX6-CCO0-1602 | 20    | NTI       | Suspended from footbridge totem | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | ~                | 2.0 (Note 7)           |
| F2E      | Bridge | Platform 2,3 escalator | KX6-CCO0-1602 | 20    | NTI       | Suspended from footbridge totem | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | ~                | 2.0 (Note 7)           |
| F4E      | Bridge | Platform 4,5 escalator | KX6-CCO0-1601 | 20    | NTI       | Suspended from footbridge totem | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | ~                | 2.0 (Note 7)           |
| F6E      | Bridge | Platform 6,7 escalator | KX6-CCO0-1601 | 20    | NTI       | Suspended from footbridge totem | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | ~                | 2.0 (Note 7)           |
| F8E      | Bridge | Platform 8 escalator   | KX6-CCO0-1601 | 20    | NTI       | Suspended from footbridge totem | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | ~                | 2.0 (Note 7)           |
| P02B     | MTS    | Platform 0 buffers     | KX6-CCO0-1500 | 6     | NTI       | Mounted on platform column      | Infotec      | P1013 NTI | 9005 - 30% Gloss | P5049   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| P02N     | MTS    | Platform 0 north       | KX6-CCO0-1502 | 25    | NTI       | Mounted on platform column      | Infotec      | P1013 NTI | 9005 - 30% Gloss | P5049   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| P01B     | MTS    | Platform 1 buffers     | WRB-CCO0-1500 | 1     | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P01N     | MTS    | Platform 0 & 1 north   | WRB-CCO0-1502 | 26/27 | NTI       | Built into platform monolith    | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P02B     | MTS    | Platform 2 buffers     | WRB-CCO0-1500 | 1     | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P02N     | MTS    | Platform 2 & 3 north   | WRB-CCO0-1502 | 26/27 | NTI       | Built into platform monolith    | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P03B     | MTS    | Platform 3 buffers     | WRB-CCO0-1500 | 1     | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P04B     | MTS    | Platform 4 buffers     | WRB-CCO0-1500 | 1     | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P04N     | MTS    | Platform 4 & 5 north   | WRB-CCO0-1508 | 26/27 | NTI       | Built into platform monolith    | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P05B     | MTS    | Platform 5 buffers     | WRB-CCO0-1506 | 3     | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P06B     | MTS    | Platform 6 buffers     | WRB-CCO0-1506 | 3     | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P06N     | MTS    | Platform 6 & 7 north   | WRB-CCO0-1508 | 26/27 | NTI       | Built into platform monolith    | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P07B     | MTS    | Platform 7 buffers     | WRB-CCO0-1506 | 3     | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P08B     | MTS    | Platform 8 buffers     | WRB-CCO0-1506 | 3     | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P08N     | MTS    | Platform 8 north       | WRB-CCO0-1508 | 26/27 | NTI       | Built into platform monolith    | Infotec      | P1081 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 2.0 (Note 7)           |
| P09B     | STS    | Platform 9 buffers     | WRB-CCO0-1512 | -     | NTI       | Built into platform monolith    | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 3.0 (Note 6)           |
| P09N     | STS    | Platform 9 north       | WRB-CCO0-1513 | -     | NTI       | Wall Mounted                    | Infotec      | P1013 NTI | 9005 - 30% Gloss | P5049   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| P10B     | STS    | Platform 10 buffers    | WRB-CCO0-1512 | -     | NTI       | Built into platform monolith    | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 3.0 (Note 6)           |
| P10N     | STS    | Platform 10 north      | WRB-CCO0-1513 | -     | NTI       | Suspended from Totem            | Infotec      | P1013 NTI | 9005 - 30% Gloss | P5049   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| P11B     | STS    | Platform 11 buffers    | WRB-CCO0-1512 | -     | NTI       | Built into platform monolith    | Infotec      | P1084 NTI | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 3.0 (Note 6)           |
| P11N     | STS    | Platform 11 north      | WRB-CCO0-1513 | -     | NTI       | Suspended from Totem            | Infotec      | P1013 NTI | 9005 - 30% Gloss | P5049   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| MS01     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS02     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS03     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS04     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS05     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS06     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS07     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS08     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS09     | WCC    | Main board south       | WRB-CCO0-1107 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS10     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS11     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS12     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS13     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS14     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS15     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS16     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS17     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS18     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | NTI       | WCC canopy structure            | Infotec      | P7003     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS19     | WCC    | Main board south       | WRB-CCO0-1108 | R1    | SD        | WCC canopy structure            | Infotec      | P7002     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |

| CIS Ref. | Area | Location                         | Dwg ref.      | Grid   | Info Type | Fixed to:            | Manufacturer | Model                     | Display RAL      | Bracket | Bracket RAL      | Height AFFL approx (m) |
|----------|------|----------------------------------|---------------|--------|-----------|----------------------|--------------|---------------------------|------------------|---------|------------------|------------------------|
| MS20     | WCC  | Main board south                 | WRB-CCO0-1108 | R1     | SA        | WCC canopy structure | Infotec      | P7002                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MS21     | WCC  | Main board south                 | WRB-CCO0-1108 | R1     | GNC       | WCC canopy structure | Infotec      | P7006                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN01     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN02     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN03     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN04     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN05     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN06     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN07     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN08     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN09     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN10     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN11     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN12     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN13     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN14     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN15     | WCC  | Main board north                 | WRB-CCO0-1106 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN16     | WCC  | Main board north                 | WRB-CCO0-1107 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN17     | WCC  | Main board north                 | WRB-CCO0-1107 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN18     | WCC  | Main board north                 | WRB-CCO0-1107 | R16    | NTI       | WCC canopy structure | Infotec      | P7003                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN19     | WCC  | Main board north                 | WRB-CCO0-1107 | R16    | SD        | WCC canopy structure | Infotec      | P7002                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN20     | WCC  | Main board north                 | WRB-CCO0-1107 | R16    | SA        | WCC canopy structure | Infotec      | P7002                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| MN21     | WCC  | Main board north                 | WRB-CCO0-1107 | R16    | GNC       | WCC canopy structure | Infotec      | P7006                     | 9005 - 15% gloss | Note 4  | 9005 - 15% gloss | 5.5 (Note 4)           |
| C100     | WCC  | In front of WRB at W17           | WRB-CCO0-1106 | W17    | SD        | Goal Post            | Infotec      | P1015 SOD                 | 9005 - 15% gloss | Note 9  | 9005 - 15% gloss | 2.5 (Note 7)           |
| C101     | WCC  | Central Mezzanine Seating Area   | WRB-CCO0-1110 | R9     | SD        | Lift Structure       | Infotec      | P1015 SOD (Note 3)        | 9005 - 15% gloss | PTA310  | 9005 - 15% gloss | 2.3 (Note 8)           |
| C102     | WCC  | Central Mezzanine Seating Area   | WRB-CCO0-1110 | R9     | SD        | Lift Structure       | Infotec      | P1015 SOD (Note 3)        | 9005 - 15% gloss | PTA310  | 9005 - 15% gloss | 2.3 (Note 8)           |
| C33      | WCM  | FF Mezz seating 'R7'             | WRB-CCO0-1210 | R7     | SA        | Suspended from Totem | Infotec      | P1094 SAD (Note 3)        | 9005 - 15% gloss | PTA310  | 9005 - 15% gloss | 3.0 (Note 6)           |
| C36      | WCM  | FF Mezz seating 'R10'            | WRB-CCO0-1209 | R10    | SD        | Suspended from Totem | Infotec      | P1094 SAD (Note 3)        | 9005 - 15% gloss | PTA310  | 9005 - 15% gloss | 3.0 (Note 6)           |
| C71      | WCC  | Pub Area                         | WRB-CCO0-1205 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C72      | WCC  | Pub Area                         | WRB-CCO0-1205 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C73      | WCC  | Pub Area                         | WRB-CCO0-1205 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C74      | WCC  | Pub Area                         | WRB-CCO0-1205 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C51      | WRB  | Travel Centre                    | WRB-CCO0-1107 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C52      | WRB  | Travel Centre                    | WRB-CCO0-1107 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C53      | WRB  | Travel Centre                    | WRB-CCO0-1107 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C54      | WRB  | Travel Centre                    | WRB-CCO0-1107 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C55      | WRB  | Travel Centre                    | WRB-CCO0-1107 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 1,2.                 | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C41      | WRB  | FF First Class Lounge Reception  | WRB-CCO0-1207 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 2,10.                | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C42      | WRB  | FF First Class Lounge            | WRB-CCO0-1207 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 2,10.                | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C43      | WRB  | FF First Class Lounge            | WRB-CCO0-1207 | Note 2 | Note 2    | Note 2.              | Note 2.      | Note 2,10.                | Note 2.          | Note 2. | Note 2.          | Note 2.                |
| C61      | WRB  | FF Station Manage. Centre, 1/03a | WRB-CCO0-1208 | W4     | SD        | Wall                 | Infotec      | P3007 SAD (Note 3)        | 5022             | AP100   | 5022             | ~                      |
| C91      | WRB  | Station Control Room             | WRB-CCO0-1208 | W4     | Clock     | Wall                 | Wharton      | 401A.100.G.S.RAL5022-230v | 5022             | ~       | 5022             | ~                      |
| C92      | WRB  | Station Control Room             | WRB-CCO0-1208 | W4     | SA        | Wall                 | Note 5       | Note 5                    | 5022             | ~       | 5022             | ~                      |
| C93      | WRB  | Station Control Room             | WRB-CCO0-1208 | W4     | SD        | Wall                 | Note 5       | Note 5                    | 5022             | ~       | 5022             | ~                      |
| B01      | OBS  | OBS subway                       | KX6-CCO0-1002 | W24    | SAD       | Wall                 | Infotec      | P3007 SAD (Note 3)        | 5022             | AP100   | 5022             | 2.0 (Note 6)           |
| B03      | SSY  | Basement (Depot Operations)      | KX6-CCO0-1002 | W20    | SAD       | Wall                 | Infotec      | P3007 SAD (Note 3)        | 5022             | AP100   | 5022             | 2.0 (Note 6)           |
| B04      | SSY  | Basement (Depot Operations)      | KX6-CCO0-1003 | W15    | SAD       | Wall                 | Infotec      | P3007 SAD (Note 3)        | 5022             | AP100   | 5022             | 2.0 (Note 6)           |
| C01A     | MTS  | Platform 1 south                 | KX6-CCO0-1500 | 7      | Clock     | Wall mounted         | Infotec      | P2012                     | 9005 - 30% Gloss | P5027   | 9005 - 30% Gloss | 3.0 (Note 6)           |

| CIS Ref. | Area | Location           | Dwg ref.      | Grid    | Info Type | Fixed to:                  | Manufacturer | Model   | Display RAL      | Bracket | Bracket RAL      | Height AFFL approx (m) |
|----------|------|--------------------|---------------|---------|-----------|----------------------------|--------------|---------|------------------|---------|------------------|------------------------|
| C02A     | MTS  | Platforms 2 south  | KX6-CCO0-1500 | 7       | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | ~       | ~                | 2.5 (Note 7)           |
| C03A     | MTS  | Platforms 3 south  | KX6-CCO0-1500 | 7       | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | ~       | ~                | 2.5 (Note 7)           |
| C04A     | MTS  | Platform 4 south   | KX6-CCO0-1506 | 7       | Clock     | Wall mounted               | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| C05A     | MTS  | Platform 5 south   | KX6-CCO0-1506 | 7       | Clock     | Wall mounted               | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| C06A     | MTS  | Platforms 6 south  | KX6-CCO0-1506 | 7       | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | ~       | ~                | 2.5 (Note 7)           |
| C07A     | MTS  | Platforms 7 south  | KX6-CCO0-1506 | 7       | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | ~       | ~                | 2.5 (Note 7)           |
| C08A     | MTS  | Platform 8 south   | KX6-CCO0-1506 | 7       | Clock     | Wall mounted               | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| C01B     | MTS  | Platform 1 north   | WRB-CCO0-1503 | 31      | Clock     | Wall mounted               | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| C02B     | MTS  | Platforms 2 north  | WRB-CCO0-1503 | 31      | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | ~       | ~                | 2.5 (Note 7)           |
| C03B     | MTS  | Platforms 3 north  | WRB-CCO0-1503 | 31      | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | ~       | ~                | 2.5 (Note 7)           |
| C04B     | MTS  | Platform 4 north   | KX6-CCO0-1509 | 31      | Clock     | Wall mounted               | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| C05B     | MTS  | Platform 5 north   | KX6-CCO0-1509 | 31      | Clock     | Wall mounted               | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 9005 - 30% Gloss | 3.0 (Note 6)           |
| C06B     | MTS  | Platforms 6 north  | KX6-CCO0-1509 | 31      | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | ~       | ~                | 2.5 (Note 7)           |
| C07B     | MTS  | Platforms 7 north  | WRB-CCO0-1509 | 31      | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | ~       | ~                | 2.5 (Note 7)           |
| C08B     | MTS  | Platform 8 north   | WRB-CCO0-1509 | 31      | Clock     | Wall mounted               | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 5022             | 3.0 (Note 6)           |
| C09B     | STS  | Platform 9 north   | WRB-CCO0-1513 | -       | Clock     | Wall mounted               | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 5022             | 3.0 (Note 6)           |
| C10B     | STS  | Platform 10 north  | WRB-CCO0-1513 | -       | Clock     | Suspended from Totem       | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 5022             | 3.0 (Note 6)           |
| COZA     | MTS  | Platform 0 south   | KX6-CCO0-1501 | 9       | Clock     | Mounted on platform column | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 9006             | 3.0 (Note 6)           |
| COZB     | MTS  | Platform 0 north   | KX6-CCO0-1503 | 33      | Clock     | Mounted on platform column | Infotec      | P2012   | 9005 - 30% Gloss | P5027   | 9006             | 3.0 (Note 6)           |
| C103     | WRB  | Room G/33          | WRB-CCO0-1105 | W34     | Note 11   | Note 11                    | Note 11      | Note 11 | Note 11          | Note 11 | Note 11          | 3.0 (Note 6)           |
| C104     | WRB  | Room 2/22          | WRB-CCO0-1303 | W10     | Note 11   | Note 11                    | Note 11      | Note 11 | Note 11          | Note 11 | Note 11          | 3.0 (Note 6)           |
| C105     | WRB  | Room 2/25a         | WRB-CCO0-1302 | W19     | Note 11   | Note 11                    | Note 11      | Note 11 | Note 11          | Note 11 | Note 11          | 3.0 (Note 6)           |
| C106     | WRB  | Room 2/32a         | WRB-CCO0-1302 | W22-W23 | Note 11   | Note 11                    | Note 11      | Note 11 | Note 11          | Note 11 | Note 11          | 3.0 (Note 6)           |
| C107     | WCC  | Zone 5 Gateline    | WRB-CCO0-1108 | W2      | Note 5    | Wall Mounted               | Infotec      | P3004   | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 3.0 (Note 6)           |
| C108     | WRB  | Mezzanine Gateline | WRB-CCO0-1206 | W22     | Note 5    | Wall Mounted               | Infotec      | P3004   | 9005 - 30% Gloss | ~       | 9005 - 30% Gloss | 3.0 (Note 6)           |

- Note 1. This display was formerly defined as an Infotec P1094
- Note 2. Types and Locations of displays to be determined by others.
- Note 3. To be supplied with prebuilt 2 x 20mm S/Steel braided flexible conduit tails; lengths to be determined at implementation. Data flex c/w LSOH STP Cat-5e & RJ45 plugs; mains flex c/w LSOH 3core mains + 6mm earth bond.
- Note 4. Brackets are bespoke. Yet to be determined and specified by others. Height AFFL refers to bottom of display.
- Note 5. Display and clock type yet to be determined by others
- Note 6. Height AFFL refers to bracket.
- Note 7. Height AFFL determined by totem / monolith designer.
- Note 8. Height AFFL to bottom of display. Standard wall brackets specified; lift structure cladding designer to incorporate display support.
- Note 9. Bracket requirements to be determined by totem designer.
- Note 10. This display was formerly defined as an Infotec P3007
- Note 11. Display is relocated from elsewhere, as such the type of display is not specified by this design.