

King's Cross Square

Planning Condition 3 - 'Within two years of commencement of development a landscape specification, design details and management plan including long term design objectives, management responsibilities, a programme for implementation and maintenance schedules for all hard and soft landscaped areas within the boundaries of the site must be submitted to and approved by the local planning authority. For the avoidance of doubt details of hard landscaping shall include the design, locations, dimensions and specifications of parking and loading bays within the site, security measures such as permanent bollards or obstructions and CCTV installation. Approved works shall be carried out in accordance with conditions 3, 4 and 5 and thereafter retained.'

Drawing / Document Number	Title	Revision	Scale
ARC-REP-SWA-SSQ-SWNS-0015	Design Statement: King's Cross Square and Treatment of LUL Structures	2	n/a
110916 King's Cross square AS	Access Statement	6	n/a
ENG-DWG-SWA-SSQ-CLG-0002	Combined Constraints Plan Existing Utilities and Below Ground Structures	4	1:250
ENG-DWG-SWA-SSQ-CLG-0004	Project Boundaries	3	1:250
ENG-DWG-SWA-SSQ-CLG-0006	Proposed Surface Water Drainage	4	1:250
ARCH-DWG-SWA-SSQ-CAP-0001	Location Plan	2	1:250
ARCH-DWG-SWA-SSQ-CAP-0002	Site Plan	2	1:250
ARCH-DWG-SWA-SSQ-CAS-0003	Site Section A	2	1:250
ARCH-DWG-SWA-SSQ-CAS-0004	Site Section B	2	1:250
ARCH-DWG-SWA-SSQ-CAS-0005	Site Section D	1	1:250
ARCH-DWG-SWA-SSQ-CAS-0006	Site Section E	2	1:250
ARCH-DWG-SWA-SSQ-CAS-0007	Site Section F	1	1:250
ARCH-DWG-SWA-SSQ-CAP-0030	Ground Floor and Roof Plan	2	1:100
ARCH-DWG-SWA-SSQ-CAE-0031	South and West Elevation	1	1:100
ARCH-DWG-SWA-SSQ-CAS-0032	Section AA and East Elevation	1	1:100
ARCH-DWG-SWA-SSQ-CAD-0033	Cladding Details	1	1:10
ARCH-DWG-SWA-SSQ-CAP-0060	Proposed Tree Planters – Plans & Typical Details	2	1:100
ARCH-DWG-SWA-SSQ-CAP-0061	Proposed Benches Types 2 and 3 – Plans and Typical Detail	2	1:100
ARCH-DWG-SWA-SSQ-CAP-0020	Ground Floor Plan	2	1:100
ARCH-DWG-SWA-SSQ-CAP-0021	Roof Plan	1	1:100
ARCH-DWG-SWA-SSQ-CAS-0022	Sections EE and DD	1	1:100
ARCH-DWG-SWA-SSQ-CAS-0023	Sections CC and BB	1	1:100
ARCH-DWG-SWA-SSQ-CAE-0024	Elevations East and West	1	1:100
ARCH-DWG-SWA-SSQ-CAE-0025	Elevations North and South	1	1:100
ARCH-DWG-SWA-SSQ-CAC-0026	RCP	1	1:100
ARCH-DWG-SWA-SSQ-CAD-0027	Cladding Details	1	1:10

Southern Façade Canopy and South East Stair Enclosure

Planning Condition 37 (a) and (d) - 'The precise location, form, design and details of the following elements shall be submitted to and approved in writing by the Council, advised by English Heritage, before the relevant part of the works commence, and shall be contained within the zones identified in the submitted plans (AL-ZO-041, AL-ZO-042, AL-ZO-00G-C, AL-ZO-00G-S):

- a. the 'exit' canopies
- d. the LUL south-east stairs (the location of which has already been agreed with LUL under CTRL Schedule 6 submissions)'

Planning Conditions Informative 3 - 'With respect to conditions 36 and 37, any applications for relevant works shall include the following:

- a. Exit canopies: elevations, sections and plans (minimum scale of 1:20), intervention in existing southern elevation (at minimum scale 1:5), structural engineers report on proposal;
- c. Elevations, sections and plans for the LUL SE stairs enclosure, including details of method of closing/securing the stairs at pavement level and details in elevation and section of how the stairs canopy interacts with the main station exit canopies (all at minimum scale of 1:20).'

Listed Building Condition 22 - 'The precise location, form, design and details of the following elements shall be submitted to and approved in writing by the Council, advised by English Heritage, before the relevant part of the works commence, and shall be contained within the zones identified in the submitted plans (AL-ZO-041, AL-ZO-042, AL-ZO-00G-C, AL-ZO-00G-S):

- a. the 'exit' canopies;
- d. the LUL south-east stairs (the location of which has already been agreed with LUL under CTRL Schedule 6 submissions).

Drawing / Document Number	Title	Revision	Scale
Southern Façade Canopy (Exit Canopy)			
ENG-REP-OAP-SFC-CSTR-0010	GRIP 4 Structural Report: Southern Facade Canopy	B	n/a
ENG-DWG-OAP-SES-CAP-0001	Southern Facade Canopy & South-East Stairs Ground Floor Plan & South Elevation	2	1:200
ENG-DWG-OAP-SFC-CAP-0004	Southern Facade Canopy Roof Plan - West Tower	2	1:20
ENG-DWG-OAP-SFC-CAP-0005	Southern Facade Canopy Roof Plan - Typical	2	1:20
ENG-DWG-OAP-SFC-CAP-0006	Southern Facade Canopy Roof Plan - Clock Tower	2	1:20
ENG-DWG-OAP-SFC-CAP-0007	Southern Facade Canopy Roof Plan - East Tower	2	1:20
ENG-DWG-OAP-SFC-CAS-0202	Southern Facade Canopy Typical Section	2	1:20
ENG-DWG-OAP-SFC-CAD-1001	Southern Facade Canopy Structural Gutter And Historic Fabric Interface Details	2	1:5
South East Stair Enclosure			
ENG-DWG-OAP-SES-CAP-0002	South-East Stairs Ground Floor Plan	2	1:50
ENG-DWG-OAP-SES-CAP-0003	South-East Stairs Roof Plan	2	1:50
ENG-DWG-OAP-SES-CAE-0051	South-East Stairs West Elevation	2	1:20
ENG-DWG-OAP-SES-CAE-0052	South-East Stairs East Elevation	2	1:20
ENG-DWG-OAP-SES-CAS-0201	South-East Stairs South Elevation & Section GLB-GLA	2	1:50
ENG-DWG-OAP-SES-CAD-1002	South-East Stairs Section GLB-GLA Longitudinal Section	2	1:20

Lighting Strategy

Planning Condition 17 - 'Within a year of commencement of works a Lighting Strategy shall be submitted to and approved by the Council. The strategy to provide details of all lighting schemes within the public areas of the site, including design and specification details of typical lighting units, fittings, fixtures and poles. For the avoidance of doubt this shall include details of lighting within the concourse perimeter and within the curtilage of the canopies. The strategy shall also include details of all architectural or feature lighting within the site. The relevant work shall be carried out in accordance with such strategy thus approved.'

Listed Building Condition 32 - 'Within a year of commencement of works a Lighting Strategy shall be submitted to and approved by the Council. The strategy to provide details of all lighting schemes within the public areas of the site, including design and specification details of typical lighting units, fittings, fixtures and poles. For the avoidance of doubt this shall include details of lighting within the concourse perimeter and within the curtilage of the canopies. The strategy shall also include details of all architectural or feature lighting within the site. The relevant work shall be carried out in accordance with such strategy thus approved.'

Drawing / Document Number	Title	Revision	Scale
ARC-REP-SWA-SSQ-SWNS-0015	Design Statement: King's Cross Square and Treatment of LUL Structures	2	n/a
ENG-BRF-OAP-SSQ-CBSE-004	King Cross Southern Facade Canopy South East Stair Closure Lighting Load Schedule	2	n/a
ENG-SPE-OAP-SSQ-CBSE-006	LIGHTING SPECIFICATION KING'S CROSS SOUTHERN FACADE CANOPY AND SOUTH EAST STAIR ENCLOSURE	2	n/a
ENG-BRF-OAP-SSQ-CBSE-007	LIGHTING CONTROL BRIEF KING'S CROSS SOUTHERN FACADE CANOPY AND SOUTH EAST STAIR ENCLOSURE	2	n/a
ENG-DWG-OAP-SFC-CEL-0019	King's Cross Square Southern Facade Canopy Lighting Plan	2	1:100
ENG-DWG-OAP-SFC-CEL-0020	King's Cross Square Southern Facade Canopy Lighting Section Detail	2	1:50
ENG-DWG-OAP-SES-CEL-0021	King's Cross Square South East Stairs Lighting Layout	2	1:50
ENG-DWG-OAP-SES-CEL-0022	King's Cross Square South East Stairs Lighting Section	2	1:50
3011-05-001	Kings Cross Square GA Lighting Plan	2	1:250
3011-05-002	Southern Facade Elevation Lighting 1	1	Varies
3011-05-003	Southern Facade Elevation Lighting 2	1	Varies
3011-05-004	TTH Stair-Rotunda Linking Canopy and Rotunda Lighting Plan	1	1:100
3011-05-005	TTH Stair – Rotunda Linking Canopy and Rotunda Lighting Elevations	1	1:100
3011-05-006	Blue Egg Ventilation Shaft Lighting Plan	1	1:100
3011-05-007	Blue Egg Ventilation Shaft Lighting Elevation	1	1:100
3011-05-008	Push-Pull Ventilation Shaft Lighting Plan	1	1:50
3011-05-009	Push-Pull Ventilation Shaft Lighting Elevation	1	1:50
3011-05-010	Kings Cross Square Bench Lighting Details	1	Varies
3011-05-011	Kings Cross Square Planter Lighting Details	2	Varies
3011-05-012	Euston Road, East and West Staircase Canopies Plan Detail	1	1:50
3011-05-013	Euston Road, East and West Staircase Canopies Elevations	1	1:50
3011-05-014	Lighting Columns General Arrangement	1	1:50

General Information

Drawing / Document Number	Title	Revision	Scale
AL-S01C	King's Cross Square Site Plan	1	1:1250
-	King's Cross Square Results of Public Consultation and Consequential Design Changes	-	-

Existing Drawings

AE8-S01	King's Cross Station Enhancement PA 2008 Site Plan	1	1:1250
AE8-0SB	King's Cross Station Enhancement PA 2008 Sub-Basement Floor Plan	1	1:500
AE8-00B	King's Cross Station Enhancement PA 2008 Basement Floor Plan	1	1:500
AE8-00G	King's Cross Station Enhancement PA 2008 Ground Floor Plan	1	1:500
AE8-001	King's Cross Station Enhancement PA 2008 First and Mezzanine Floor Plans	1	1:500
AE8-041	King's Cross Station Enhancement PA 2008 South Elevation	1	1:200
AE8-00B-S	King's Cross Station Enhancement PA 2008 Basement Floor Plan - Southern Area	1	1:200
AE8-00G-S	King's Cross Station Enhancement PA 2008 Ground Floor Plan - Southern Area	1	1:200
AE8-001-S	King's Cross Station Enhancement PA 2008 First and Mezzanine Floor Plans - Southern Area	1	1:200