

LUMINAIRE KEY

B1 - IP65 25W P/M LINEAR LED LUMINAIRE, TO BE INTEGRATED INTO BENCH.

C1 - 18M HIGH FEATURE LIGHTING COLUMN WITH MULTIPLE HEAD LED PROJECTORS: ESTIMATED WATTAGE PER 1.2KW C2 - 6M HIGH LED LIGHTING COLUMNS WITH MULTIPLE HEAD LED PROJECTORS. ESTIMATED WATTAGE 300W.

D2 - IP65 22W RECESSED LED DOWNLIGHT.

D3 - IP65 30W LED DOWNLIGHT

L2 - IP65 40W LINEAR LED LUMINAIRE.

L3 - JP54 15W P/M LINEAR LED LUMINAIRE.

L4 - IP65 36W P/M LINEAR LED LUMINAIRE.

L5 - IP65 25W P/M LINEAR LED MODULES COMPLETE WITH WIDE BEAM DISTRIBUTION.

L7 - IP65 40W SURFACE MOUNTED LINEAR LED LUMINAIRE.

L8 - IP65 36W SURFACE MOUNTED LINEAR LED LUMINAIRE.

L8A - IP65 12W SURFACE MOUNTED LINEAR LED LUMINAIRE. L10 - IP65 70W LINEAR LED LUMINAIRE.

L11 - IP65 36W LINEAR LED LUMINAIRE.

P2 - IP65 30W LED PROJECTORS.

T1 - IP65 30W IN-GROUND LED UPLIGHTER.

U1 - IP68 36W IN - GROUND, LINEAR, ADJUSTABLE LED UPLIGHTER.

U2 - IP68 24W IN - GROUND, LINEAR, ADJUSTABLE LED UPLIGHTER.

U3 - IP68 12W IN - GROUND, LINEAR, ADJUSTABLE LED UPLIGHTER.

02	20-09-11	BH	TD	TD
01	29-07-11	RH	CS	CS

Issue Date By Chkd Appd

Client
Cubitt House
1 Bottle Bridge Road
London NIC 4AH
Phone +44 (0)20 7147 6011
Email
KingstrossRedevelopmentProjec
Gnetworkrail.co.uk

Network Rail



studio FRACTAL

Job Title

King's Cross Station Redevelopment Programme Package 7

Kings Cross Square Euston Rd East and West Staircase Canopies, Plan Detail

This drawing has been produced by Stanton Williams under an instruction by Network Rail on behalf of London Underground Ltd for submission under the Channel tunnel Rail Link Act 1996 - Schedule 6, Plans and Specification, for the following structures - The Cladding and retail extension to the Blue Egg Ventilation Shaft, the Tube Ticket Hall Main Staircase and the Euston Road Canopies. Scale at A1 1:50

NOT FOR CONSTRUCTION

Document Reference No ENG-DWG-SWA-SSQ-SFR-3011-05-012

Planning/Grip4

SF Job No Drawing No 3 0 1 1 | 0 5 - 0 1 2