



75mm depth ornamental grade bark mulch; Q31 485. Refer to Topsoil & Amelioration Plan bd 0058 DD 007

450mm depth min topsoil over 500mm depth min Subsoil. Refer to Topsoil & Amelioration Plan bd 0058 DD 007

63mm wide x 150mm depth x 915mm length Conservation Pin Kerb (CK5); Q10 111

Concrete Foundation
Refer to engineers Specification and typical details.

2 no bands of 160 gauge (240/160/120mm) & 1 no band of 120 gauge (160/120/80mm) x 60mm thickness Marshall's Tegula concrete sett paving; Q24 110

30mm compacted sand laying course

Sub-base
Refer to engineers Specification

GENERAL NOTES:

1. ALL DIMENSIONS AND LEVELS SHALL BE CHECKED ON SITE PRIOR TO CONSTRUCTION WORK COMMENCING.
2. ALL LANDSCAPE DRAWINGS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEER'S AND ARCHITECT'S DRAWINGS AND SPECIFICATIONS.
3. ALL DRAWINGS TO BE READ IN CONJUNCTION WITH THE LANDSCAPE SPECIFICATION.
4. ANY DISCREPANCY CONCERNING THE DRAWINGS SHOULD BE REFERRED TO THE CA IMMEDIATELY.
5. ALL DIMENSIONS IN MILLIMETRES UNLESS NOTED OTHERWISE.
6. ALL LEVELS IN METRES.
7. DO NOT SCALE OFF THIS DRAWING.
8. EXISTING SERVICE ALIGNMENTS SHALL BE CHECKED ON SITE BY THE CONTRACTOR PRIOR TO CONSTRUCTION WORK COMMENCING.

01	29/10/2010	Employers Requirements Issue	LB	RB
00	17/09/2010	Stage E Issue for comment	LB	RB
Rev	Date	Description	Drawn	Checked

b:d landscape architects ltd
Sun Street
Tewkesbury
GLOS GL20 5HX
t: 07515 155 775
e: info@bdlandarch.com
w: www.bdlandarch.com

b:d landscape:architecture
urbandesign

CLIENT
London Diocesan Board for School, London Borough
of Camden & Emmanuel C of E Primary School

PROJECT
Emmanuel C of E School

TITLE
Typical Edge Detail: Pin Kerb
(CK5)

Status: Stage E	Drawn: LB	Checked: RB
Scale: 1:5	Date: 15.09.2010	Approved: RB

Drawing & Revision Number:
bd 0055 DD 329 R01