



**standard notes**

1. Do not scale this drawing.
2. All dimensions must be checked on site and any discrepancies verified with the architect.
3. Unless shown otherwise, all dimensions are to structural surfaces.

THIS IS NOT A CONSTRUCTION DRAWING, IT IS UNSUITABLE FOR THE PURPOSE OF CONSTRUCTION AND MUST ON NO ACCOUNT BE USED AS SUCH.

**drawing notes**

**Performance and workmanship to PassivHaus Standards. Refer to the PassivHaus Planning Package (PHPP).**

All windows to be triple glazed and achieve maximum U-Value of 0.9

All frames exterior finish to RAL 7040, Window Grey  
All frames interior finish, matt varnish.

All windows to meet Lifetime homes criterion (15):  
\*Window should have handles/controls to an opening light no higher than 1200mm from the floor.\*

All windows to meet PassivHaus levels of air tightness

**revisions**

Drawing Previously 2811A\_A\_725

P1 2010.11.05 Durkan Comments Dated 02/10/10 Incorporated



t: 01982 781400  
f: 01992 781500  
w: durkan.co.uk  
e: info@durkan.co.uk

# 154 LOUDOUN ROAD CAMDEN NW8

**date**  
29/10/10

**scale**  
1 : 20

**drawn checked drawing number**  
TR AMC 2811A-A-801

C:\REVIT\_LOCAL\2811A Loudoun Road CENTRAL2\_tom.randle.rvt

**client**  
Origin

**drawing**  
Window Legend (1 of 2)

**Levitt Bernstein**  
1 Kingsland Passage  
London  
E8 2BB

t: 020 7275 7676  
f: 020 7275 9348  
w: levittbernstein.co.uk  
e: post@levittbernstein.co.uk

**Levitt Bernstein**