



1.  
2.  
3.  
4.  
5.  
6.  
7.  
8.  
9.  
10.
- CDM REGULATIONS 2007  
RESIDUAL RISKS



PILE LAYOUT



GROUND BEAM/PILECAP LAYOUT

Notes:  
1. DO NOT SCALE FROM THIS DRAWING  
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER DRAWINGS AND SPECIFICATIONS IN THIS SERIES.

PILES  
Piles designed, detailed and installed by a specialist contractor to sustain the loads indicated in accordance with BS8004 1986 and "Specification for Piling and Embedded Retaining Walls" by The Institution of Civil Engineers. If appropriate an additional load due to negative skin friction should be applied.  
The concrete mix for the piles should satisfy the requirements for Sulphate Class D5-1 to BS8500.  
Reinforcement as follows:  
H - High tensile (deformed) bars to BS4449  
R - Mild steel (round) bars to BS4449  
Deviation of installed pile from pile centre on drawing shall not exceed 75mm.  
Maximum deviation from vertical of any pile (unless noted) shall be 1:75

PLANNING

Rev	Description	Dm	Chk	Date
-----	-------------	----	-----	------



Incorporating:  
**K L Harrison & Associates Ltd**  
Civil & Structural Engineering Consultants

The Old Engine House  
Goblands Farm Business Park  
Court Lane, Hadlow  
Kent  
TN11 0DP  
Tel 01732 851416  
Fax 01732 852200

Innovation Centre  
Highfield Drive  
Churchfields, St Leonards  
East Sussex  
TN38 9UH  
Tel 01424 858144  
Fax 01424 858145  
email: [engineering@bdr.uk](mailto:engineering@bdr.uk)

Client  
Residential Land Ltd  
40 Park Street  
Mayfair W1K 2LG

Project  
37 Elsworthy Road  
London NW6

Drawing  
Structural Details  
Foundations + Basement Slab

Scale @ A1 1:50	Date 20.09.10	Drawn by MD	Checked
Job No. 10306	Drg. No. S.101	Rev	



SCALE 1=50