

A1

A

B

C

D

E

F

G

H

I

J

K

L

M

N

1

2

3

4

5

6



7

8


9

10


11



Internal Screen Pad Footing – RC Details



Man Hole Edge Detail – RC Detail 5



Trimming Bars To Formed Openings – RC Detail 6

General Notes:

1. Drawings are not to be scaled (images have been scanned).
2. For typical Connection Details refer to Drg No, 18000/S_1145.
3. Connection design forces shown thus : (_) , acting downwards. All forces are factored. Where such connection forces are only shown at one end of the beam it should be assumed the force is the same at both ends.
4. Concrete grade to insitu beams and slabs (not on steel decking) to be RC40, refer to Arup concrete specification details. Nominal cover to all reinforcement to be 30mm, to BS8500.
5. Concrete grade to insitu slabs on permanent metal decking to be RC30, refer to Arup concrete specification for details. Nominal Cover to be 30mm.
6. For Temporary Works proposals refer to Drg No, 111800/S_1147 & S_1743.
7. Concrete upstand to all levels at front of lift to be provided. Refer to Drg No, 118000/S_1145 Detail 'F'.
8. Locations of Existing W.I. Beams to be confirmed to Engineer prior to demolition.
9. Any discrepancies between Architect's & Engineer's Drawings to be highlighted to both parties.
10. All general dimensional information & setting out to be referred to Architect's Drawings.
11. Lifting beams & secondary lift steelwork to be Contractor designed.
12. Proposed method statement & construction sequence to be agreed with Engineer.

C2	28/06/07	JL	JB	BJ
Issued For Construction				
C1	18/06/07	JL	JB	BJ
Issued For Construction				
Issue	Date	By	Chkd	Appd

ARUP

13 Fitzroy Street
London W1T 4BQ
Tel +44 (0)20 7636 1531 Fax +44 (0)20 7680 3924
www.arup.com

Client

Manhattan Lofts
Corporation Limited

Job Title

St. Pancras Chambers

Drawing Title

Platform Level Slab
Reinforcement Details
Sheet 3

Scale at A1

Plot ID 8DD0366C-F48F-4CD2-A05F-14D7981E5788

Drawing Status

Construction

Job No	Drawing No	Issue
118000	S_4043	C2