

M	N	
		<u>General Notes:</u>
		 Drawings are not to be scaled (images have been scanned). For typical Connection Details refer to Drg No,
		 18000/S_1145. 3. Connection design forces shown thus : (kN), acting downwards. All forces are factored. Where such connection forces are only shown at one end of the beam it should be
		assumed the force is the same at both ends.4. Concrete grade to insitu beams and slabs (not on steel decking) to be RC40, refer to Arup concrete specification
		details. Nominal cover to all reinforcement to be 30mm, to BS8500. 5. Concrete grade to insitu slabs on permanent metal decking
		 to be RC30, refer to Arup concrete specification for details. Nominal Cover to be 30mm. 6. For Temporary Works proposals refer to Drg No, 111800/ S_1147 & S_1743.
		 S_1147 & S_1743. Concrete upstand to all levels at front of lift to be provided. Refer to Drg No, 118000/S_1146 Detail 'F'.
		 8. Locations of Existing W.I. Beams to be confirmed to Engineer prior to demolition.
		 9. Any descrepancies between Architect's & Engineer's Drawings to be highlighted to both parties.
		10. All general dimensional information & setting out to be refered to Architect's Drawings.
	ч	11. Lifting beams & secondary lift steelwork to be Contractor designed.
		12. Proposed method statement & construction sequence to be ogreed with Engineer.
		C2 07/09/07 JL JB BJ
		Issued For Construction C1 06/08/07 JB JB BJ
		Issued For Construction Issue Date By Chkd Appd
		ARUP
		13 Fitzroy Street London W1T 4BQ Tel +44 (0)20 7636 1531 Fax +44 (0)20 7580 3924
		Www.arup.com Client Manhattan Lofts Corporation Limited
		Job Title St. Pancras Chambers
		Drawing Title Barlow House Roof Timber Alterations Plans
		Scale at A1
		Plot ID 5B6223CC-CDB8-47A7-8FC4-680AC0E42D65
		Drawing Status Construction Job No Drawing No Issue
		118000 S_6301 C2