

Survey schedule (Appendix I)

Tree survey field data compliant to British Standard 5837:2005

Date/s of survey Start 07/10/2010 Finish -

Survey undertaken Contract 0040' Site 29 Lancaster Grove, Belsize Park, NW3 4EX

Copyright © Arbtech Consulting Ltd 2010

Item ref	Species	Age	Vitality	BS Cat	BS Cat	Clr	Height	DBH	N	S	E	W	Notes	Mgt reco's
T1	Common lime (<i>Tilia x europaea</i>)	EM	Fair	C	1	2.5	18	400	1	5	2	1	Lapsed pollard at 6m, thin taper apical growth upon pollard points, various cavities within the crown, asymmetrical crown	None
T2	Common lime (<i>Tilia x europaea</i>)	M	Fair	B	1	2	18	650	3	4	4	3	Lapsed pollard at 6m, various cavities within the crown, asymmetrical crown, small amount of ivy (<i>Hedera helix</i>) upon the stem, the tree appears to be the causation of the damage to the brick boundary wall	None
S1	Elder (<i>Sambucus nigra</i>)	OM	Dead	R	R	2	3	450	0	2	2	2	Multi-stemmed, no evidence of alive leaves in the crown large amount of ivy within the crown of the tree and upon its stem	Request removal (off-site tree)
T3	Silver maple (<i>Acer saccharinum</i>)	EM	Fair	B	1	4	17	300	1	2	1	2	Thinly tapered tree, small amount of ivy upon its stem	None
T4	Sycamore (<i>Acer pseudoplatanus</i>)	EM	Fair	C	2	2.5	3.5	400	2	1	2	2	Multi-stemmed, topped in the past there is ivy upon its stem and within its crown	None
T5	Myrobalan plum (<i>Prunus cerasifera</i>)	M	Poor	R	R	1.75	8	400	4	4	4	2	Multi-stem, asymmetrical crown, small ratio of alive to dead crown, the crown is being suppressed by a climbing rose	Prune back to the boundary