



confetti

confetti

DESIGNER SOFAS

leather & black

SOFA

skyARTS

MOVIE ARTS
THAT ARE
CHANGING
CONTEMPORARY
DANCE



AL PERKS



DIRTY DANCING'S SIZZLING NEW CAST!



A MUST SEE SHOW ALL OVER AGAIN





confetti

confetti

weather
is black

skyARTS

DIRTY DANCING'S SIZZLING NEW CAST

← Regent's Park



Mon-Fri
8.30-10.30am
4.30-6.30pm

others
o
rectory
else
st

uk

43
Take your pick of local
summer festivals

ADMIT ONE

Love
Camden
Summer

Whatever you love, visit these events in July

43
Take your pick of local
summer festivals

ADMIT ONE

Love
Camden
Summer

Whatever you love, visit these events in July

sky
Believe in better



ADMIT ONE

Low
Camden
Summer

Whatever you love visit lowcamden.org to find

43
#

Take your pick of local
summer festivals

ADMIT ONE

Low
Camden
Summer

Whatever you love visit lowcamden.org to find





STAIPE

100297

igsat
co.uk
marves
about
nickend
our
ith
is
id
ry
e
ub

CLOSING DOWN
SALE
RELLOCATING TO BRANDS

EVERYTHING MUST GO
MASSIVE REDUCTIONS
EVERYTHING MUST GO
gifts cards

confetti

CLOSING DOWN
SALE
RELLOCATING TO BRANDS

EVERYTHING MUST GO
MASSIVE REDUCTIONS
EVERYTHING MUST GO
weddings party



DESIGNER SOFAS

ON OF ITALIAN SOFAS IN LONDON


82

0% Interest Free Credit on Selected M

WWW.DESIGNER LONDON.C




Tottenham Court Road, IFO No. 81 - 82, London. W1T 4TE



London Borough of Camden
JCD Ref: CAM0002CM (Resite)

Tottenham Court Road, IFO No. 81 - 82, London. W1T 4TE



London Borough of Camden
JCD Ref: CAM0002CM (Resite)



JCDecaux

*Cultural posting column Design **N. Foster***

Cultural posting column Design *N. Foster*


Colours



Chain metal grey
JCD 7002



Cox grey
JCD 7006



Heritage green
JCD 6006

JCDecaux

Introduction

An item of furniture designed by N. Foster and engineered by JCDecaux
for cultural information display
Comprises three backlit poster displays

Features

Comprised of a 3 post internal structure topped by a triangular bracing frame
The roof is constructed from methacrylate panels on a steel structure
Fitted with three top hung doors held open using special struts
Collection of rainwater

Posting

Visible poster surface 4 m² : 12000 mm x 3500 mm per face
Faces are back lit
The column can be rotated ensuring access to all posting faces
Posters secured under transparent straps
Doors held rigid by a patented side tension shaft system
Posting can be conducted from ground level

Electrics

Supply 220 V / 240 V - 50 Hz
Connection to metered supply
(electronically timed lighting)
Power rating : 840VA
PROTECTION
6A mains isolator and 25A-30mA residual current circuit protection device
AVERAGE CONSUMPTION
9.66 kWh/day fixed
(based on 4200 operating hours per year)

Technical Description

Materials

MATERIALS	CORROSION PROTECTION	FINISH	MAIN ITEMS CONCERNED
steel/ cast iron	metal spray	powder paint 80 µm	leg and case structures
steel	spun galvanised		foundation anchors
stainless steel	passivation		fixings
aluminium	chromate conversion	powder paint 80 µm	roof and cladding
methacrylate			roof glazing
polycarbonate 3 mm			door glazing
b25 concrete			foundation slab

Lighting


2 twin tube light troughs per face ensure
Uniform light distribution for high back light quality

Standards

EC machines / EMC / low voltage Directives
NFC 15.100 NFC 17.200
Design and construction to ISO 9001 (2000 Version)

Resistance to vandalism

Opening of the display panels is via a special key
Cast iron plinths
No visible fixings
Scratch and impact resistant polycarbonate glazing
Weather resistant materials used throughout



Before



After

