


145.506.A - DETAIL SECTION THROUGH PROPOSED SECOND FLOOR CONSTRUCTION



© 2009 syte architects limited. Registered in Englan number 4565774. Registered office 59a Brent St. London NW4.

heck all dim the quantities in any way the informed before work is co do not scale d

FOR APPROVAL

Rev B - 24.08.10 Revised Building resubmission

Existing render to rear facade, to be repaired where necessary.

Existing rear wall.

Existing plaster/ plasterboard

Ł

_ · _ · _ · _ Line 60 minutes Fire Resistance _____ Line 30 minutes Fire Resistance Envirograf Intumescent paint Envirograf Class 0 treatmen







- Carpet and underlay.

min. 25

MMMMMM

New finishing coat of render to rear facade.

Flashing repointed with Calder lead sealent.

- New lead flashing. - New polymer modified felt roof membrane — 116mm Celotex Tempcheck Deck TD3000 insualtion

-Vapour barrier, edges turned up and over edges and sealed to top of insualtion

syte 83-84 Berwick Stevet London W1F 815 T 020 7734 8310 F 020 77 revisions Rev A - 03.03.10 - Listed Building application Resolution Ltd. 93 Judd Street London NW1 drawing title

FLAT B - UPPER GROUND FLOOR FLAT	
BEDBOOM	

Second Floor Details (2) Feb 09 B drawing 1:10@A3 145.506