

# ALS/ALS Standard/2010\_1692237

NB: Level quoted in metres Ordnance Newlyn Datum. The value -9999.00 indicates no Survey information is available.

REFERENCE	COVER LEVEL	INVERT LEVEL
9805	27.47	21.84
9903	30.08	24.4
9004		
9609	23.04	19.51
9602	23.18	19.86
9702	24.37	18.6
9802	31.2	27.16
8701	15.2	
8802	16.02	11.32
8902	19.31	15.87
7908		
7705	15.74	11.02
78EI		
7901	14.34	10.46
7902		
7504	16.02	
601B	14.85	
8803	19.65	15.71
601A	14.39	10.61
702A	18.58	13.62
8505	14.53	10.6
9502	14.47	11.45
9612	15.98	13.45
9611	16.56	13.92
9703	20.9	15.83
9608	21.48	16.44
9610	21.78	17.66
6904	14.32	10.95
6923	14.46	
69CA		
69CD		
69AE		
69BF		
69BB		
69AF		
6926	14.1	12.25
6928		
78BF		
78CC		
7802	16.46	11.33
7907	14.08	
77DC		
78CE		
77EH		
77EI		
7612		
66II		
66JA		
7601	18.15	12.59
6606		
6609	19.74	15.32
5701		
7703	17.67	12.37
6820	17.41	11.39
7801	16.77	11.46
6805	14.57	12.78
6806	14.33	11.19
68CD		
68CE		
5707	18.95	12.16
5733		1.91
5734		
4607		
5904		
6505		
65BG		
66GE		
66HI		

REFERENCE	COVER LEVEL	INVERT LEVEL
9901	30.52	26.34
9902	30.51	24.93
9512		
9601	23.04	20.03
9603	22.7	19.05
9701	27.09	23.6
8507		
8705	14.36	10.98
8603	14.48	10.98
7728	15.04	
7909		
7910		
7911		
905B	16.14	11.17
78EC		
8901	16.2	12.58
8801	19.52	15.78
8524		
8525		
8502	14.98	12.51
501B	14.59	10.58
501A		
9607	21.44	17.06
9606	21.39	17.45
9801	25.93	21.34
9605	21.54	17.93
9604	22.03	18.32
6922		
68CC		
6902		
69CC		
69BJ		
69BE		
69BA		
6929	14.22	13.32
6927	14.1	13.25
6931		
7701		
78CD		
79AB		
7805	14.23	
77DF		
77DE		
78FB		
79AH		
7604		11.97
66IJ		
66FJ		
66FH		
66FI		
66FD		
77FJ		
5706	19.02	14.77
6821		
6803	14.69	11.57
6804	14.5	10.94
7804		
6807		
78CI		
5732		1.94
5804	15.85	11.87
5903	14.41	11.19
5805		
6502		
6507		
6604		
66GH		
66GF		



## ALS Sewer Map Key

### Public Sewer Types (Operated & Maintained by Thames Water)

	<b>Foul:</b> A sewer designed to convey waste water from domestic and industrial sources to a treatment works.		<b>Trunk Foul</b>
	<b>Surface Water:</b> A sewer designed to convey surface water (e.g. rain water from roofs, yards and car parks) to rivers or watercourses.		<b>Trunk Combined</b>
	<b>Combined:</b> A sewer designed to convey both waste water and surface water from domestic and industrial sources to a treatment works.		<b>Bio-solids (Sludge)</b>
	<b>Trunk Surface Water</b>		<b>Vent Pipe</b>
	<b>Storm Relief</b>		<b>Proposed Thames Surface Water Sewer</b>
	<b>Proposed Thames Water Foul Sewer</b>		<b>Gallery</b>
	<b>Surface Water Rising Main</b>		<b>Foul Rising Main</b>
	<b>Sludge Rising Main</b>		<b>Combined Rising Main</b>
	<b>Proposed Thames Water Rising Main</b>		<b>Vacuum</b>

#### Notes:

- 1) All levels associated with the plans are to Ordnance Datum Newlyn.
- 2) All measurements on the plans are metric.
- 3) Arrows (on gravity fed sewers) or flecks (on rising mains) indicate direction of flow.
- 4) Most private pipes are not shown on our plans, as in the past, this information has not been recorded.
- 5) 'na' or '0' on a manhole level indicates that data is unavailable.

### Sewer Fittings

A feature in a sewer that does not affect the flow in the pipe. Example: a vent is a fitting as the function of a vent is to release excess gas.

	<b>Air Valve</b>
	<b>Dam Chase</b>
	<b>Fitting</b>
	<b>Meter</b>
	<b>Vent Column</b>

### Operational Controls

A feature in a sewer that changes or diverts the flow in the sewer. Example: A hydrobrake limits the flow passing downstream.

	<b>Control Valve</b>
	<b>Drop Pipe</b>
	<b>Ancillary</b>
	<b>Weir</b>

### End Items

End symbols appear at the start or end of a sewer pipe. Examples: an Undefined End at the start of a sewer indicates that Thames Water has no knowledge of the position of the sewer upstream of that symbol, Outfall on a surface water sewer indicates that the pipe discharges into a stream or river.

	<b>Outfall</b>
	<b>Undefined End</b>
	<b>Inlet</b>

### Other Symbols

Symbols used on maps which do not fall under other general categories

	<b>Public/Private Pumping Station</b>
	<b>Change of characteristic indicator (C.O.C.I.)</b>
	<b>Invert Level</b>
	<b>Summit</b>

#### Areas

Lines denoting areas of underground surveys, etc.

	<b>Agreement</b>
	<b>Operational Site</b>
	<b>Chamber</b>
	<b>Tunnel</b>
	<b>Conduit Bridge</b>

### Other Sewer Types (Not Operated or Maintained by Thames Water)

	<b>Foul Sewer</b>		<b>Surface Water Sewer</b>
	<b>Combined Sewer</b>		<b>Gully</b>
	<b>Culverted Watercourse</b>		<b>Proposed</b>
			<b>Abandoned Sewer</b>



0 12.5 25 50 75 100  
Meters


The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified before any works are undertaken. Crown copyright Reserved

**Scale:** 1:1850  
**Width:** 517m  
**Printed By:** trawling  
**Print Date:** 27/01/2010  
**Map Centre:** 530750,182250  
**Grid Reference:** TQ3082SE

**Comments:**  
water plan

Based on the Ordnance Survey Map with the  
sanction of the Controller of H.M Stationary  
Office License Number 10019345

ALS/ALS Standard/2010\_1692237




0 12.5 25 50 75 100  
Meters

The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified before any works are undertaken. Crown copyright Reserved

**Scale:** 1:1850  
**Width:** 517m  
**Printed By:** trawling  
**Print Date:** 27/01/2010  
**Map Centre:** 530750,182750  
**Grid Reference:** TQ3082NE

**Comments:**  
water plan



0 12.5 25 50 75 100  
Meters

The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified before any works are undertaken. Crown copyright Reserved

**Scale:** 1:1850  
**Width:** 517m  
**Printed By:** trawling  
**Print Date:** 27/01/2010  
**Map Centre:** 530250,182250  
**Grid Reference:** TQ3082SW

**Comments:**  
water plan

Based on the Ordnance Survey Map with the  
sanction of the Controller of H.M Stationary  
Office License Number 10019345

ALS/ALS Standard/2010\_1692237




0 12.5 25 50 75 100  
Meters

The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified before any works are undertaken. Crown copyright Reserved

**Scale:** 1:1850  
**Width:** 517m  
**Printed By:** trawling  
**Print Date:** 27/01/2010  
**Map Centre:** 530750,182250  
**Grid Reference:** TQ3082SE

**Comments:**  
water plan



The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified before any works are undertaken. Crown copyright Reserved


**Scale:** 1:1850  
**Width:** 517m  
**Printed By:** trawling  
**Print Date:** 27/01/2010  
**Map Centre:** 530250,182750  
**Grid Reference:** TQ3082NW

**Comments:**  
water plan



Based on the Ordnance Survey Map with the  
sanction of the Controller of H.M Stationary  
Office License Number 10019345

ALS/ALS Standard/2010\_1692237



0 12.5 25 50 75 100  
Meters

The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified before any works are undertaken. Crown copyright Reserved

**Scale:** 1:1850  
**Width:** 517m  
**Printed By:** trawling  
**Print Date:** 27/01/2010  
**Map Centre:** 530750,182750  
**Grid Reference:** TQ3082NE








**Comments:**  
water plan









## ALS Water Map Key

### Water Pipes (Operated & Maintained by Thames Water)


-  **Distribution Main:** The most common pipe shown on water maps. With few exceptions, domestic connections are only made to distribution mains.
-  **Trunk Main:** A main carrying water from a source of supply to a treatment plant or reservoir, or from one treatment plant or reservoir to another. Also a main transferring water in bulk to smaller water mains used for supplying individual customers.
-  **Supply Main:** A supply main indicates that the water main is used as a supply for a single property or group of properties.
-  **Fire Main:** Where a pipe is used as a fire supply, the word FIRE will be displayed along the pipe.
-  **Metered Pipe:** A metered main indicates that the pipe in question supplies water for a single property or group of properties and that quantity of water passing through the pipe is metered even though there may be no meter symbol shown.
-  **Transmission Tunnel:** A very large diameter water pipe. Most tunnels are buried very deep underground. These pipes are not expected to affect the structural integrity of buildings shown on the map provided.
-  **Proposed Main:** A main that is still in the planning stages or in the process of being laid. More details of the proposed main and its reference number are generally included near the main.

PIPE DIAMETER	DEPTH BELOW GROUND
Up to 300mm (12")	900mm (3')
300mm - 600mm (12" - 24")	1100mm (3' 8")
600mm and bigger (24" plus)	1200mm (4')


### Valves

-  General Purpose Valve
-  Air Valve
-  Pressure Control Valve
-  Customer Valve

### Hydrants








-  Single Hydrant

### Meters










-  Meter

### End Items

Symbol indicating what happens at the end of a water main.

-  Blank Flange
-  Capped End
-  Emptying Pit
-  Undefined End
-  Manifold
-  Customer Supply
-  Fire Supply

### Operational Sites

-  Booster Station
-  Other
-  Other (Proposed)
-  Pumping Station
-  Service Reservoir
-  Shaft Inspection
-  Treatment Works
-  Unknown
-  Water Tower

### Other Symbols

-  Data Logger

### Other Water Pipes (Not Operated or Maintained by Thames Water)

**Other Water Company Main:** Occasionally other water company water pipes may overlap the border of our clean water coverage area. These mains are denoted in purple and in most cases have the owner of the pipe displayed along them.

**Private Main:** Indicates that the water main in question is not owned by Thames Water. These mains normally have text associated with them indicating the diameter and owner of the pipe.

## Terms and Conditions

All sales are made in accordance with Thames Water Utilities Limited (TWUL) standard terms and conditions unless previously agreed in writing.

1. All goods remain in the property of Thames Water Utilities Ltd until full payment is received.
2. Provision of service will be in accordance with all legal requirements and published TWUL policies.
3. All invoices are strictly due for payment 14 days from due date of the invoice. Any other terms must be accepted/agreed in writing prior to provision of goods or service, or will be held to be invalid.
4. Thames Water does not accept post-dated cheques-any cheques received will be processed for payment on date of receipt.
5. In case of dispute TWUL's terms and conditions shall apply.
6. Penalty interest may be invoked by TWUL in the event of unjustifiable payment delay. Interest charges will be in line with UK Statute Law 'The Late Payment of Commercial Debts (Interest) Act 1998'.
7. Interest will be charged in line with current Court Interest Charges, if legal action is taken.
8. A charge may be made at the discretion of the company for increased administration costs.

A copy of Thames Water's standard terms and conditions are available from the Commercial Billing Team (TW.cashoperations@npower.com).

We publish several Codes of Practice including a guaranteed standards scheme. You can obtain copies of these leaflets by calling us on 0845 9200 800.

If you are unhappy with our service you can speak to your original goods or customer service provider. If you are not satisfied with the response, your complaint will be reviewed by the Customer Services Director. You can write to him at: Thames Water Utilities Ltd. PO Box 492, Swindon, SN38 8TU.


If the Goods or Services covered by this invoice falls under the regulation of the 1991 Water Industry Act, and you remain dissatisfied you can refer your complaint to WaterVoice Thames on 0845 758 1658 (it will cost you the same as a local call) or write to them at 4<sup>th</sup> Floor (South), High Holborn House, 52-54 High Holborn, London WC1V 6RL.

## Ways to pay your bill

<b>By Post</b> – Cheque only, made payable to 'Thames Water Utilities Ltd' writing your Thames Water account number on the back. Please fill in the payment slip below and send it with your cheque to Thames Water Utilities Ltd., PO Box 223, Swindon SN38 2TW	<b>By BACS Payment</b> direct to our bank on account number 90478703, sort code 60-00-01 may be made. A remittance advice must be sent to Thames Water Utilities Ltd., PO Box 223, Swindon SN38 2TW. Or fax to 01793 424599 or email: cashoperations@thameswater.co.uk	<b>Telephone Banking</b> By calling your bank and quoting your invoice number and the Thames Water's bank account number 90478703 and sort code 60-00-01	<b>By Swift Transfer</b> You may make your payment via SWIFT by quoting <b>NWBKGB2L</b> together with our bank account number 90478703, sort code 60-00-01 and invoice number
--	--	---	--

Thames Water Utilities Ltd Registered in England & Wales No. 2366661 Registered Office Clearwater Court, Vastern Rd, Reading, Berks, RG1 8DB.

# Maps by email Plant Information Reply



## IMPORTANT WARNING

Information regarding the location of BT apparatus is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made near to BT apparatus which may exist at various depths and may deviate from the marked route.

## DIAL BEFORE YOU DIG

FOR PROFESSIONAL ON SITE ASSISTANCE PRIOR TO COMMENCEMENT OF EXCAVATION WORKS

ADVANCE NOTICE REQUIRED  
(Office hours: Monday-Friday 08.00 to 17.00)

Tel: 0800 9173993  
E-mail: [dbyd@openreach.co.uk](mailto:dbyd@openreach.co.uk)  
Website: [www.dialbeforeyoudig.com](http://www.dialbeforeyoudig.com)

Reproduced from the Ordnance Survey map by BT by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office  
(C) Crown Copyright British Telecommunications plc 100028040

## KEY TO BT SYMBOLS

	UNDERGROUND PLANT		POLE
	OVERHEAD PLANT		CABINET
	JOINT BOX		BURIED JOINT
	DISTRIBUTION POINT		JOINTING POST
	MANHOLE		PROPOSED U/G
	DP BOUNDARY		PROPOSED O/H
	OTHER BT BOUNDARY		PROPOSED BOX

Other proposed plant is shown using dashed lines. BT symbols not listed above may be disregarded. Existing BT plant may not be recorded. Information valid at the time of preparation.

**openreach**  
a BT Group business



BT ref: JHZ16070E

Map reference (centre): TQ3046982412

Issued: 23/02/10 16:12:50

**Our Ref:** LS-100115-JC-771-DJY /NS  
**Your Ref:** 14632  
**Date:** 18-01-2010

For the attention of Mr Gordon Livie  
Milton Keynes Surveys Ltd  
Datum House  
41 Burners Lane South  
Kiln Farm  
Milton Keynes  
Buckinghamshire  
MK11 3HA

FISHER GERMAN LLP  
PO BOX 9198  
ASHBY DE LA ZOUCH  
LEICESTERSHIRE LE65 9BU

**Telephone 0845 095 6910**

Fax 0845 862 0874

Email: [geo@fishergerman.co.uk](mailto:geo@fishergerman.co.uk)

[www.fishergerman.co.uk](http://www.fishergerman.co.uk)

Dear Sirs/Madam

**Geo Network Limited**  
Your Ref: 14632

Thank you for your enquiry dated: 15-01-2010. We can confirm that our client's apparatus, (being Geo's Network) may be affected by your proposals as indicated on the attached plan(s). The plan(s) supplied are intended for general guidance only and should not be relied upon for excavation or construction purposes. No guarantee is given regarding the accuracy of the information provided and in order to verify the accurate location of the apparatus in conjunction with your proposals you should contact Geo's Mark up Service to arrange a site visit. Their contact details are:

Geo Network Limited  
NOC, Magdalene House  
Compass Point Business Park  
Stocks Bridge Way  
St. Ives  
Cambridgeshire  
PE27 5JL

Tel Number 0845 601 8215  
Fax Number 0845 621 0053  
email [geosupport@noc.geo-uk.net](mailto:geosupport@noc.geo-uk.net)

When contacting Geo's Mark up Service, **please quote the Enquiry Ref given at the top of this letter**, which is specific to this enquiry. Please note that you should contact Geo's Mark up Service within **28 days** of the date of this letter in order to validate this enquiry otherwise it will become void. Geo's Mark up Service will be able to provide guidance on the required procedures for working in the vicinity of Geo's Network. To reiterate you should not undertake any work or activity without first contacting Geo's Mark up Service for advice and, if required, supervision. Please note that implementation of any unapproved work that affects Geo's Network may result in serious consequences in terms of health and safety, expense and other attendant liabilities. In such cases it is the perpetrator of the act, together with any other promoting organisation, that shall be held fully accountable for any resulting damage.

Should you require any further assistance regarding this letter please contact the undersigned or alternatively, you can contact Geo's Mark up Service via the details provided above.

Yours faithfully

**FISHER GERMAN LLP**



**OFFICES ALSO ON** Plan

**BARBURY • MARKET HARBOUR • NEWARK • SOUTHAMPTON • STAFFORD • ST HELENS • WORCESTER**


Fisher German LLP is a limited liability partnership. Registered in England and Wales, Registered Number: OC317554.  
Registered Office: 40 High Street, Market Harborough, Leicestershire LE16 7NX.  
A list of members' names is available for inspection at the Market Harborough office.  
Regulated by RICS.



# IMPORTANT WARNING

Information regarding the location of Geo Plant is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made near to Geo Plant which may exist at various depths and may deviate from the marked route.

FOR FURTHER INFORMATION PLEASE CONTACT  
FISHER GERMAN ON 0845 095 6910  
REFERENCE NOS .....



DATE: JANUARY 2010  
SCALE: NOT TO SCALE



Own Your Network  
Approximate position only  
Contact Mark Up Services  
Prior to works.

## GEO NETWORKS LIMITED LOCATION PLAN

"This plan must not be  
copied or reproduced without  
prior written consent from  
the office of origin."



Fisher German LLP  
PO Box 9198  
Ashby de la Zouch  
LE 65 9BU  
Tel: 0845 095 6910  
Fax: 0845 862 0874

[geo@fishergerman.co.uk](mailto:geo@fishergerman.co.uk)

THIS DRAWING IS PROTECTED BY COPYRIGHT. IT MAY NOT BE REPRODUCED  
IN ANY FORM OR BY ANY MEANS FOR ANY PURPOSE WITHOUT WRITTEN  
PERMISSION OF FISHER GERMAN LLP CHARTERED SURVEYORS  
FISHER GERMAN LLP IS A LIMITED LIABILITY PARTNERSHIP  
REGISTERED IN ENGLAND AND WALES. REGISTERED NUMBER: 0631764

**Nicola Smith**

**From:** Neil Smith (MK Surveys) [neil@mksurveys.co.uk]  
**Sent:** 15 January 2010 14:53  
**To:** GEO  
**Subject:** [New Sender] - In zone of interest Linesearch enquiry: LS-100115-JC-771-DJY - Message is from an unknown sender  
**Attachments:** 14632\_location plan.jpg

Enquiry details:  
User reference: 14632  
User location: 530455 182461  
Confirmed location: OS grid reference (530455 182461)  
Estimated start date: 25-01-2010  
Type of work: Property Conveyance - Land  
Distance covered: 350 metres

**AFFECTED**

We have been asked to carry out an underground utilities survey at the Corum Family Campus, 49 Mecklenburgh Square, London for re-development work within the grounds of the campus.

On entering these details into Linesearch it was requested that we send additional info to yourselves regarding the work we are to carry out.

Please find attached a location. The red arrow indicates the site we will be working within.

Could you please let me know whether you have any existing apparatus within this area.

Regards

**Neil Smith**

**Adoption Survey Manager**  
**Milton Keynes Surveys Ltd**  
Datum House  
41 Burners Lane South  
Kiln Farm  
Milton Keynes  
MK11 3HA

Tel. 01908 565561  
Fax. 01908 261030

Mob. 07743 109892

e-mail : [neil@mksurveys.co.uk](mailto:neil@mksurveys.co.uk)



*GEO*  
*AKK*  
*AK 18.1.10*

**DISCLAIMER:**


This email and the information it contains may be privileged and/or confidential and is for the intended addressee(s) only. If you have received it in error, please do not disclose the contents to anyone. Notify the sender immediately and delete all copies of the transmission from your system. If you are not the intended addressee, any review, distribution, copying or use of this information is strictly prohibited and may be unlawful

The views expressed may not be official policy, but the personal views of the originator.

All messages sent and received by Milton Keynes Surveys Ltd are monitored for viruses, high-risk file extensions, and inappropriate content.

The contents of an attachment to this email may contain software viruses, which could damage your computer system. We cannot accept liability for any damage that you sustain as a result of software viruses. You should carry out your own virus checks before opening any attachment.







## Search Results



**Thank you for your enquiry: LS-100223-ZA-953-IPD**

Subject always to our standard terms and conditions, this enquiry result is valid for 28 days only from the date of enquiry and is based on the confirmed information you entered. If the location of the work changes then a further enquiry must be made. Should the work not be undertaken within 28 days of the enquiry then a further enquiry must be made.

---

### ENQUIRER DETAILS

**Name:** Mr Thomson  
**Company:** Soiltechnics Limited  
**Email:** mail@soiltechnics.net  
**Tel:** 01604781877

### ENQUIRY DETAILS

**Your reference:** STG1672B  
**Your location:** 530469 182412  
**Confirmed location:** OS grid reference (530469 182412)  
**Estimated start date:** 01-03-2010  
**Type of work:** Development Projects - Commercial/industrial  
**Distance covered:** 150 metres

---

### IN THE ZONE OF INTEREST

Operator: **Geo Networks Limited**

**Further information will be required to confirm the exact location and nature of the proposed works.**

**The following list outlines what we need from you:**

- Site contact name and number
- Location plan
- Detailed plan (minimum scale 1:2500)
- Cross sectional drawings (if available)
- Work Specification

**Please either email the requested additional information and Linesearch reference to [geo@fishergerman.co.uk](mailto:geo@fishergerman.co.uk) or print this page and post to the following address(es):**

**Geo Networks Limited**

Fisher German LLP  
PO Box 9198  
Ashby de la Zouch  
Leicestershire  
LE65 9BU

**In an emergency contact: 0845 601 8215**

## NOT IN THE ZONE OF INTEREST

<b>BOC Limited (A Member of the Linde Group)</b>	<b>Mainline Pipelines Limited</b>
<b>BP Exploration Purbeck Southampton Pipeline</b>	<b>Manchester Jetline Limited</b>
<b>BPA</b>	<b>Marchwood Power Ltd (Gas Pipeline)</b>
<b>Centrica Energy</b>	<b>NPower CHP Pipelines</b>
<b>ConocoPhillips (UK) Ltd</b>	<b>National Grid (National Gas and Electricity Transmission Networks)</b>
<b>ConocoPhillips Ltd Humber Refinery</b>	<b>Oikos Storage Limited</b>
<b>Coryton Energy Co Ltd (Gas Pipeline)</b>	<b>Premier Transmission Ltd (SNIP)</b>
<b>E-on UK Plc (Gas Pipelines Only)</b>	<b>Sabic UK Petrochemicals</b>
<b>Esso Petroleum Company Limited</b>	<b>Scottish Power Generation Ltd</b>
<b>FibreSpeed Limited</b>	<b>Shell UK Ltd</b>
<b>Government Pipelines &amp; Storage System</b>	<b>Total</b>
<b>INEOS Manufacturing (Scotland and TSEP)</b>	<b>Wingas Storage UK Ltd</b>

**Thank you for your enquiry, you must now contact the affected operator (s) listed above 'IN THE ZONE OF INTEREST'**

Please note that Linesearch.org system only contains information on National Grid's assets.

For all other energy network operators' information and contact details see <http://2009.energynetworks.org/>

Please quote the Linesearch enquiry reference number in \*all\* correspondence

---

This service is brought to you by [Fisher German](#) ©2010  
System by [eShopworks](#)

## **Envirocheck® Report: Datasheet**

### **Order Details:**

**Order Number:**

30310287\_1\_1

**Customer Reference:**

STG1672B

**National Grid Reference:**

530480, 182410

**Slice:**

A

**Site Area (Ha):**

0.9

**Search Buffer (m):**

1000

### **Site Details:**

Coram Community Campus

49 Mecklenburgh Square

LONDON

WC1N 2NY

### **Client Details:**

Mr B Thomson

Soiltechnics

Cedar Barn

White Lodge

Walgrave

Northampton

NN6 9PY

<b>Report Section</b>	<b>Page Number</b>
<b>Summary</b>	<b>-</b>
<b>Agency &amp; Hydrological</b>	<b>1</b>
<b>Waste</b>	<b>41</b>
<b>Hazardous Substances</b>	<b>42</b>
<b>Geological</b>	<b>43</b>
<b>Industrial Land Use</b>	<b>44</b>
<b>Sensitive Land Use</b>	<b>-</b>
<b>Data Currency</b>	<b>99</b>
<b>Data Suppliers</b>	<b>105</b>
<b>Useful Contacts</b>	<b>106</b>

#### **Introduction**

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In the attached datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

#### **Copyright Notice**

© Landmark Information Group Limited 2010. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

#### **Natural England Copyright Notice**

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

#### **Ove Arup Copyright Notice**

The Data provided in this report was obtained on Licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The information and data supplied in the product are derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

#### **Peter Brett Associates Copyright Notice**

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

#### **Radon Potential dataset Copyright Notice**

Information supplied from a joint dataset compiled by The British Geological Survey and the Health Protection Agency.

#### **Report Version v47.0**

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
<b>Agency &amp; Hydrological</b>					
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 1				2
Enforcement and Prohibition Notices	pg 1		1		1
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 1			6	12
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 4				Yes
Pollution Incidents to Controlled Waters	pg 4				6
Prosecutions Relating to Authorised Processes					
Prosecutions Relating to Controlled Waters					
Registered Radioactive Substances	pg 5		29	25	74
River Quality	pg 26				1
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 26			1	1 (*52)
Water Industry Act Referrals					
Groundwater Vulnerability	pg 40	Yes	n/a	n/a	n/a
Source Protection Zones	pg 40				2
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
<b>Waste</b>					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 41				1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Recorded Landfill Sites					
Registered Landfill Sites					
Registered Waste Transfer Sites	pg 41				1
Registered Waste Treatment or Disposal Sites					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
<b>Hazardous Substances</b>					
Control of Major Accident Hazards Sites (COMAH)	pg 42			1	
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)	pg 42				1
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
<b>Geological</b>					
BGS Recorded Mineral Sites					
BGS 1:625,000 Solid Geology	pg 43	Yes	n/a	n/a	n/a
Brine Compensation Area			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Natural and Mining Cavities	pg 43		1		
Potential for Collapsible Ground Stability Hazards				n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 43	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 43	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 43	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Shallow Mining Hazards				n/a	n/a
<b>Industrial Land Use</b>					
Contemporary Trade Directory Entries	pg 44		9	114	523
Fuel Station Entries	pg 98			3	4



Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
<b>Sensitive Land Use</b>					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<b>Discharge Consents</b> Operator: London Borough Of Camden Property Type: Office/Data Proc Equip Manufacture Location: Bidborough House 20 Mabledon Place London London Wc1h 9bf Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Npswqd005471 Permit Version: 1 Effective Date: 20th February 2009 Issued Date: 20th February 2009 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Cooling Water Discharge: Into Land Environment: Receiving Water: Gw Via Re-Inject Borehole Status: <b>New Consent (Water Resources Act 1991, Section 88 &amp; Schedule 10 as amended by Environment Act 1995)</b> Positional Accuracy: Located by supplier to within 10m	A12NE (NW)	502	1	529996 182682
2	<b>Discharge Consents</b> Operator: Thames Water Utilities Ltd Property Type: Reservoir/Borehole Site Location: Claremont Square Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Temp.0076 Permit Version: 1 Effective Date: 15th September 1989 Issued Date: 15th September 1989 Revocation Date: 5th October 2000 Discharge Type: Trade Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: River Thames Status: <b>Authorisation revokedRevoked</b> Positional Accuracy: Located by supplier to within 100m	A19SE (NE)	858	1	531200 183000
3	<b>Enforcement and Prohibition Notices</b> Location: The School of Pharmacy, 29/39 Brunswick Square, Camden, LONDON, WC1N 1AX Permit Reference: Not Given Enforcement Date: 27th February 1995 Details: Press Release HM156, Minor breaches of accumulation and disposal limits; substandard lab & storage facilities; under RSA93. Positional Accuracy: Unknown	A13SW (SW)	134	1	530300 182300
4	<b>Enforcement and Prohibition Notices</b> Location: Gower Street, LONDON, WC1E 6BT Permit Reference: Not Given Enforcement Date: Not Supplied Details: Inadequate record system for radioactive waste; under RSA93, served 1994/95. Positional Accuracy: Unknown	A12SW (W)	839	1	529569 182288
5	<b>Local Authority Pollution Prevention and Controls</b> Name: Insititute of Child Health Location: University Of London, 30 Guildford Street, CAMDEN, WC1N 1EH Authority: London Borough of Camden, Pollution Projects Team Permit Reference: Not Given Dated: 17th November 1992 Process Type: Local Authority Air Pollution Control Description: PG5/1Clinical waste incineration processes under 1 tonne an hour Status: <b>Authorisation revokedRevoked</b> Positional Accuracy: Manually positioned to the road within the address or location	A13SW (SW)	290	2	530304 182088
6	<b>Local Authority Pollution Prevention and Controls</b> Name: Texaco Location: 71-79 Kings Cross Road, London, WC1X 9LN Authority: London Borough of Camden, Pollution Projects Team Permit Reference: Not Given Dated: 23rd December 1998 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: <b>Site Closed</b> Positional Accuracy: Automatically positioned to the address	A13NE (NE)	335	2	530802 182656

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	<b>Local Authority Pollution Prevention and Controls</b> Name: Totalfinalf Location: 3-16 Woburn Place, London, Wc1 9lw Authority: London Borough of Camden, Pollution Projects Team Permit Reference: Not Given Dated: 1st April 1999 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: <b>Site Closed</b> Positional Accuracy: Located by supplier to within 10m	A12SE (SW)	375	2	530075 182204
8	<b>Local Authority Pollution Prevention and Controls</b> Name: Shell Location: 39-43 Kings Cross Road, London, WC1X 9LN Authority: London Borough of Camden, Pollution Projects Team Permit Reference: NOT GIVEN Dated: 23rd December 1998 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: <b>Authorised</b> Positional Accuracy: Automatically positioned to the address	A14NW (E)	380	2	530889 182574
9	<b>Local Authority Pollution Prevention and Controls</b> Name: Alex 24hr Dry Cleaners Location: 289 Grays Inn Road, London, Wc1x 8qf Authority: London Borough of Camden, Pollution Projects Team Permit Reference: PPC/DC4 Dated: 26th January 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: <b>Permitted</b> Positional Accuracy: Located by supplier to within 10m	A18SW (N)	383	2	530467 182862
10	<b>Local Authority Pollution Prevention and Controls</b> Name: Capri Cleaners Location: 148 Southampton Row, London, Wc1b 5ag Authority: London Borough of Camden, Pollution Projects Team Permit Reference: PPC/DC23 Dated: 24th January 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: <b>Permitted</b> Positional Accuracy: Located by supplier to within 10m	A8NW (S)	445	2	530303 181923
11	<b>Local Authority Pollution Prevention and Controls</b> Name: Adriana Dry Cleaners Location: 191 Kings Cross Road, London, Wc1x 9db Authority: London Borough of Camden, Pollution Projects Team Permit Reference: PPC/DC52 Dated: 1st January 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: <b>Permitted</b> Positional Accuracy: Manually positioned to the address or location	A18SE (N)	502	2	530574 182981
12	<b>Local Authority Pollution Prevention and Controls</b> Name: Matthew Daniel Dry Cleaners Ltd Location: 13 Theobalds Road, London, Wc1x 8sl Authority: London Borough of Camden, Pollution Projects Team Permit Reference: PPC/DC26 Dated: 24th January 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: <b>Permitted</b> Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	587	2	530743 181846
13	<b>Local Authority Pollution Prevention and Controls</b> Name: C Y M A Location: 151 Euston Road, London, NW1 2AU Authority: London Borough of Camden, Pollution Projects Team Permit Reference: NOT GIVEN Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: <b>Application Not Yet Authorised</b> Positional Accuracy: Manually positioned to the road within the address or location	A12NE (W)	613	2	529838 182628

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	<b>Local Authority Pollution Prevention and Controls</b> Name: Royal Dry Cleaners Location: 46 Roseberry Avenue, London Authority: London Borough of Islington, Environmental Health Department Permit Reference: PPC/DC34/07 Dated: 5th July 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: <b>Permitted</b> Positional Accuracy: Manually positioned to the address or location	A14NE (E)	649	3	531195 182430
15	<b>Local Authority Pollution Prevention and Controls</b> Name: Holloway Dry Cleaners Location: 33-35 Exmouth Market, London Authority: London Borough of Islington, Environmental Health Department Permit Reference: PPC/DC27/07 Dated: 5th July 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: <b>Site Closed</b> Positional Accuracy: Manually positioned to the address or location	A14NE (E)	711	3	531254 182476
16	<b>Local Authority Pollution Prevention and Controls</b> Name: Sue Smart Location: 86 Leather Lane, London, Ec1n 7tt Authority: London Borough of Camden, Pollution Projects Team Permit Reference: PPC/DC29 Dated: 26th February 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: <b>Permitted</b> Positional Accuracy: Located by supplier to within 10m	A9NE (SE)	813	2	531232 181968
17	<b>Local Authority Pollution Prevention and Controls</b> Name: University College London Location: Gower Street, CAMDEN, WC1E 6BT Authority: London Borough of Camden, Pollution Projects Team Permit Reference: Not Given Dated: 23rd March 1993 Process Type: Local Authority Air Pollution Control Description: PG5/1 Clinical waste incineration processes under 1 tonne an hour Status: <b>Authorisation revokedRevoked</b> Positional Accuracy: Automatically positioned to the address	A12SW (W)	817	2	529589 182302
18	<b>Local Authority Pollution Prevention and Controls</b> Name: Mastermelt Ltd Location: Baldwins Gardens, CAMDEN, EC1N 7RJ Authority: London Borough of Camden, Pollution Projects Team Permit Reference: Not Given Dated: 22nd June 1994 Process Type: Local Authority Air Pollution Control Description: PG2/1 Furnaces for the extraction of non-ferrous metal from scrap Status: <b>Authorisation revokedRevoked</b> Positional Accuracy: Manually positioned to the road within the address or location	A9NE (SE)	866	2	531186 181818
19	<b>Local Authority Pollution Prevention and Controls</b> Name: Mastermelts Ltd Location: 56 Hatton Garden, LONDON, EC1N 8HP Authority: London Borough of Camden, Pollution Projects Team Permit Reference: PPC11 Dated: 22nd June 1994 Process Type: Local Authority Pollution Prevention and Control Description: Part B - General Metal Process (No Specific Reference) Status: <b>Permitted</b> Positional Accuracy: Manually positioned to the address or location	A9NE (SE)	876	2	531316 181986
20	<b>Local Authority Pollution Prevention and Controls</b> Name: Stepies Dry Cleaner Location: 52 Phoenix Road, London, Nw1 1es Authority: London Borough of Camden, Pollution Projects Team Permit Reference: PPC/DC36 Dated: 12th January 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: <b>Permitted</b> Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	904	2	529744 183007

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	<b>Local Authority Pollution Prevention and Controls</b> Name: Mastermelt Location: Unit 211, 31-37 Leather Lane, Bloomsbury, LONDON, NW6 3BB Authority: London Borough of Camden, Pollution Projects Team Permit Reference: NOT GIVEN Dated: 22nd June 1994 Process Type: Local Authority Air Pollution Control Description: PG2/4 Iron, steel and non-ferrous metal foundry processes Status: Authorised Positional Accuracy: Manually positioned to the address or location	A9NE (SE)	912	2	531251 181824
22	<b>Local Authority Pollution Prevention and Controls</b> Name: Avis Rent A Car Ltd Location: 88 Eversholt Street, London, NW1 1BP Authority: London Borough of Camden, Pollution Projects Team Permit Reference: PPC23 Dated: 1st April 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Automatically positioned to the address	A17SW (NW)	993	2	529557 182908
	<b>Nearest Surface Water Feature</b>	A18NW (N)	863	-	530457 183343
23	<b>Pollution Incidents to Controlled Waters</b> Property Type: Not Given Location: ST PANCROS Authority: Environment Agency, Thames Region Pollutant: Unknown Sewage Note: Confirmed incident Incident Date: 10th January 1999 Incident Reference: THNE1999041585 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Approximate location provided by supplier	A7NE (SW)	551	1	530001 182001
24	<b>Pollution Incidents to Controlled Waters</b> Property Type: Not Given Location: LONDON, WC1 Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Not Supplied Incident Date: 16th January 1996 Incident Reference: SE960017 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (SW)	622	1	529850 182100
25	<b>Pollution Incidents to Controlled Waters</b> Property Type: Not Given Location: LONDON, WC1 Authority: Environment Agency, Thames Region Pollutant: Miscellaneous - Fire water / Foam Note: Not Supplied Incident Date: 6th January 1996 Incident Reference: SE960007 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8SE (S)	655	1	530500 181700
26	<b>Pollution Incidents to Controlled Waters</b> Property Type: Not Given Location: Kings Cross Authority: Environment Agency, Thames Region Pollutant: Chemicals - Unknown Note: Confirmed As A Pollution Incident Incident Date: 9th August 1990 Incident Reference: N1900459 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NE (N)	918	1	530500 183400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	<b>Pollution Incidents to Controlled Waters</b> Property Type: Not Given Location: Crinan Street, ISLINGTON Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Not Supplied Incident Date: 23rd July 1998 Incident Reference: THNE1998039149 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	925	1	530400 183400
28	<b>Pollution Incidents to Controlled Waters</b> Property Type: Not Given Location: Kings Cross Authority: Environment Agency, Thames Region Pollutant: Miscellaneous - Unknown Note: Yes Incident Date: Not Supplied Incident Reference: N1910091 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NE (N)	936	1	530700 183400
29	<b>Registered Radioactive Substances</b> Name: University Of London Location: 29-39, Brunswick Square, LONDON, WC1N 1AX Authority: Environment Agency, Thames Region Permit Reference: Ca0727 Dated: 5th January 2006 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: Application has been authorised and any conditions apply to the operator Positional Accuracy: Automatically positioned to the address	A13SW (SW)	61	1	530349 182356
29	<b>Registered Radioactive Substances</b> Name: University Of London Location: 29-39 Brunswick Square, LONDON, WC1N 1AX Authority: Environment Agency, Thames Region Permit Reference: Bw6965 Dated: 1st December 2003 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A13SW (SW)	61	1	530349 182356
29	<b>Registered Radioactive Substances</b> Name: The School Of Pharmacy Location: University Of London, 29-39 Brunswick Square, LONDON, WC1N 1AX Authority: Environment Agency, Thames Region Permit Reference: CC7331 Dated: 30th July 2008 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Minor variation to a registration under the Act of an open source which is also the subject of an authorisation Status: Application has been authorised and any conditions apply to the operator Positional Accuracy: Manually positioned to the address or location	A13SW (SW)	62	1	530348 182356
29	<b>Registered Radioactive Substances</b> Name: University Of London Location: 29/39 Brunswick Square, LONDON, WC1N 1AX Authority: Environment Agency, Thames Region Permit Reference: BA2156 Dated: 20th February 1998 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Unknown	A13SW (SW)	62	1	530357 182344

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	<b>Registered Radioactive Substances</b> Name: University Of London Location: The School Of Pharmacy, 29-39 Brunswick Square, LONDON, Greater London, WC1N 1AX Authority: Environment Agency, Thames Region Permit Reference: AC4554 Dated: 31st March 1991 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Unknown	A13SW (SW)	66	1	530352 182344
30	<b>Registered Radioactive Substances</b> Name: University College London Location: 1, Wakefield Street, LONDON, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: Bz9952 Dated: 4th January 2006 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: <b>Application has been authorised and any conditions apply to the operatorAuthorised</b> Positional Accuracy: Automatically positioned to the address	A13NW (W)	107	1	530319 182454
30	<b>Registered Radioactive Substances</b> Name: University College London Location: 1 Wakefield Street, London, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: Bw9905 Dated: 22nd July 2004 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Registration under the Act of an open source which is also the subject of an authorisation Status: <b>Application has been authorised and any conditions apply to the operatorAuthorised</b> Positional Accuracy: Automatically positioned to the address	A13NW (W)	107	1	530319 182454
30	<b>Registered Radioactive Substances</b> Name: University College London Location: 1 Wakefield Street, London, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: Bw3192 Dated: 22nd July 2004 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Automatically positioned to the address	A13NW (W)	107	1	530319 182454
30	<b>Registered Radioactive Substances</b> Name: Institute Of Neurology Location: 1 Wakefield Street, LONDON, Greater London, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: AD2611 Dated: 31st March 1991 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: <b>Authorisation either revoked or cancelledCancelled</b> Positional Accuracy: Automatically positioned to the address	A13NW (W)	107	1	530319 182454
30	<b>Registered Radioactive Substances</b> Name: Astra Neuroscience Research Unit Location: 1 Wakefield Street, LONDON, Greater London, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: AP8799 Dated: 16th June 1995 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Substantial variation to authorisation under RSA Status: <b>Authorisation either revoked or cancelledCancelled</b> Positional Accuracy: Unknown	A13NW (W)	115	1	530322 182470



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	<b>Registered Radioactive Substances</b> Name: Astra Neuroscience Research Unit Location: 1 Wakefield Street, LONDON, Greater London, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: AC1415 Dated: 31st March 1991 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Unknown	A13NW (W)	119	1	530319 182472
30	<b>Registered Radioactive Substances</b> Name: University College London Location: 1 Wakefield Street, LONDON, Greater London, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: AT6611 Dated: 4th March 1996 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Substantial variation to a registration under the Act of an open source which is also the subject of an authorisation Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Manually positioned to the address or location	A13NW (W)	127	1	530309 182474
30	<b>Registered Radioactive Substances</b> Name: Institute Of Neurology Location: 1 Wakefield Street, LONDON, Greater London, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: AA1007 Dated: 22nd November 1991 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Substantial variation to authorisation under RSA Status: <b>Authorisation either revoked or cancelledCancelled</b> Positional Accuracy: Manually positioned to the address or location	A13NW (W)	127	1	530309 182474
30	<b>Registered Radioactive Substances</b> Name: Institute Of Neurology Location: 1 Wakefield Street, LONDON, Greater London, WC1N 1PJ Authority: Environment Agency, Thames Region Permit Reference: AD2646 Dated: 31st March 1991 Process Type: Not Supplied Description: Authorisation under RSA Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Manually positioned to the address or location	A13NW (W)	127	1	530309 182474
31	<b>Registered Radioactive Substances</b> Name: University Of London Location: 29-39 Brunswick Square, LONDON, Greater London, WC1N 1AX Authority: Environment Agency, Thames Region Permit Reference: AR0756 Dated: 26th June 1995 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Substantial variation to authorisation under RSA Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Unknown	A13SW (SW)	137	1	530300 182295
32	<b>Registered Radioactive Substances</b> Name: Eastman Dental Institute And Hospital Location: 256 Grays Inn Road, LONDON, Greater London, WC1X 8LD Authority: Environment Agency, Thames Region Permit Reference: AA1783 Dated: 30th October 1991 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA dated pre April 1991 Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Unknown	A13NE (E)	172	1	530715 182443

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	<b>Registered Radioactive Substances</b> Name: Eastman Dental Hospital Location: 256 Grays Inn Road, LONDON, Greater London, WC1X 8LD Authority: Environment Agency, Thames Region Permit Reference: AA1775 Dated: 30th October 1991 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Registration under the Act of an open source which is also the subject of an authorisation dated pre April 1991 Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Unknown	A13NE (E)	173	1	530715 182448
32	<b>Registered Radioactive Substances</b> Name: Eastman Dental Hospital Location: 256 Grays Inn Road, LONDON, Greater London, WC1X 8LD Authority: Environment Agency, Thames Region Permit Reference: AW6723 Dated: 15th October 1996 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Substantial variation to a registration under the Act of an open source which is also the subject of an authorisation Status: <b>Authorisation either revoked or cancelledCancelled</b> Positional Accuracy: Unknown	A13NE (E)	177	1	530720 182443
32	<b>Registered Radioactive Substances</b> Name: University College London Location: 256, Gray's Inn Road, LONDON, WC1X 8LD Authority: Environment Agency, Thames Region Permit Reference: Ca0034 Dated: 4th January 2006 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA Status: <b>Application has been authorised and any conditions apply to the operatorAuthorised</b> Positional Accuracy: Automatically positioned to the address	A13NE (E)	181	1	530723 182449
32	<b>Registered Radioactive Substances</b> Name: University College London Location: Eastman Dental Institute, 256 Gray's Inn Road, LONDON, WC1X 8LD Authority: Environment Agency, Thames Region Permit Reference: Bu7464 Dated: 27th September 2004 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Registration under the Act of an open source which is also the subject of an authorisation Status: <b>Application has been authorised and any conditions apply to the operatorAuthorised</b> Positional Accuracy: Automatically positioned to the address	A13NE (E)	181	1	530723 182449
32	<b>Registered Radioactive Substances</b> Name: University College London Location: Eastman Dental Institute, 256 Gray's Inn Road, LONDON, WC1X 8LD Authority: Environment Agency, Thames Region Permit Reference: Bu7456 Dated: 27th September 2004 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: <b>Authorisation superseded by a substantial or non substantial variationSuperseded</b> Positional Accuracy: Automatically positioned to the address	A13NE (E)	181	1	530723 182449
32	<b>Registered Radioactive Substances</b> Name: Eastman Dental Hospital Location: Eastman Dental Institute, 256 Gray's Inn Road, LONDON, WC1X 8LD Authority: Environment Agency, Thames Region Permit Reference: AW6731 Dated: 15th October 1996 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Substantial variation to authorisation under RSA Status: <b>Authorisation either revoked or cancelledCancelled</b> Positional Accuracy: Automatically positioned to the address	A13NE (E)	181	1	530723 182449