

Planning Services Camden Town Hall Argyle Street London WC1H 8EQ Email (enquiries only): env.devcon@camden.gov.uk

Telephone : 020 7974 1911 Fax

: 020 7974 5713

For office use

Date Payee App. No.

Fee

Application for consent to display an advertisement(s). Town and Country Planning (Control of Advertisement) Regulations 2007

Publication of applications on planning authority websites.

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

1. Applicant Name, Address and Contact Details							
Title: Mr	First name:		Surname:				
Company name	The Theatre of Comedy	Company					
Street address:	210 Shaftesbury Avenue	е		Country Code	National Number	Extension Number	
			Telephone number:				
			Mobile number:				
Town/City	London		Fax number:				
County:			Tux Humbon				
Country:			Email address:				
Postcode:	WC2H 8DP						
Are you an agent a	cting on behalf of the app	olicant? • Yes) No				
2. Agent Name	e, Address and Cont	tact Details					
Title: Mr	First Name: Davi	id	Surname: Sho	uttleworth			
Company name:	MJ Consulting Engineer	rs Ltd					
Street address:	Bolton Road			Country Code	National Number	Extension Number	
	Worsley, Walkden		Telephone number:	0161	790 4404		
			Mobile number:				
Town/City	Manchester		Fax number:				
County:			Tax Hambot.				
Country:	United Kingdom	Email address:					
Postcode:	M28 3BN		dave.shuttleworth@m	consult.co.uk			

3. Site Address	Details					
Full postal address	of the site (inclu	uding full postcode where	available)	Description:		
House:	210	Suffix:		_		
House name:						
Street address:	SHAFTESBURY	AVENUE				
Town/City:	LONDON					
County:						
Postcode:	WC2H 8DP					
Description of locat (must be completed						
Easting:	53012	1				
Northing:	18137	0				
	ior advice beer	n sought from the local au	thority about this applica	ition?	○ Yes ● No	
Have you consulted	l your neighbou	urs or the local community	y about the proposal?	○ Ye	es No	
(b) an el (c) relate	Authority, I am mber of staff ected member ed to a member ed to an elected	of staff d member	any of those statements			
		Do	any of these statements	apply to you?	Yes • No	
7. Description	of Proposed	I Advertisement(s)	any or these statements	apply to you?	○ Yes ● No	
Please describe the	proposed adve	Advertisement(s)				
Please describe the LCD screens encase	proposed adve	d Advertisement(s) ertisement(s): minium surround. New sc	reens to be positioned at	the two ends of the cano	Yes • No opy and a further 3No screens over	er the main entrance. The
Please describe the LCD screens encase screens are to be us	proposed adve d within an alu sed to display in	Advertisement(s)	reens to be positioned at current show which is rur	the two ends of the cano		er the main entrance. The
Please describe the LCD screens encase screens are to be us	proposed adve d within an alu sed to display in	Advertisement(s) ertisement(s): minium surround. New sc unformation regarding the o	reens to be positioned al current show which is rui applying for?	the two ends of the cano		er the main entrance. The
Please describe the LCD screens encase screens are to be us	proposed adve d within an alu sed to display in illowing type of	Advertisement(s) ertisement(s): minium surround. New so aformation regarding the off advertisements are you a	reens to be positioned al current show which is rui applying for?	the two ends of the cand	opy and a further 3No screens ov	er the main entrance. The
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisement	proposed adverded within an alusted to display in billowing type of the proposed adverded to be a second to be	Advertisement(s) ertisement(s): minium surround. New so aformation regarding the off advertisements are you a	reens to be positioned at current show which is rui applying for? n(s) 0	the two ends of the cand	opy and a further 3No screens ov	er the main entrance. The
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements the advertisements are to be used to be	proposed adverded within an alusted to display in billowing type of the proposed adverded to billowing type of the proposed adverded to the proposed to the pro	Advertisement(s) Prtisement(s): minium surround. New so a section regarding the of advertisements are you a section or hanging sign	ereens to be positioned at current show which is run applying for? (s) 0	the two ends of the cand the theatre. Hoarding(s) O O O O O O O O O O O O O	opy and a further 3No screens over Other 0	er the main entrance. The
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements the advertisements an existing adverting the screen of t	proposed adverded within an alusted to display in billowing type of the proposed adverded to display in billowing type of the proposed adverded to display in the proposed adv	Advertisement(s) Intrisement(s): Intri	ereens to be positioned at current show which is run applying for? (a) (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	the two ends of the canoning within the theatre. Hoarding(s) O O O The second of the canoning within the theatre.	opy and a further 3No screens over Other 0	No Not Applicable
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements the advertisements an existing advertisement of the form of the fore of the form of	proposed adverded within an alused to display in billowing type of the proposed adverded to display in the proposed adverded to display in the proposed adverded to display and the proposed adverded to display it is proposed and the proposed adverded to display and the proposed adverded to display in the proposed adverded to display and the proposed adverded to display in the proposed adv	Advertisement(s) ertisement(s): minium surround. New so iformation regarding the of advertisements are you a Projecting or hanging sign olying for already in places be removed and replaced to se show the existing sign(s	reens to be positioned at current show which is run applying for? n(s) 0 ? by the advertisement(s) in the control of the current show which is run applying for?	the two ends of the canoning within the theatre. Hoarding(s) O Tes No In this proposal? In this proposal or photograph and stars.	Oppy and a further 3No screens over the the references for the drawing	No Not Applicable
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements the advertisements an existing advertisement of the form of the fore of the form of	proposed adverded within an alused to display in billowing type of the proposed adverded to display in the proposed adverded to display in the proposed adverded to display and the proposed adverded to display it is proposed and the proposed adverded to display and the proposed adverded to display in the proposed adverded to display and the proposed adverded to display in the proposed adv	Advertisement(s) Intrisement(s): Intri	reens to be positioned at current show which is run applying for? n(s) 0 ? by the advertisement(s) in the control of the current show which is run applying for?	the two ends of the canoning within the theatre. Hoarding(s) O O O O O O O O O O O O O	Oppy and a further 3No screens over the the references for the drawing	No Not Applicable
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements the advertisements an existing advertisement of the form of the fore of the form of	proposed advertisement(s) to be calculated and set of the proposed advertisement advertisement and proposed advertisement advertisement and proposed adverti	Advertisement(s) Pritisement(s): Iminium surround. New so information regarding the of advertisements are you as projecting or hanging sign of the eremoved and replaced be seen show the existing sign (see show the existing s	reens to be positioned at current show which is run applying for? n(s) 0 ? by the advertisement(s) in the control of the current show which is run applying for?	the two ends of the canoning within the theatre. Hoarding(s) O Tes No In this proposal? In this proposal or photograph and stars.	Oppy and a further 3No screens over the the references for the drawing	No Not Applicable
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements an existing advertisements an existing advertisement of the form of the	proposed advertisement (s) Period proposed advertisement (s) Period proposed advertisement (s) to be the above, please the advertisement (s) Period proposed advertisement (s) to be the above, please the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s) to be the above (s) Period proposed advertisement (s)	Advertisement(s) Pritisement(s): Iminium surround. New so information regarding the of advertisements are you as projecting or hanging sign of the eremoved and replaced be seen show the existing sign (see show the existing s	reens to be positioned at current show which is run applying for? (a) (b) (c) (d) (e) (e) (f) (f) (f) (f) (f) (f	the two ends of the canoning within the theatre. Hoarding(s) O Tes No In this proposal? In this proposal or photograph and stars.	Oppy and a further 3No screens over the the references for the drawing	No Not Applicable
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements an existing advertisements an existing advertisement of the form of the	proposed advertisement(s) Period proposed advertisement(s) Period proposed advertisement(s) to be the above, please anopy Elevation divertisement(s) Period proposed advertisement(s) to be the above, please anopy Elevation divertisement(s) Period of time for the above and the above anopy Elevation divertisement(s) Period of time for the above and the above anopy Elevation divertisement(s) Period of time for the above and the above anopy Elevation divertisement(s) Period of time for the above and the	Advertisement(s) Prisement(s): minium surround. New so aformation regarding the of advertisements are you as Projecting or hanging sign oblying for already in places are removed and replaced to see show the existing sign (see show the existing sign (see show) project over a footpath of the content of th	reens to be positioned at current show which is run applying for? (applying for? (b) (c) (c) (d) (e) (e) (e) (f) (f) (f) (f) (f	the two ends of the canoning within the theatre. Hoarding(s) O Tes No In this proposal? In this proposal or photograph and stars.	Oppy and a further 3No screens over the the references for the drawing	No Not Applicable
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements an existing advertisements an existing advertisement of the following state of the proposed at the perfect of the p	proposed advertisement (s) Period of time for 10010	Advertisement(s) Intrisement(s): Intrisement(reens to be positioned at current show which is run applying for? (applying for? (b) (c) (c) (d) (e) (e) (e) (f) (f) (f) (f) (f	the two ends of the canoning within the theatre. Hoarding(s) O Tes No In this proposal? In this proposal or photograph and stars.	Oppy and a further 3No screens over the the references for the drawing	No Not Applicable
Please describe the LCD screens encase screens are to be us How many of the for Fascia sign(s) 8. Advertisements an existing advertisements an existing advertisement of the following state of the proposed at the perform: 9. Advertisements and the perform: 01/04/2	proposed advertisement (s) Period distribution of time for the Land	Advertisement(s) Intrisement(s): Intrisement(reens to be positioned at current show which is run applying for? (a) (b) (c) (d) (e) (e) (f) (f) (f) (f) (f) (f	the two ends of the canoning within the theatre. Hoarding(s) O Tes No In this proposal? In this proposal or photograph and stars.	Other O Yes O The references for the drawing Yes No	No Not Applicable

11 (a). Details of Proposed Advertisement(s) - Fascia Sign
What is the height from the ground to the base of the advertisement (in metres)? 3.46
What are the dimensions of the proposed advertisement? Height: 0.57 x Width: 1.02 x Depth: 0.12 metres
What materials will the sign be made of? Aluminium
What is the maximum height of any of the individual letters and symbols (in centimetres)? N/A cm
The colour of text and background:
Black
Will the sign be illuminated? Yes No
Will the sign be illuminated internally or externally? • Internally Externally
Illuminance Levels: 1500 cd/m
Will the illumination be static or intermittent? Static Intermittent
11 (a). Details of Proposed Advertisement(s) - Fascia Sign
What is the height from the ground to the base of the advertisement (in metres)? 3.46 m
What is the maximum projection of the advertisement from face of building (in metres)?
What are the dimensions of the proposed advertisement? Height: 0.57 x Width: 4.1 x Depth: 0.12 metres
What materials will the sign be made of?
Aluminium
What is the maximum height of any of the individual letters and symbols (in centimetres)? N/A cm
The colour of text and background:
Will the sign be illuminated? Yes No
Will the sign be illuminated internally or externally? • Internally Externally Illuminance Levels: 1500 cd/m
Will the illumination be static or intermittent?
Will the manimation be state of intermittent:
11 (a). Details of Proposed Advertisement(s) - Fascia Sign
What is the height from the ground to the base of the advertisement (in metres)?
What is the maximum projection of the advertisement from face of building (in metres)?
What are the dimensions of the proposed advertisement? Height: 0.57 x Width: 4.1 x Depth: 0.12 metres
What materials will the sign be made of?
Aluminium
What is the maximum height of any of the individual letters and symbols (in centimetres)? N/A cm
The colour of text and background:
Will the sign be illuminated? Yes No
Will the sign be illuminated internally or externally? • Internally Externally Illuminance Levels: 1500 cd/m
Will the illumination be static or intermittent?

11 (a). Details of Proposed Advertisement(s) - Fascia Sign						
What is the height from the ground to the base of the advertisement (in metres)? 3.46						
What is the maximum projection of the advertisement from face of building (in metres)?						
What are the dimensions of the proposed advertisement? Height: 0.57 x Width: 4.1 x Depth: 0.12 metres						
What materials will the sign be made of?						
Aluminum						
What is the maximum height of any of the individual letters and symbols (in centimetres)?						
The colour of text and background:						
Black						
Will the sign be illuminated? Yes No						
Will the sign be illuminated internally or externally? © Internally Externally						
Illuminance Levels: 1500 cd/m						
Will the illumination be static or intermittent? • Static Intermittent						
11 (a). Details of Proposed Advertisement(s) - Fascia Sign						
What is the height from the ground to the base of the advertisement (in metres)? 3.46 m						
What is the maximum projection of the advertisement from face of building (in metres)?						
What are the dimensions of the proposed advertisement? Height: 0.57 x Width: 1.02 x Depth: 0.12 metres						
What materials will the sign be made of?						
Aluminum						
What is the maximum height of any of the individual letters and symbols (in centimetres)?						
The colour of text and background:						
Black						
Will the sign be illuminated? Yes No						
Will the sign be illuminated internally or externally? • Internally Externally						
Illuminance Levels: 1500 cd/m						
Will the illumination be static or intermittent? • Static Intermittent						
12. Site Visit						
Can the site be seen from a public road, public footpath, bridleway or other public land? Yes No						
If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? (Please select only one)						
The agent						
13. Declaration						
I/we hereby apply for planning permission/consent as described in this form and the accompanying plans/drawings and additional information.						
Date 15/02/2010						
10/02/2010						