

Parking Permit / Pay To Park

ASRA Housing Job No Scaffold. Required Surveyor... Derek.


Name Tel No Home..... Survey Date

Address 16 St Cuthberts Street Tel No Work.....

Camden NW2 3QH

Item No... 1+2 Location... SF Lounge L/H No Off ... 1.....

W. 2290




Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	SWSS Flush
Liners	
Clear / Obscure	+ Toughened
Re / Br Width	2250
Original Width	2350
Arched Heads /	2040 - 2160
Original Height	2210
Hole To Fill	2340 x 2200
Frame Depth	140
Window Board	NBF 100" @ 2500
Architrave	70mm Ogee
Scaffold	No

Viewed From Inside

Comments: Steel Coupling @ 2290 Cover Strips @ 2400

Item No... 3+4 Location... SF Lounge No Off ... 1.....

W. 550 Returns




Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	SWSS Flush
Liners	
Clear / Obscure	+ Toughened
Re / Br Width	505
Original Width	605
Arched Heads /	1940 - 2120
Original Height	2160
Hole To Fill	600 x 2150
Frame Depth	140
Window Board	NBF 100" @ 700
Architrave	70mm Ogee
Scaffold	No

Viewed From Inside

Comments: Steel Coupling @ 550 Cover Strips @ 600

Item No... 5+6 Location... SF Lounge R/H No Off ... 1.....

W. 1740



Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	SWSS Flush
Liners	
Clear / Obscure	+ Toughened
Re / Br Width	1690
Original Width	1790
Arched Heads /	1950 - 2010
Original Height	2060
Hole To Fill	1700 x 2050
Frame Depth	140
Window Board	NBF 100" @ 1900
Architrave	70mm Ogee
Scaffold	No

Viewed From Inside

Comments:

Dorwin Ltd Survey

006

Asra Housing		▼ Scaffold Required		Derek		Surveyor	
Survey Report		Job No		Survey Date		Supply Only / Supply and Install	
Name: 16 St Cuthberts Street		Tel. No. Home:		Fit Days Required : 1 / 2 / 3 / 4 / 5		Best Fit Day: Mon / Tue / Wed / Thr / Fri	
Address: Camden NW2 3QH		Tel. No. Work:		Customer Hols: / / No Wks.			
Item No.: 7		Location: Side Door		No. OF: 1 PVCu 2xG Inwards			
N/Vent	Greenwood	Reinforcement	Steel Fully	D/G: 8/8	24mm 'Planibel' Gas		
		Material	Elite 63	Clear / Stippolyte	Toughened		
		Glazing	Internal	Handles	Lower Lower		
		Mullion Break		Hinge G/F	Multi Point		
		Transom Depth	4200-11	Hinge F/F	Low Threshold		
		Cill	SWISS	Lock			
		Liners	15"	Fire Escape			
			Head +	Fire Escape			
			LH Hand				
Drainage Face / Concealed		Other Materials	H/Drip	G/Floor			
Comments: ODO							
Item No.: 8		Location: Kitchen GF		No. OF: 1			
N/Vent	Greenwood	Reinforcement	Steel Fully	D/G: 8/8	24mm 'Planibel' Gas		
		Material	Elite 63	Clear / Stippolyte	Toughened		
		Glazing	Internal	Handles	Maxim 3 Locking		
		Mullion Break		Hinge G/F	Vector Plus		
		Transom Depth	410	Hinge F/F	Dgs Elite Restrictor		
		Cill	SWISS	Lock	Maco Shootbolt Espag		
		Liners		Fire Escape	Maxim 3 Green Button		
				Fire Escape	Dgs Tristay Egress/Rest		
Drainage Face / Concealed		Other Materials	H/Drip	G/Floor	BS7950 Secure by Design		
Comments: Steel Coupling @ 1200 Cover Strip @ 1200							
Item No.: 9		Location: Bathroom GF		No. OF: 1			
N/Vent	Greenwood	Reinforcement	Steel Fully	D/G: 8/8	24mm 'Planibel' Gas		
		Material	Elite 63	Clear / Stippolyte			
		Glazing	Internal	Handles	Maxim 3 Locking		
		Mullion Break		Hinge G/F	Vector Plus		
		Transom Depth	410	Hinge F/F	Dgs Elite Restrictor		
		Cill	SWISS	Lock	Maco Shootbolt Espag		
		Liners		Fire Escape	Maxim 3 Green Button		
				Fire Escape	Dgs Tristay Egress/Rest		
Drainage Face / Concealed Br 630 cing 660		Other Materials	H/Drip	G/Floor	BS7950 Secure by Design		
Comments: Arched Head 980-1020 Original Height 1060							
Item No.: 10		Location: Bedroom GF		No. OF: 1			
N/Vent	Greenwood	Reinforcement	Steel Fully	D/G: 8/8	24mm 'Planibel' Gas		
		Material	Elite 63	Clear / Stippolyte	Toughened		
		Glazing	Internal	Handles	Maxim 3 Locking		
		Mullion Break		Hinge G/F	Vector Plus 85"		
		Transom Depth	410	Hinge F/F	Dgs Elite Restrictor		
		Cill	SWISS	Lock	Maco Shootbolt Espag		
		Liners		Fire Escape	Maxim 3 Green Button		
				Fire Escape	Dgs Tristay Egress/Rest		
Drainage Face / Concealed Br 1060 Orig 1100		Other Materials	H/Drip	G/Floor	BS7950 Secure by Design		
Comments: Arched Head 1480-1510 Original Height 1520							

Dorwin Ltd Survey

007

Asra Housing		▼ scaffold Required		Derek		Surveyor	
Survey Report		Job No		Survey Date		Supply Only / Supply and Install	
Name: 16 St Cuthberts Street		Tel. No. Home:		Fit Days Required : 1 / 2 / 3 / 4 / 5			
Address : Camden NW2 3QH		Tel. No. Work:		Best Fit Day: Mon / Tue / Wed / Thr / Fri			
				Customer Hols: / / No Wks.....			
Item No.: 11		Location: <u>Bedroom GF Side</u>		No. OF:			
N/Vent	Greenwood	▼	RIH	Reinforcement	Steel Fully	▼	D/G .S/S
W 1200				Material	Elite 63	▼	24mm 'Planibel' Gas
				Clear / Stippolyte			
		Glazing	Internal	▼	Handles	Maxim 3 Locking	▼
		Mullion Break	—		Hinge G/F	Vector Plus	▼
		Transom Depth	—		Hinge F/F	Dgs Elite Restrictor	▼
		Cill	SWIS1	Flush	Lock	Maco Shootbolt Espag	▼
		Liners	—	—	Fire Escape	Maxim 3 Green Button	▼
					Fire Escape	Dgs Tristay Egress/Rest	▼
		Other Materials	H/Drip	G/Floor	BS7950 Secure by Design	▼	
Drainage Face / Concealed							
Comments :							
Item No.: 12		Location: <u>R. Bedroom LH</u>		No. OF: 1			
N/Vent	Greenwood	▼	GF	Reinforcement	Steel Fully	▼	D/G .S/S
W 1765				Material	Elite 63	▼	24mm 'Planibel' Gas
				Clear / Stippolyte			
		Glazing	Internal	▼	Handles	Maxim 3 Locking	▼
		Mullion Break	610		Hinge G/F	Vector Plus	▼
		Transom Depth	410		Hinge F/F	Dgs Elite Restrictor	▼
		Cill	SWIS1	Flush	Lock	Maco Shootbolt Espag	▼
		Liners	—	—	Fire Escape	Maxim 3 Green Button	▼
					Fire Escape	Dgs Tristay Egress/Rest	▼
		Other Materials	H/Drip	G/Floor	BS7950 Secure by Design	▼	
Drainage Face / Concealed							
Comments :							
Item No.: 13		Location: <u>R. Bedroom RIH</u>		No. OF: 1			
N/Vent	Greenwood	▼	GF	Reinforcement	Steel Fully	▼	D/G .S/S
W 1765				Material	Elite 63	▼	24mm 'Planibel' Gas
				Clear / Stippolyte			
		Glazing	Internal	▼	Handles	Maxim 3 Locking	▼
		Mullion Break	W ² =610		Hinge G/F	Vector Plus	▼
		Transom Depth	410		Hinge F/F	Dgs Elite Restrictor	▼
		Cill	SWIS1	Flush	Lock	Maco Shootbolt Espag	▼
		Liners	—	—	Fire Escape	Maxim 3 Green Button	▼
					Fire Escape	Dgs Tristay Egress/Rest	▼
		Other Materials	H/Drip	G/Floor	BS7950 Secure by Design	▼	
Drainage Face / Concealed							
Comments :							
Item No.: 14		Location: <u>R. Door</u>		No. OF: 1		<u>PVCu 2x6 outwards</u>	
N/Vent	Greenwood	▼		Reinforcement	Steel Fully	▼	D/G .S/S
W 930				Material	Elite 63	▼	24mm 'Planibel' Gas
				Clear / Stippolyte			
		Glazing	Internal	▼	Handles	Layer Layer	▼
		Mullion Break	—		Hinge G/F	Multi Point	▼
		Transom Depth	H ² =900 Cill		Hinge F/F	Low Threshold	▼
		Cill	SWIS1	Flush	Lock	Restrictor	▼
		Liners	15mm	R/Hard	Fire Escape	Callin Hook	▼
					Fire Escape		▼
		Other Materials	H/Drip	G/Floor			
Drainage Face / Concealed							
Comments :							

ASRA Housing

Job No Scaffold.

Surveyor.....

Name

Tel No Home.....


Survey Date

Address 16 St Cuthberts Street
Camden NW2 3QH

Tel No Work.....

...../...../.....

Item No. 15 Location. Rear First Floor No Off




Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	SWSS Flush
Liners	
Clear / Obscure	+ Toughened
Re / Br Width	950
Original Width	1850
Arched Heads	✓ 1780 - 1850
Original Height	1900
Hole To Fill	1040 x 1890
Frame Depth	140
Window Board	100 x 120
Architrave	70mm Cgee
Scaffold	No

Comments:

Item No. 16 Location. Rear First Floor No Off




Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	SWSS Flush
Liners	
Clear / Obscure	+ Toughened
Re / Br Width	800
Original Width	920
Arched Heads	✓ 1780 - 1850
Original Height	1900
Hole To Fill	910 x 1890
Frame Depth	140
Window Board	100 x 120
Architrave	70mm Cgee
Scaffold	No

Comments:

Item No. Location. No Off



Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	
Liners	
Clear / Obscure	
Re / Br Width	
Original Width	
Arched Heads	
Original Height	
Hole To Fill	
Frame Depth	
Window Board	
Architrave	
Scaffold	

Comments:

All Drawings Are To Be Viewed From Inside

Dorwin Ltd Survey

009

Asra Housing		Scaffold Required		Derek		Surveyor	
Survey Report		Job No		Survey Date		Supply Only / Supply and Install	
Name: 16 St Cuthberts Street Camden NW2 3QH		Tel. No. Home:		Fit Days Required: 1 / 2 / 3 / 4 / 5		Best Fit Day: Mon / Tue / Wed / Thr / Fri	
Address:		Tel. No. Work:		Customer Hols: / / No Wks.....			

Item No: 17		Location: F / Floor Side		No. OF: 1			
N/Vent	Greenwood			Reinforcement	Steel Fully	D/G .S/G	24mm 'Planibel' Gas
				Material	Elite 63	Clear / Stippolyte	
				Glazing	Internal	Handles	Maxim 3 Locking
				Mullion Break	—	Hinge G/F	Vector Plus
				Transom Depth	—	Hinge F/F	Dgs Elite Restrictor
				Cill	SWSS	Flush	Lock
				Liners	—	Fire Escape	Maxim 3 Green Button
						Fire Escape	Dgs Tristay Egress/Rest
				Other Materials	—	G/Floor	BS7950 Secure by Design
Drainage Face / Concealed							
Comments :							

Item No: 18		Location: F / Floor Side		No. OF: 1			
N/Vent	Greenwood			Reinforcement	Steel Fully	D/G .S/G	24mm 'Planibel' Gas
				Material	Elite 63	Clear / Stippolyte	
				Glazing	Internal	Handles	Maxim 3 Locking
				Mullion Break	W ^a = 610	Hinge G/F	Vector Plus
				Transom Depth	410	Hinge F/F	Dgs Elite Restrictor
				Cill	SWSS	Flush	Lock
				Liners	—	Fire Escape	Maxim 3 Green Button
						Fire Escape	Dgs Tristay Egress/Rest
				Other Materials	H/Drip	G/Floor	BS7950 Secure by Design
Drainage Face / Concealed							
Comments :							

Item No: 19		Location: F / Floor Side		No. OF: 1			
N/Vent	Greenwood			Reinforcement	Steel Fully	D/G .S/G	24mm 'Planibel' Gas
				Material	Elite 63	Clear / Stippolyte	
				Glazing	Internal	Handles	Maxim 3 Locking
				Mullion Break	—	Hinge G/F	Vector Plus
				Transom Depth	—	Hinge F/F	Dgs Elite Restrictor
				Cill	SWSS	Flush	Lock
				Liners	—	Fire Escape	Maxim 3 Green Button
						Fire Escape	Dgs Tristay Egress/Rest
				Other Materials	H/Drip	G/Floor	BS7950 Secure by Design
Drainage Face / Concealed							
Comments :							

Item No: 20		Location: 2 / Floor Side		No. OF: 1			
N/Vent	Greenwood			Reinforcement	Steel Fully	D/G .S/G	24mm 'Planibel' Gas
				Material	Elite 63	Clear / Stippolyte	
				Glazing	Internal	Handles	Maxim 3 Locking
				Mullion Break	—	Hinge G/F	Vector Plus
				Transom Depth	—	Hinge F/F	Dgs Elite Restrictor
				Cill	SWSS	Flush	Lock
				Liners	—	Fire Escape	Maxim 3 Green Button
						Fire Escape	Dgs Tristay Egress/Rest
				Other Materials	H/Drip	G/Floor	BS7950 Secure by Design
Drainage Face / Concealed							
Comments : Scaffold Required							

Dorwin Ltd Survey

010

Asra Housing		Scaffold Required		Derek		Surveyor	
Survey Report		Job No		Survey Date		Supply Only / Supply and Install	
Name: 16 St Cuthberts Street		Tel. No. Home:		Fit Days Required: 1 / 2 / 3 / 4 / 5			
Address: Camden NW2 3QH		Tel. No. Work:		Best Fit Day: Mon / Tue / Wed / Thr / Fri			
				Customer Hols: / / No Wks			

Item No.: 21		Location: 2/Floor + 3/Floor		No. OF: 13th	
N/Vent	Greenwood	Side		Reinforcement	Steel Fully
W 1200		H 1200		Material	Elite 63
		Glazing	Internal	D/G	24mm 'Planibel' Gas
		Mullion Break	610	Clear / Stippolyte	
		Transom Depth	410	Handles	Maxim 3 Locking
		Cill	SWIS	Hinge G/F	Vector Plus
		Liners	—	Hinge F/F	Dgs Elite Restrictor
			Flush	Lock	Maco Shootbolt Espag
			—	Fire Escape	Maxim 3 Green Button
			—	Fire Escape	Dgs Tristay Egress/Rest
		Other Materials	H/Rip	G/Floor	BS7950 Secure by Design
		Drainage Face / Concealed			
Comments: Scaffold Required					





Item No.: 22		Location: Balcony Partic		No. OF: 13th	
N/Vent	Greenwood	Doors		Reinforcement	Steel Fully
W 1800		H 2100		Material	Elite 63
		Glazing	Internal	D/G	24mm 'Planibel' Gas
		Mullion Break	—	Clear / Stippolyte	Toughened
		Transom Depth	—	Handles	Maxim 3 Locking
		Cill	SWIS	Hinge G/F	Vector Plus
		Liners	10x150	Hinge F/F	Dgs Elite Restrictor
			Flush	Lock	Maco Shootbolt Espag
			Head +	Fire Escape	Maxim 3 Green Button
			Sides	Fire Escape	Dgs Tristay Egress/Rest
		Other Materials	—	G/Floor	BS7950 Secure by Design
		Drainage Face / Concealed			
Comments:					

Item No.: 23		Location: Kitchen		No. OF: 1	
N/Vent	Greenwood	Top Floor		Reinforcement	Steel Fully
W 600		H 1200		Material	Elite 63
		Glazing	Internal	D/G	24mm 'Planibel' Gas
		Mullion Break	—	Clear / Stippolyte	
		Transom Depth	—	Handles	Maxim 3 Locking
		Cill	SWIS	Hinge G/F	Vector Plus
		Liners	10x150	Hinge F/F	Dgs Elite Restrictor
			Flush	Lock	Maco Shootbolt Espag
			Head +	Fire Escape	Maxim 3 Green Button
			Sides	Fire Escape	Dgs Tristay Egress/Rest
		Other Materials	—	G/Floor	BS7950 Secure by Design
		Drainage Face / Concealed			
Comments:					

Item No.: 24		Location: Bathroom		No. OF: 1	
N/Vent	Greenwood	Top Floor		Reinforcement	Steel Fully
W 600		H 700		Material	Elite 63
		Glazing	Internal	D/G	24mm 'Planibel' Gas
		Mullion Break	—	Clear / Stippolyte	
		Transom Depth	—	Handles	Maxim 3 Locking
		Cill	SWIS	Hinge G/F	Vector Plus
		Liners	10x150	Hinge F/F	Dgs Elite Restrictor
			Flush	Lock	Maco Shootbolt Espag
			Head +	Fire Escape	Maxim 3 Green Button
			Sides	Fire Escape	Dgs Tristay Egress/Rest
		Other Materials	—	G/Floor	BS7950 Secure by Design
		Drainage Face / Concealed			
Comments:					

Dorwin Ltd Survey

011

Asra Housing		Scaffold Required		Derek		Surveyor	
Survey Report		Job No		Survey Date		Supply Only / Supply and Install	
Name: 16 St Cuthberts Street		Tel. No. Home:		Fit Days Required : 1 / 2 / 3 / 4 / 5			
Address: Camden NW2 3QH		Tel. No. Work:		Best Fit Day: Mon / Tue / Wed / Thr / Fri			
				Customer Hols: / / No Wks.....			
Item No.: 25		Location: 21 Floor Bulb		No. OF: 1			
N/Vent	Greenwood	Reinforcement	Steel Fully	D/G: S/G	24mm 'Planibel' Gas		
		Material	Elite 63	Clear / Stippolyte			
		Glazing	Internal	Handles	Maxim 3 Locking		
		Mullion Break		Hinge G/F	Vector Plus		
		Transom Depth		Hinge F/F	Dgs Elite Restrictor		
		Cill		Lock	Maco Shootbolt Espag		
		Liners		Fire Escape	Maxim 3 Green Button		
				Fire Escape	Dgs Tristay Egress/Rest		
		Other Materials		G/Floor	BS7950 Secure by Design		
Drainage Face / Concealed		Comments :					
All Items Need Scaffold							
Item No.: 26	Location: 21 Floor Bulb	No. OF: 1					
N/Vent	Greenwood	Reinforcement	Steel Fully	D/G: S/G	24mm 'Planibel' Gas		
		Material	Elite 63	Clear / Stippolyte			
		Glazing	Internal	Handles	Maxim 3 Locking		
		Mullion Break		Hinge G/F	Vector Plus		
		Transom Depth		Hinge F/F	Dgs Elite Restrictor		
		Cill		Lock	Maco Shootbolt Espag		
		Liners		Fire Escape	Maxim 3 Green Button		
				Fire Escape	Dgs Tristay Egress/Rest		
		Other Materials		G/Floor	BS7950 Secure by Design		
Drainage Face / Concealed		Comments :					
Item No.: 27	Location: 21 Floor Bulb	No. OF: 1					
N/Vent	Greenwood	Reinforcement	Steel Fully	D/G: S/G	24mm 'Planibel' Gas		
		Material	Elite 63	Clear / Stippolyte			
		Glazing	Internal	Handles	Maxim 3 Locking		
		Mullion Break		Hinge G/F	Vector Plus		
		Transom Depth		Hinge F/F	Dgs Elite Restrictor		
		Cill		Lock	Maco Shootbolt Espag		
		Liners		Fire Escape	Maxim 3 Green Button		
				Fire Escape	Dgs Tristay Egress/Rest		
		Other Materials		G/Floor	BS7950 Secure by Design		
Drainage Face / Concealed		Comments :					
Item No.: 28	Location: 21 Floor Bulb	No. OF: 1					
N/Vent	Greenwood	Reinforcement	Steel Fully	D/G: S/G	24mm 'Planibel' Gas		
		Material	Elite 63	Clear / Stippolyte			
		Glazing	Internal	Handles	Maxim 3 Locking		
		Mullion Break		Hinge G/F	Vector Plus		
		Transom Depth		Hinge F/F	Dgs Elite Restrictor		
		Cill		Lock	Maco Shootbolt Espag		
		Liners		Fire Escape	Maxim 3 Green Button		
				Fire Escape	Dgs Tristay Egress/Rest		
		Other Materials		G/Floor	BS7950 Secure by Design		
Drainage Face / Concealed		Comments :					

ASRA Housing

Job No Scaffold. Required

Surveyor... Derek

Name
Address 16 St Cuthberts Street
Camden NW2 3QH


Tel No Home.....
Tel No Work.....

Survey Date
...../...../.....


Item No. 26+27 Location Floor Front No Off 1

W.....

Large Bay



H 560



H...1500

Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	<u>SWSS Flush</u>
Liners	
Clear / Obscure	<u>+ Toughened</u>
Re / Br Width	<u>2250</u>
Original Width	<u>2350</u>
Arched Heads	<u>2040 - 2160</u>
Original Height	<u>2210</u>
Hole To Fill	<u>2340 X 2200</u>
Frame Depth	<u>140</u>
Window Board	<u>MBF 100 @ 2500</u>
Architrave	<u>70mm gage</u>
Scaffold	<u>No</u>

Comments:

Item No. 28+29 Location Floor Front No Off 1

W.....

Large Bay



H 460



H...1500


Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	<u>SWSS Flush</u>
Liners	
Clear / Obscure	<u>+ Toughened</u>
Re / Br Width	<u>505</u>
Original Width	<u>605</u>
Arched Heads	<u>1940 - 2120</u>
Original Height	<u>2160</u>
Hole To Fill	<u>600 X 2150</u>
Frame Depth	<u>140</u>
Window Board	<u>MBF 100 @ 700</u>
Architrave	<u>70mm gage</u>
Scaffold	<u>No</u>

Comments:

Item No. 30 Location Floor Front No Off 1

W...970



H...1800

Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	<u>SWSS Flush</u>
Liners	
Clear / Obscure	<u>+ Toughened</u>
Re / Br Width	<u>950</u>
Original Width	<u>1050</u>
Arched Heads	<u>1780 - 1850</u>
Original Height	<u>1900</u>
Hole To Fill	<u>1040 X 1890</u>
Frame Depth	<u>140</u>
Window Board	<u>MBF 100 1200</u>
Architrave	<u>70mm gage</u>
Scaffold	<u>No</u>

Comments:

ASRA Housing

Job No Scaffold.

Surveyor.....

Name

Tel No Home.....


Survey Date

Address 16 St Cuthberts Street
Camden NW2 3QH

Tel No Work.....

...../...../.....

Item No. 31.. Location. 21 Floor Front No Off 22




Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	SWRS Flush
Liners	
Clear / Obscure	+ Taglanted
Re / Br Width	950
Original Width	1050
Arched Heads	✓ 1500 - 1550
Original Height	1600
Hole To Fill	1040 x 1590
Frame Depth	140
Window Board	70mm C 1200
Architrave	70mm C 900
Scaffold	122

85°

Comments:

Item No. 32.. Location. 21 Floor Front No Off 22




Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	SWRS Flush
Liners	
Clear / Obscure	+ Taglanted
Re / Br Width	950
Original Width	1050
Arched Heads	✓ 1500 - 1550
Original Height	1600
Hole To Fill	1040 x 1590
Frame Depth	140
Window Board	70mm C 1200
Architrave	70mm C 900
Scaffold	122

85°

Comments:

Item No..... Location..... No Off



Viewed From Inside

Frame	Large A03
Hinge	Elite Rest Aust / Egress Aust
Handle	Locking / Non Locking
Lock	Tricoat Espag
Cill	
Liners	
Clear / Obscure	
Re / Br Width	
Original Width	
Arched Heads	
Original Height	
Hole To Fill	
Frame Depth	
Window Board	
Architrave	
Scaffold	

Comments:

Dorwin Ltd Survey

014

Asra Housing		☒ Scaffold Required		Derek		Surveyor			
Survey Report		Job No		Survey Date		Supply Only / Supply and Install			
Name: 16 St Cuthberts Street Camden NW2 3QH		Tel. No. Home:.....		Fit Days Required : 1 / 2 / 3 / 4 / 5		Best Fit Day: Mon / Tue / Wed / Thr / Fri			
Address :		Tel. No. Work:.....		Customer Hols:...../...../.....No Wks.....					
Item No.: 31		Location : S. Lite L.H		No.OF: 1					
N/Vent Greenwood		Reinforcement Steel Fully		D/G . S/G		24mm 'Planibel' Gas			
		Material Elite 63 A3		Clear / Stippolyte		Toughened			
		Glazing Internal		Handles		Maxim 3 Locking			
		Mullion Break		Hinge G/F		Vector Plus			
		Transom Depth H' = 1060 H' = 900		Hinge F/F		Dgs Elite Restrictor			
		Cill SW 150 1820		Lock		Maco Shootbolt Espag			
		Liners		Fire Escape		Maxim 3 Green Button			
				Fire Escape		Dgs Tristay Egress/Rest			
		Other Materials		G/Floor		BS7950 Secure by Design			
		Comments :							
		GDO		Steel Coupling @ 3120		Cover Strips @ 3200			
Item No.: 32		Location : F. Door		No.OF: 1		Composite towards			
N/Vent Greenwood		Reinforcement Steel Fully		D/G . S/G		24mm 'Planibel' Gas			
		Material Elite 63 A3		Clear / Stippolyte		Toughened			
		Glazing Internal		Handles		Lower Part			
		Mullion Break		Hinge G/F		Multi-point?			
		Transom Depth H' = 1060		Hinge F/F		Low Threshold			
		Cill SW 150 As Above		Lock					
		Liners		Fire Escape					
				Fire Escape					
		Other Materials		G/Floor					
		Comments :							
		GDO		Suited lock		Extra keys		Electric Strike	
Item No.: 33		Location : S. Lite R.H		No.OF: 1					
N/Vent Greenwood		Reinforcement Steel Fully		D/G . S/G		24mm 'Planibel' Gas			
		Material Elite 63 A3		Clear / Stippolyte		Toughened			
		Glazing Internal		Handles		Maxim 3 Locking			
		Mullion Break		Hinge G/F		Vector Plus			
		Transom Depth H' = 1060 H' = 900		Hinge F/F		Dgs Elite Restrictor			
		Cill SW 150 As Above		Lock		Maco Shootbolt Espag			
		Liners		Fire Escape		Maxim 3 Green Button			
				Fire Escape		Dgs Tristay Egress/Rest			
		Other Materials		G/Floor		BS7950 Secure by Design			
		Comments :							
		GDO		Steel Coupling @ 3120		Cover Strips @ 3200			
Very Awkward To Fit As Main Electric Boxes + Cables Fixed Next To Door.									
Item No.:		Location :		No.OF:					
N/Vent Greenwood		Reinforcement Steel Fully		D/G . S/G		24mm 'Planibel' Gas			
		Material Elite 63		Clear / Stippolyte					
		Glazing Internal		Handles		Maxim 3 Locking			
		Mullion Break		Hinge G/F		Vector Plus			
		Transom Depth		Hinge F/F		Dgs Elite Restrictor			
		Cill		Lock		Maco Shootbolt Espag			
		Liners		Fire Escape		Maxim 3 Green Button			
				Fire Escape		Dgs Tristay Egress/Rest			
		Other Materials		G/Floor		BS7950 Secure by Design			
		Comments :							
		GDO							