

Ms Jenny Bruce  
TP Bennett LLP  
1 America Street  
London  
SE1 0NE

Application Ref: **2009/3462/P**  
Please ask for: **John Sheehy**  
Telephone: 020 7974 **5649**

1 December 2009

Dear Sir/Madam

## **DECISION**

Town and Country Planning Acts 1990 (as amended)  
Town and Country Planning (General Development Procedure) Order 1995  
Town and Country Planning (Applications) Regulations 1988

### **Full Planning Permission Granted**

Address:  
**179 - 181 West End Lane**  
**London**  
**NW6 2LH**

Proposal:  
Installation of a new shopfront and two new air conditioning units to the rear basement level.

Drawing Nos: A9704 D051 100 I2; F 051 100 L1; 200 L1; G 051 100 T3; G051 200 T3; SKA-KA-VA Inverter Heat Pump Technical Details; Plant Noise Assessment Report prepared by RBA Acoustics, dated 1 October 2009; email from Jenny Bruce dated 30th of November 2009.

The Council has considered your application and decided to grant permission subject to the following condition(s):

Condition(s) and Reason(s):

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.



Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 All new external work shall be carried out in materials that resemble, as closely as possible, in colour and texture those of the existing building, unless otherwise specified in the approved application.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policies B1 [General Design Principles] and B7 [Conservation Areas] of the London Borough of Camden Replacement Unitary Development Plan 2006.

- 3 Noise levels at a point 1 metre external to sensitive facades shall be at least 5dB(A) less than the existing background measurement (LA90), expressed in dB(A) when all plant/equipment are in operation unless the plant/equipment hereby permitted will have a noise that has a distinguishable, discrete continuous note (whine, hiss, screech, hum) and/or if there are distinct impulses (bangs, clicks, clatters, thumps), then the noise levels from that piece of plant/equipment at any sensitive façade shall be at least 10dB(A) below the LA90, expressed in dB(A).

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies SD6 [Amenity for occupiers and neighbours], SD7B [Noise/vibration pollution], SD8 [Disturbance] and Appendix 1 of the London Borough of Camden Replacement Unitary Development Plan 2006.

- 4 Automatic time clocks shall be fitted to the air-conditioning equipment hereby approved, prior to commencement of the use of the units, to ensure that the plant/equipment does not operate between 2300hrs and 0700hrs. The timer equipment shall be properly maintained and retained permanently thereafter.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies SD6 [Amenity for occupiers and neighbours], SD7B [Noise/vibration pollution], SD8 [Disturbance] and Appendix 1 of the London Borough of Camden Replacement Unitary Development Plan 2006.

#### Informative(s):

- 1 Reasons for granting permission.

The proposed development is in general accordance with the policy requirements of the London Borough of Camden Replacement Unitary Development Plan 2006, with particular regard to policies B1 (General Design Principles), B3 (Alterations & Extensions), B4a (Shopfronts), SD6 (Amenity for occupiers and neighbours), SD7B (Noise/vibration pollution) and SD8A (Disturbance from plant and machinery). For a more detailed understanding of the reasons for the granting of this planning permission, please refer to the officers report.

- 2 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts which cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Argyle Street WC1H 8EQ, (tel: 020-7974 2363).
  
- 3 Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You are advised to consult the Council's Planning and Public Protection Division (Compliance and Enforcement Team), Camden Town Hall, Argyle Street, WC1H 8EQ (Tel. No. 020 7974 5613 or by email [ppp@camden.gov.uk](mailto:ppp@camden.gov.uk) or on the website [www.camden.gov.uk/pollution](http://www.camden.gov.uk/pollution)) or seek prior approval under Section 61 of the Act if you anticipate any difficulty in carrying out construction other than within the hours stated above.

**Disclaimer**

***This is an internet copy for information purposes. If you require a copy of the signed original please contact the Culture and Environment Department on (020) 7974 5613***