

ARCHER ARCHITECTS

18 October 2007

Development Control
London Borough of Camden
Town Hall, Argyle Street
London WC1H 8ND

FAO: Jenny Fisher

5014/STAT/CAM/071018/PS

Ref: Installation of rooftop plant at 8-10 HATTON GARDEN

Dear Ms. Fisher,

I write to resubmit an application for the above property (app ref 2007/0863/P), which was withdrawn by us on 16 May 2007 due to lack of information provided with the original application.

We have updated the application as follows:

1. An appendix is included along with the acoustic report originally submitted, showing noise output levels of proposed plant equipment and highlighting the need for attenuation measures.
2. Manufacturer's specification for the proposed AC units have been included along with the specification from our M&E engineer. Please note that this has been revised to reduce the height of units from 1840 to 1350mm.
3. The above allows us to lower the height of the acoustic enclosure screen around the plant area by over 500mm from that which was originally proposed. The screen is essentially a standard flat acoustic panel faced with louvre blades externally for aesthetic purposes. Details of the proposed screen have been included.
4. Drawings have been updated to reflect the above, and photographs added.

I trust that the revised application enclosed should address the concerns of the Council and that the information provided is now sufficient for permission to be granted. However should you require any further information please feel free to contact me.

Yours sincerely



Pravir Sethi

Enc: Planning application form and attachments as noted in Drawings & Plans Schedule.