

Martin Canaway
Canaway Fleming Architects Ltd
1 Dyers Building
LONDON
EC1N 2JT

Application Ref: **2007/2895/P**
Please ask for: **Charles Thuaire**
Telephone: 020 7974 **5867**

01 October 2007

Dear Sir/Madam

DECISION

Town and Country Planning Acts 1990 (as amended)
Town and Country Planning (General Development Procedure) Order 1995
Town and Country Planning (Applications) Regulations 1988

Full Planning Permission Granted

Address:

**Wildwood Lodge
9 North End
London
NW3 7HH**

Proposal:

Erection of a replacement garage with rear courtyard and lightwell, and excavation of additional basement level to provide a swimming pool and ancillary plant, as an amendment to planning permission dated 7/11/06 (Ref: 2006/3956/P) for Demolition of one and two storey rear extensions, side garage and side conservatory and erection of replacement two storey plus basement rear extension with pitched roof, one storey rear kitchen extension, single storey west side extension and single storey east side conservatory extension, plus associated external and internal alterations, and alterations to front boundary wall.

Drawing Nos: 025/A/0100- 0119; 0130, 0131A, 0132A, 0133B, 0134A, 0135A, 0136B, 0140B, 0141B, 0142B, 0143B, 0144;

025/A/0001, 0005, 0006, 0007, 0009; 0201; 0220; 0221B; 0222A; 0223; 0224A; 0226; 0227; 0228; 0229A; letter from Nick Maclean engineers dated 30.7.07



The Council has considered your application and decided to grant permission subject to the following condition(s):

Condition(s) and Reason(s):

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.

Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 All new external work shall be carried out in materials that resemble, as closely as possible, in colour and texture those of the existing building, unless otherwise specified in the approved application. In particular, notwithstanding the details shown on the plans hereby approved, the new garage block shall have brick walls to match adjoining walls and not render.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policies S1/ S2, B1, B6 and B7 of the London Borough of Camden Replacement Unitary Development Plan 2006.

- 3 All trees on the site, or parts of trees growing from adjoining sites, unless shown on the permitted drawings as being removed, shall be retained and protected from damage to the satisfaction of the Council. Details shall be submitted to and approved by the Council before works commence on site to demonstrate how trees to be retained shall be protected during construction work: such details shall follow guidelines and standards set out in BS5837:2005 "Trees in Relation to Construction".

Reason: To ensure that the Council may be satisfied that the development will not have an adverse effect on existing trees and in order to maintain the character and amenities of the area in accordance with the requirements of policy N8 of the London Borough of Camden Replacement Unitary Development Plan 2006.

- 4 Noise levels at a point 1 metre external to sensitive facades shall be at least 5dB(A) less than the existing background measurement (LA90), expressed in dB(A) when all plant/equipment are in operation unless the plant/equipment hereby permitted will have a noise that has a distinguishable, discrete continuous note (whine, hiss, screech, hum) and/or if there are distinct impulses (bangs, clicks, clatters, thumps), then the noise levels from that piece of plant/equipment at any sensitive façade shall be at least 10dB(A) below the LA90, expressed in dB(A).

Reason: To safeguard the amenities of the adjoining premises in accordance with the requirements of policies SD6, SD7B, SD8 and Appendix 1 of the London Borough of Camden Replacement Unitary Development Plan 2006.

- 5 No development shall take place until full details of proposed hard landscaping have been submitted to and approved by the Council. Such details shall include details of any proposed earthworks including grading, mounding and other

changes in ground levels. The relevant part of the works shall not be carried out otherwise than in accordance with the details thus approved.

Reason: To enable the Council to ensure a reasonable standard of visual amenity in the scheme in accordance with the requirements of policies B1 and N8 of the London Borough of Camden Replacement Unitary Development Plan 2006.

- 6 All hard and soft landscaping works shall be carried out to a reasonable standard in accordance with the approved landscape details by not later than the end of the planting season following completion of the development or any phase of the development, whichever is the sooner.

Reason: To ensure that the landscaping is carried out within a reasonable period and to maintain a satisfactory standard of visual amenity in the scheme in accordance with the requirements of policies B1 and N8 of the London Borough of Camden Replacement Unitary Development Plan 2006.

Informative(s):

- 1 Reasons for granting permission.

The proposed development is in general accordance with the policy requirements of the London Borough of Camden Replacement Unitary Development Plan 2006, with particular regard to policies S1/2; B1,3,6,7; SD6,7,8; N8. For a more detailed understanding of the reasons for the granting of this planning permission, please refer to the officers report.

- 2 Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You are advised to consult the Council's Environmental Health Service, Camden Town Hall, Argyle Street, WC1H 8EQ (Tel. No. 020 7974 2090 or by email env.health@camden.gov.uk or on the website www.camden.gov.uk/pollution) or seek prior approval under Section 61 of the Act if you anticipate any difficulty in carrying out construction other than within the hours stated above.
- 3 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts. You are advised to consult the Council's Building Control Service, Camden Town Hall, Argyle Street WC1H 8EQ, (tel: 020-7974 2363).

Disclaimer

This is an internet copy for information purposes. If you require a copy of the signed original please contact the Culture and Environment Department on (020) 7974 5613