
HATTER

BANKSTON STORMS

Plan 1: IBarlow House Roof Extent of New Timbers

For details and construction sequence refer to S_6325



General Notes:

- rawings are not to be scaled (images have been scanned).
- 2. For typical Connection Details refer to Drg No, 18000/S 1145
- 3. Connection design forces shown thus : (__kN), acting downwards. All forces are factored. Where such connect forces are only shown at one end of the beam it shown.
- L. Concrete grade to insitu beams and slabs (not on steel decking) to be RC40, refer to Arup concrete specification details.
- Nominal cover to all reinforcement to be 30mm, to BS8500.

 5. Concrete grade to insitu slabs on permanent metal decking to be RC30, refer to Arup concrete specification for details.

 Nominal Cover to be 30mm.
- 6. For Temporary Works proposals refer to Drg No, 111800/ S_1147 & S_1743.
- 7. Concrete upstand to all levels at front of lift to be provided. Refer to Drg No, 118000/S_1146 Detail 'F'.
- 8. Locations of Existing W.I. Beams to be confirmed to Engineer
- Any descrepancies between Architect's & Engineer's Drawings to be highlighted to both parties.
- 10. All general dimensional information & setting out to be refered to Architect's Drawings.
- 11. Lifting beams & secondary lift steelwork to be Contractor designed.
- 12. Proposed method statement & construction sequence to be agreed with Engineer.

 C2
 07/09/07
 JL
 JB
 BJ

 Issued For Construction

 C1
 06/08/07
 JB
 JB
 BJ

 Issued For Construction

 Issue
 Date
 By
 Chkd
 Appd

-_--

ARUP

13 Fitzroy Street London W1T 4BQ Tel +44 (0)20 7636 1531 Fax +44 (0)20 7580 3924 www.arup.com

Manhattan Lofts
Corporation Limited

Job Title

St. Pancras Chambers

Barlow House Roof Timber Alterations Plans

Scale at A1

Construction

Plot ID 7B6B7994-64C0-4865-B294-FBCE86B31163 Drawing Status