

# THE BRITISH MUSEUM

THE SOUTH STAIR,  
CENTRAL SALOON &  
GALLERIES 37 TO 40

## SCHEDULE OF FLOOR FINISHES

Authorised:	JEC
Date:	16 <sup>th</sup> February 2007
Job N°:	LN08732
Document N°:	GI200E-BDP-A-SPC-43-002
Revision:	A
Issued for:	Tender



Building Design Partnership Limited  
16 Brewhouse Yard,  
Clerkenwell  
London EC1V 4LJ

**IMPORTANT NOTES:**

This document is to be read in conjunction with the following other documents:

- LN08732/GI200E-BDP-A-SPC-43-001 - Floor Finishes Specification
- LN08732/GI200E-BDP-A-SPC-43-003 - Restoration of Existing Stonework and Masonry
- LN08732/GI200E-BDP-A-2110 to 2183 inclusive
- LN08732/GI200E-BDP-A-2210 to 2283 inclusive
- LN08732/GI200E-BDP-A-2361 to 2389 inclusive
- LN08732/GI200E-BDP-A-2501 to 2530 inclusive.
- LN08732/GI200E-BDP-A-2801 to 2820 inclusive.

## Finishes

Code	Material	Substrate (where new these are to be included for)	Product Reference	Manufacturer / Supplier Details	Specification Reference
S1	EXISTING YORK STONE	Existing Brick Sleeper Walls on Brick Vault structure		See Document GI200E-BDP-A-SPC-43-003	C40/230, C40/380, C41/110
S2	EXISTING YORK STONE	Existing Brick Sleeper Walls on Cast Iron Arch structure		See Document GI200E-BDP-A-SPC-43-003	C40/231, C40/381, C41/110
S3	EXISTING YORK STONE	Existing Masonry		See Document GI200E-BDP-A-SPC-43-003	C40/237, C40/386
S4	EXISTING MARBLE (DUCT COVER)	Existing Masonry		See Document GI200E-BDP-A-SPC-43-003	C40/242, C40/390, C41/110
S5	NEW YORK STONE	New Plywood Sheeting			M40/115A
S6	NEW YORK STONE	Concrete Screed			M40/115C
S7	NEW YORK STONE	New Plywood Sheeting			M40/115B
S8	EXISTING STONE COLUMNS	N/A			C40/235, C40/385
F1	EPOXY FLOOR PAINT	New Concrete	Drycote 100	Tremco	M60/110B
F2	EPOXY FLOOR PAINT	New Plywood Sheeting	Drycote 100	Tremco	M60/110C
T1	OAK STRIP FLOOR	New Plywood Sheeting			K21/110A
T2	OAK STRIP FLOOR	New Plywood Sheeting			K21/110B
T3	OAK STRIP FLOOR	Existing Timber Joists			K20/120A
T4	EXISTING OAK STRIP FLOOR	Existing Timber Joists			K20/120B
V1	ANTISTATIC VINYL	New Plywood Sheeting	Mipolam Robus EL7	Gerflor	M50/155A
V2	EXISTING VINYL	N/A	N/A	Existing vinyl to be retained and protected with plywood sheeting during construction	N/A