

Schedule of Protection of Significant Features

KEY

	Exceptional/Considerable/Some significance
	Little/No significance or detrimental

FLOOR	ROOM	DESCRIPTION	SIGNIFICANCE	PROTECTION MEASURES
BASEMENT	ALL	Floorboards		Lift floor boards for re-use
		Windows - shutters and architraves		Protect with correx except where being used to pass objects through then with ply
		Fireplaces (where retained)		Protect with 2x2 frame & ply
		Doors (if historic)		Remove and store off site for re-use / salvage

GROUND	001	Floorboards		Lift floor boards for re-use
		Fire place		Protect with 2x2 frame & ply
		Panelling to fire place		Protect with Correx
		Cornice		Protect as required
		Ornate décor door head D005		Protect with Correx
		Door D005		Carefully remove from hinges, protect and store off site in appropriate environmental conditions
		Door architrave D005		Protect with Correx & ply at low level
		2nd door architrave D004		Protect with Correx & ply at low level
		Dado rail		Protect with Correx
		Window shutters		Install de-markation tape
		Windows and window architraves		Protect with Correx
		Wall panelling		Protect with Correx
	002	Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Wall panelling throughout		Protect with Correx
		Fire place		Protect with 2x2 frame & ply
		Door D004		Remove and dispose
		Windows and window architraves		Protect with Correx
		Door D007		Remove and dispose
		Dis board cupboard @ low level by door to hall		Remove and dispose
	003	Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Door architrave D006		Protect with Correx & ply at low level
		Door D006		Carefully remove from hinges, protect and store off site in appropriate environmental conditions
		Window architraves/shutters and panel below		Protect with Correx & ply at low level
		Windows		Protect with Correx

		Walls/skirtings		Protect with Correx
		Fire place and mantle piece		Protect with 2x2 frame & ply
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
	004	Door D009		Remove and store off site for re-use / salvage
		Cornices		Protect if required
		Window to R005 (currently plasterboarded over)		Remove and dispose
	005	Floorboards		Lift floor boards for re-use
		Door architraves where retained		Protect with Correx & ply at low level
		All doors - D003, D009, D010		Carefully remove from hinges, protect and store off site in appropriate environmental conditions for re-use / salvage
		Fire place and mantle piece		Protect with ply until ready to remove and store off site for re-use / salvage
		Walls/skirtings		Protect with Correx
		Window to internal lightwell		Protect with Correx
		Window to rear lightwell		Protect with Correx
	006	Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Door architraves where retained		Protect with Correx & ply at low level
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		High level dado rail		Remove and dispose
		Panelling to walls throughout		Remove and dispose
		Walls/skirtings		Protect asrequired
		Door and architrave to secure cupboard D017		Remove door and carefully store
		Window architraves/shutters and panel below		Protect with Correx & ply at low level
		Windows		Protect with Correx
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape

FIRST	101	Floorboards		Lift floor boards for re-use
		Small steps to R104		Protect with corex/ply until ready to remove and store off site for salvage
		Walls/panelling & cornices		Protect with Correx
		Door architraves		Protect with Correx & ply at low level
		Doors D114, D104		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Fire place		Protect with 2x2 frame & ply
		Windows		Protect with 2x2 frame and removable panels with red tape
	102	Floorboards		Lift floor boards for re-use

		Small architrave & panel to left		Remove and dispose
		Small dis board boxing by door to hall		Remove and dispose
		Walls/panelling & cornices		Protect with Correx
		Door architraves		Protect with Correx & ply at low level
		Doors D102, D106		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Windows		Protect with Correx
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
	103	Floorboards		Lift floor boards for re-use
		Walls and Cornices		Protect as required
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
				Protect with Correx & ply at low level
		Radiators		Remove and dispose
		Door and architraves to R102 (RHS) D106		Protect with Correx & ply at low level
		Door and architraves to R102 (LHS) D107		Protect with Correx & ply at low level
		Door and architraves to store cupboard		Protect with Correx & ply at low level
	104	Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Walls/dado and cornices		Protect with Correx
		Window architraves/shutters and panel below		Protect with Correx & ply at low level
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Door architraves		Protect with Correx & ply at low level
		Doors D101, D109, D116'		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Windows		Protect with Correx
	105	Floorboards		Lift floor boards for re-use
		False ceiling and modern cornices		Remove and dispose
		Walls throughout		Protect with Correx
		Skirtings		Protect with Correx
		Doors D103, D110		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Modern architraves to door to hall		Remove and dispose

		Modern wall finishes to wall parallel to hall		Remove and dispose
		Walls around window to lightwell		Protect with Correx & ply at low level
		Window architraves and window to internal lightwell		Protect with Correx & ply at low level
		Door and architraves to R106 - D110		Remove door and carefully store
		Window/architraves and panel below to rear lightwell		Protect with Correx & ply at low level
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
	106	Floorboards		Lift floor boards for re-use
		Door architrave D110		Protect with Correx & ply at low level
		Doors D110, D117		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Fire place hearth		Remove and dispose
		High level cupboard and riser boxing		Remove and dispose
		Fire place and mantle piece		Protect and leave in situ
		Dado rail		Remove and dispose
		Walls/ skirtings		Protect with Correx & ply at low level
		Door and architraves to store cupboard		Protect with Correx & ply at low level
		Window architraves/shutters and panel below		Protect with Correx & ply at low level
		Windows		Protect with Correx

SECOND	201	Floorboards		Remove and dispose
		Cornices and low level dado/panels		Protect with Correx cornice as note above
		Windows		Protect with Correx
		High level panels from dado to cornices		Remove and dispose
		Door architrave D205		Protect with Correx & ply at low level
		Door D205		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Window shutters/architraves and panel below		Protect with Correx & ply at low level
		Small mid panel on wall parallel to hall		Protect with Correx
		Fire place		Protect with 2x2 frame & ply
	202	Floorboards		Lift floor boards for re-use
		Door architrave D202, D206		Protect with Correx & ply at low level
		Door D202, D206		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Walls/dado and skirting		Protect with Correx
		Door to R203 (LHS) D206 - noted above		Remove door and carefully store

		Door to R203 (RHS)		Remove door and carefully store
		Windows and panelling below		Protect with Correx & ply at low level
		Window shutters		Protect with Correx
		Door architraves to R201 - D204		Protect with Correx & ply at low level
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
	203	Floorboards		Lift floor boards for re-use
		Walls/dado & skirting		Protect with Correx & ply at low level
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Doors throughout		Remove and dispose
		Door architraves throughout		Protect with Correx & ply at low level
		Window architraves/shutters and panel below		Protect with Correx & ply at low level
		Windows		Protect with Correx
	204	Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Door architrave D201, D209		Protect with Correx & ply at low level
		Door D201, D209		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Cornices		Protect as required
		Dado rail		Protect with Correx
		Walls throughout		Protect with Correx
		Skirtings		Protect with Correx & ply at low level
		Middle door and architrave to R205		Remove and dispose
		Small dividing strip between LHS & middle window		Remove and dispose
		Storage units either side of fire place		Remove and dispose after archaeological survey
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
	205	Floorboards		Lift floor boards for re-use
		Cornices		Protect as required
		Door architrave D203, D210		Protect with Correx & ply at low level
		Door D203, D210		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Window architraves and shutters		Protect with Correx & ply at low level
		Windows		Protect with Correx
		Walls		N/A
		Small high level meter boxing by hall door		Remove and dispose

	206	Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Door architrave D210		Protect with Correx & ply at low level
		Door D210		Carefully remove from hinges, protect, label and store off site in appropriate environmental conditions for re-use
		Walls & skirtings		Protect with Correx & ply at low level
		Window architraves/shutters and panel below		Protect with Correx & ply at low level
		Window architraves/shutters and panel below		Protect with Correx & ply at low level
		Windows		Protect with Correx
		Doors and architraves		Protect with Correx & ply at low level
		Fire place and mantle piece		Protect with 2x2 frame and removable panels with red tape
		Door to store cupboard		Remove and dispose