

rear gutter to
the position of the render band on elevation

glass rooflight
top and side box light

sedum cover
on flat roof and insulation/ structure
(garden designer specified) sedum 030 mm
root protection mesh 002 mm
pond liner waterproofing layer 002 mm
sarnafil membrane (15 year material and labour warranty) 003 mm
kingspan aluminium foil backed insulation 120 mm
marine ply (between joists) 018 mm
structure to structural engineers specification
flat roof layers to Sarnafil specification

steel profile to edge of roof
and fixings to glass

double glazed
sliding rear elevation

rear floor drain to
garden finish

2355

2600

01 proposed section 1
scale 1:20 @ a3

revision A 2013/05/08

12182 This drawing is copyright <small>© Urban Future Organization • London 2012</small> No dimensions are to be scaled from this drawing. Any discrepancies found between this drawing, site conditions and any other documents should be reported to the consultant. This drawing should be removed from currency immediately a revised version is issued.	Revision		Revision		Revision		Revision		Drawing Title	Project	Scale	Drawing Number	Revision
									PROPOSED DETAIL SECTION 1	13183	1:20 @ A3	-	-
									Client	Date	Drawn By	004 002	
									MR MULLIGAN AND MR WAISBORT	18.10.12	db		
								Project	urban future organization • london <small>20 lang lane london ec1a 3ag t4 020 3008 0022 website www.urbanfuture.org email info@urbanfuture.org</small>				
									9 MEDBURN STREET, LONDON NW1				