






























Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T1	Mature Beech <i>Fagus sylvatica</i> .	14	4.5	73	6	5	6		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: Significant cavity at im.	Decay detection required.	Moderate Good Fair	Very High 40+	A		
										Moderate				1.5	
T2	Semi-Mature Lime <i>Tilia sp.</i>	12	2.5	27	4	4	4		Form: Single stemmed and vertical with a well-formed crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	High Good Good	Moderate 40+	B		
										n/a				3	
T3	Semi-Mature Purple Norway Maple <i>Acer platanoides</i> .	13	3	30	4	3	2		Form: Single stemmed and vertical with a slightly unbalanced crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	Moderate Good Good	Moderate 40+	B		
										n/a				3	
T4	Semi-Mature Lime <i>Tilia sp.</i>	10	3	26	3	3	4		Form: Twin-stemmed at 2.5m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Curved stem.	No action required.	High Good Good	Low 40+	C +		
										n/a				3	
T5	Semi-Mature Lime <i>Tilia sp.</i>	10	4	32	4	3	3		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	Moderate Good Good	Moderate 40+	B		
										n/a				3	
T6	Early-Mature Lime <i>Tilia sp.</i>	15	3	51	5	7	6		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	High Good Good	High 40+	A		
										n/a				3	
T7	Semi-Mature Silver Maple <i>Acer saccharinum</i> .	14	2.5	42	4	7	7		Form: Twin-stemmed at 2.5m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate Good Good	High 40+	A		
										n/a				3	








Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T8	Semi-Mature Purple Norway Maple Acer platanoides.	10	3	32	5	3	4	3	Form: Twin-stemmed at 2.5m with a compact crown. History: Multiple pruning wounds due to crown lifting (healing well). Defects: No evidence of significant pruning.	No action required.	3	Moderate	Moderate	40+	B
										n/a		Good			
T9	Semi-Mature Variegated Sycamore Acer pseudoplatanus.	10	3.5	35	5	5	5	3	Form: Multi-stemmed at 3m with a well-formed crown. History: Multiple pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	3	Moderate	Moderate	40+	B
										n/a		Good			
T10	Early-Mature Sycamore Acer pseudoplatanus.	16	8	69	8	8	6	7	Form: Twin-stemmed at 4m with a well-formed crown. History: Multiple pruning wounds due to crown lifting (now healed). Defects: No evidence of significant pruning.	No action required.	3	Moderate	High	40+	A
										n/a		Good			
T11	Early-Mature Lime Tilia sp.	16	4	64	7	7	7	6	Form: Multi-stemmed at 4.5m with a well-formed crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Good specimen.	No action required.	3	High	High	40+	A
										n/a		Good			
T12	Semi-Mature Horse Chestnut Aesculus hippocastanum.	9	4	49	5	6	6	6	Form: Multi-stemmed at 2.5m with a balanced crown. History: Occasional pruning wounds due to crown lifting (now healed). Defects: Significant symptoms of Bleeding Canker (exudates, cracking bark all around stem). Other: Low vigour.	Remove.	N/A	Very Low	Low	<10	U
										Moderate		Poor			
T13	Early-Mature Horse Chestnut Aesculus hippocastanum.	11	2.5	55	5	6	6	6	Form: Multi-stemmed at 2.5m with a well-formed crown. History: Significant symptoms of Bleeding Canker (exudates, sparse canopy). Defects: Major cavity at 2m.	Remove.	N/A	Low	Low	<10	U
										High		Very Poor			
T14	Early-Mature Lime Tilia sp.	18	3	52	6	6	5	5	Form: Multi-stemmed at 3m with a well-formed crown. History: Multiple pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
										n/a		Good			








Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m) 	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
								Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
										Structural Condition		Retention Category	
T15	Semi-Mature Silver Birch Betula pendula.	9	2.5	22	2 4 2 1		Form: Single stemmed with a slight lean and a weeping habit. History: No evidence of significant pruning. Defects: No significant defects. Other: Low vigour.	No action required.	Low Fair Good	Low 10-20 C	n/a	1.5	
T16	Early-Mature Purple Plum Prunus cerasifera.	8	2.5	40	4 4 4		Form: Multi-stemmed at 2.5m with a balanced crown. History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: No significant defects.	No action required.	Moderate Good Fair	Low 20-40 C	n/a	3	
T17	Early-Mature Ash Fraxinus excelsior.	16	2.5	47	8 7 7		Form: Multi-stemmed at 3m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (now healed). Defects: No significant defects. Other: Minor bark wound at 1m.	No action required.	High Good Good	High 40+ A	n/a	3	
T18	Early-Mature Ash Fraxinus excelsior.	16	3	40	7 7 7		Form: Multi-stemmed at 3m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	High Good Good	High 40+ A	n/a	3	
T19	Early-Mature Lime Tilia sp.	18	6	62	5 5 4		Form: Single stemmed and vertical with a well-formed crown. History: Multiple pruning wounds due to crown lifting (now healed), reduced. Defects: No significant defects. Other: Minor deadwood to upper crown.	Remove deadwood.	Moderate Good Good	High 40+ A	Low	1.5	
T20	Early-Mature Swedish Whitebeam Sorbus intermedia.	8	2	41	4 4 3		Form: Multi-stemmed at 2.5m with an unbalanced crown. History: No evidence of significant pruning. Defects: Majority of bark has been stripped from ground level - 2m. Early decay to stem centre.	Monitor.	Low Fair Poor	Low <10 C -	Moderate	1.5	
T21	Semi-Mature Silver Birch Betula pendula.	10	2.5	25	3 3 1		Form: Single stemmed and vertical with a weeping habit. History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: No significant defects.	No action required.	Low Fair Good	Low 10-20 C	n/a	3	








Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T22	Semi-Mature Silver Birch Betula pendula.	6.5	4.5	24	1	1	1		Form: Single stemmed and vertical with a compact crown. History: Occasional pruning wounds due to crown lifting (cavities developing), reduced. Defects: Minor deadwood to upper crown. Other: Poor specimen.	No action required.	3	Low Poor Fair	Low <10 C -		
T23	Semi-Mature Purple Norway Maple Acer platanoides.	8	3	36	4	4	4		Form: Single stemmed with a slight lean and a compact crown. History: Significant historic damage to inderside of lower limbs. Defects: Significant deadwood throughout. Other: Poor specimen.	No action required.	3	Low Fair Fair	Low 10-20 C		
T24	Semi-Mature Silver Birch Betula pendula.	7	2.5	19	2	2	2		Form: Twin-stemmed at 2m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Low Fair Good	Low 20-40 C		
T25	Early-Mature Cherry Prunus sp.	13	3	49	7	7	6		Form: Multi-stemmed at 2.5m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects. Other: Mower damage to buttress roots.	No action required.	3	Moderate Good Good	Moderate 20-40 B		
T26	Early-Mature Cherry Prunus sp.	8	2.5	47	6	6	6		Form: Multi-stemmed at 2m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	3	Moderate Good Good	Moderate 20-40 B		
T27	Semi-Mature Hawthorn Crataegus monogyna.	5.5	2	39	3	4	3		Form: Multi-stemmed at 2.5m with a well-formed crown. History: No evidence of significant pruning. Defects: Significant bark wounds and early decay at 2m. Other: Acceptable condition at present.	No action required.	3	Moderate Good Fair	Low 20-40 C		
T28	Semi-Mature Hawthorn Crataegus monogyna.	3.5	2	26	2	3	2		Form: Multi-stemmed at 2m with a compact crown (suppressed). History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: No significant defects.	No action required.	3	Low Fair Fair	Low 20-40 C		









Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value		
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)		
												Structural Condition	Retention Category			
T29	Semi-Mature Whitebeam Sorbus aria.	6	3	42	4	2	6	6		Form: Single stemmed with a slight lean and an unbalanced crown (suppressed). History: Occasional pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	1.5	Moderate	Low	40+	C +
											n/a		Fair			
T30	Semi-Mature Ash Fraxinus excelsior.	12	4	41	5	4	6	4		Form: Twin-stemmed at 4m with a well-formed crown. History: Multiple pruning wounds due to crown lifting (healing slowly). Defects: Major bark wound at 1m (70% of stem).	Monitor.	1	Moderate	Moderate	<10	C -
											Moderate		Poor			
T31	Early-Mature Lime Tilia sp.	16	2.5	60	5	5	4	5		Form: Multi-stemmed at 2.5m with a slightly unbalanced crown. History: Reduced. Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
											n/a		Good			
T32	Early-Mature Lime Tilia sp.	14	4	57	2	4	3	4		Form: Multi-stemmed at 2m with a well-formed crown. History: Multiple pruning wounds due to crown lifting (healing slowly). Defects: Significant dead branch at 2.5m.	Remove dead branch at 2.5m.	1.5	High	High	40+	A
											Low		Good			
T33	Semi-Mature Lime Tilia sp.	15	3.5	40	4	4	3	4		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
											n/a		Good			
T34	Mature Ash Fraxinus excelsior.	21	3	89	9	9	8	9		Form: Twin-stemmed at 3m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects. Other: Excellent specimen.	No action required.	3	High	High	40+	A
											n/a		Good			
T35	Semi-Mature Sycamore Acer pseudoplatanus.	13	4	39	4	6	6	5		Form: Twin-stemmed at 2.5m with a well-formed crown. History: Multiple pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	Moderate	40+	B
											n/a		Good			








Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T36	Early-Mature Sycamore <i>Acer pseudoplatanus.</i>	18	3	58	9	8	7		Form: Twin-stemmed at 2.5m with a well-formed crown. History: Multiple pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
										n/a		Good			
T37	Early-Mature Whitebeam <i>Sorbus aria.</i>	9	2	48	3	5	4		Form: Single stemmed and leaning with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	Low	20-40	C +
										n/a		Good			
T38	Early-Mature Sycamore <i>Acer pseudoplatanus.</i>	18	3	57	8	8	7		Form: Twin-stemmed at 3m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
										n/a		Good			
T39	Early-Mature Norway Maple <i>Acer platanoides.</i>	13	4	46	6	6	6		Form: Multi-stemmed at 3m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects. Other: Good specimen.	No action required.	3	High	High	40+	A
										n/a		Good			
T40	Early-Mature Lime <i>Tilia sp.</i>	14	3	39	5	5	4		Form: Single stemmed and vertical with a well-formed crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	High	High	40+	A
										n/a		Good			
T41	Mature Cherry <i>Prunus sp.</i>	11	3	49	6	8	4		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Moderate	Moderate	10-20	B
										n/a		Good			
T42	Semi-Mature Rowan <i>Sorbus aucuparia.</i>	10	3.5	30	4	3	4		Form: Multi-stemmed at 2m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Minor bark wounds (acceptable condition at present).	No action required.	3	Moderate	Low	20-40	C
										n/a		Good			








Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
								Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
										Structural Condition		Retention Category	
T43	Early-Mature Lime Tilia sp.	13	3	44	4 2 4 4 3		Form: Single stemmed and vertical with a narrow, upright habit. History: Reduced. Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
								n/a		Good			
T44	Early-Mature Lime Tilia sp.	13	3	45	4 4 4 4 2		Form: Single stemmed and vertical with a narrow, upright habit. History: Reduced. Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
								n/a		Good			
T45	Early-Mature Norway Maple Acer platanoides.	14	2.5	48	5 6 5 5		Form: Multi-stemmed at 3m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
								n/a		Good			
T46	Semi-Mature Lime Tilia sp.	10	3	28	3 4 4		Form: Single stemmed and vertical with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Suppressed.	No action required.	3	Low	Low	20-40	C
								n/a		Fair			
T47	Semi-Mature Lime Tilia sp.	14	3	35	3 5 3 5		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: Significant bark wound at base, acceptable condition at present.	No action required.	3	Moderate	Moderate	20-40	B
								n/a		Good			
T48	Mature Cherry Prunus sp.	15	4	61	6 6 6 6		Form: Multi-stemmed at 3m with a well-formed crown. History: Multiple pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	Moderate	10-20	B+
								n/a		Fair			
T49	Semi-Mature Whitebeam Sorbus aria.	10	4	30	4 4 4 3		Form: Twin-stemmed at 2.5m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (now healed). Defects: Significant bark wound and early decay at base.	Monitor.	1.5	Moderate	Low	20-40	C
								Moderate		Fair			








Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T50	Semi-Mature Norway Maple <i>Acer platanoides.</i>	15	4	45	4	5	4	5		Form: Multi-stemmed at 3m with a well-formed crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Good specimen.	No action required.	High	Moderate	40+	B +
T51	Semi-Mature Lime <i>Tilia sp.</i>	10	3	27	3	5	5	4		Form: Single stemmed and leaning with an unbalanced crown (suppressed). History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate	Low	40+	C
T52	Semi-Mature Norway Maple <i>Acer platanoides.</i>	13	4	41	5	5	5	5		Form: Single stemmed and vertical with a well-formed crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Good specimen.	No action required.	Moderate	Moderate	40+	B +
T53	Semi-Mature Rowan <i>Sorbus aucuparia.</i>	4.5	3	27	2	2	3	3		Form: Multi-stemmed at 2m with a slightly unbalanced crown (suppressed). History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: Dead branch at 2m.	Remove dead branch.	Low	Low	10-20	C
T54	Early-Mature Ash <i>Fraxinus excelsior.</i>	16	6	44	5	6	5	6		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	High	High	40+	A
T55	Early-Mature Ash <i>Fraxinus excelsior.</i>	18	4	45	4	7	7	6		Form: Twin-stemmed at 2m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	High	High	40+	A
T56	Semi-Mature Ash <i>Fraxinus excelsior.</i>	16	5	34	4	3	4	3		Form: Single stemmed and vertical with a slightly unbalanced crown. History: Multiple pruning wounds due to crown lifting (now healed). Defects: No evidence of significant pruning.	No action required.	High	Moderate	40+	B









Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T57	Early-Mature Ash <i>Fraxinus excelsior.</i>	15	3	46	5	6	6		Form: Multi-stemmed at 3m with a slightly unbalanced crown. History: Multiple pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	3	Moderate	High	40+	A
										n/a		Good	Good		
T58	Semi-Mature Lime <i>Tilia sp.</i>	13	2	43	3	3	4		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	High	Moderate	40+	B +
										n/a		Good	Good		
T59	Semi-Mature Lime <i>Tilia sp.</i>	12	2	48	4	4	1		Form: Multi-stemmed at 2m with a compact crown. History: Reduced.	No action required.	3	High	Moderate	40+	B
										n/a		Good	Good		
T60	Semi-Mature Lime <i>Tilia sp.</i>	12	2	43	1	4	4		Form: Single stemmed and vertical with a slightly unbalanced crown. History: Reduced.	No action required.	3	High	Moderate	40+	B
										n/a		Good	Good		
T61	Semi-Mature Cherry <i>Prunus sp.</i>	12	2.5	30	4	4	3		Form: Single stemmed and leaning with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Moderate	Low	40+	C
										n/a		Good	Fair		
T62	Semi-Mature Elder <i>Sambucus nigra.</i>	6	2	34	4	1	3		Form: Multi-stemmed at 1.5m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	High	Low	40+	C
										n/a		Good	Fair		
T63	Mature Cherry <i>Prunus sp.</i>	7	4	53	6	4	4		Form: Single stemmed and vertical with a sparse crown. History: Heavily reduced. Defects: Significant deadwood throughout in decline.	Monitor.	1	Very Low	Low	<10	C -
										Moderate		Poor			







Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m) 	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
								Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
										Structural Condition		Retention Category	
T64	Semi-Mature Silver Birch Betula pendula.	6	2	23	3 3 2		Form: Twin-stemmed at 2m with a weeping habit. History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: No significant defects.	No action required.	3	Moderate	Low	40+	C
										Good	Good		
T65	Mature Cherry Prunus sp.	10	4	36	3 4 1		Form: Multi-stemmed at 2.5m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Moderate	Low	20-40	C+
										Good	Good		
T66	Early-Mature Lime Tilia sp.	15	5	44	4 4 2		Form: Twin-stemmed at 8m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	High	High	40+	A
										Good	Good		
T67	Semi-Mature Cherry Prunus sp.	9	5	30	3 3 3		Form: Twin-stemmed at 2.5m with a compact crown. History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: No significant defects.	No action required.	3	Low	Low	40+	C
										Fair	Good		
T68	Semi-Mature Cherry Prunus sp.	9	3	31	3 4 3		Form: Twin-stemmed at 2.5m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	Low	40+	C
										Good	Good		
T69	Early-Mature Cherry Prunus sp.	10	3	41	4 3 5		Form: Twin-stemmed at 2.5m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	High	Moderate	40+	B
										Good	Good		
T70	Early-Mature Lime Tilia sp.	14	3	45	4 4 4		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting. Defects: No evidence of significant pruning.	No action required.	3	High	High	40+	A
										Good	Good		

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T71	Semi-Mature Lime Tilia sp.	6	2.5	17	3	3	3		Form: Twin-stemmed at 2m with a compact crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	High	Low	40+	C
										n/a		Good			
T72	Mature Cherry Prunus sp.	14	2.5	51	4	6	7		Form: Single stemmed and vertical with a well-formed crown. History: Multiple pruning wounds due to crown lifting (now healed). Defects: No evidence of significant pruning.	No action required.	3	Moderate	Moderate	20-40	B
										n/a		Good			
T73	Semi-Mature Ash-leaved Maple Acer negundo.	12	4	38	7	5	5		Form: Single stemmed and vertical with a well-formed crown. History: Multiple pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	High	Moderate	40+	B
										n/a		Good			
T74	Semi-Mature Ash Fraxinus excelsior.	17	2	38	6	3	5		Form: Single stemmed and vertical with a balanced crown. History: Occasional pruning wounds due to crown lifting (now healed). Defects: Major bark wound at base.	No action required.	3	Moderate	Low	10-20	C
										n/a		Fair			
T75	Semi-Mature Ash-leaved Maple Acer negundo.	10	4	27	3	4	3		Form: Single stemmed and vertical with a well-formed crown. History: Multiple pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	High	Low	40+	C
										n/a		Good			
T76	Semi-Mature Ash Fraxinus excelsior.	17	6	34	4	3	3		Form: Twin-stemmed at 2m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	3	Moderate	Moderate	40+	B
										n/a		Good			
T77	Semi-Mature Ash-leaved Maple Acer negundo.	7	3	27	4	3	4		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	3	Moderate	Low	40+	C +
										n/a		Good			

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T78	Semi-Mature Ash-leafed Maple Acer negundo.	7	3.5	24	4	4	4		Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	Moderate Good Good	Low 40+	C +		
T79	Semi-Mature Ash Fraxinus excelsior.	15	3	29	4	4	4		Form: Twin-stemmed at 2.5m with a narrow, upright habit. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	High Good Good	Moderate 40+	B		
T80	Early-Mature Ash Fraxinus excelsior.	17	4	41	4	3	5		Form: Twin-stemmed at 2m with a slightly unbalanced crown. History: Multiple pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	Moderate Good Good	High 40+	A -		
					3										
T81	Mature Cherry Prunus sp.	15	3	53	5	5	5		Form: Multi-stemmed at 2m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	Moderate Good Good	Moderate 40+	B		
T82	Mature London Plane Platanus x hispanica.	24	6	106	8	8	8		Position: Situated on third party land. Form: Twin-stemmed at 5m with a well-formed crown. History: Lapsed pollard. Defects: No significant defects. Other: Limited inspection, dimensions estimated.	No action required.	High Good Good	High 40+	A +		
T83	Mature London Plane Platanus x hispanica.	24	6	96	4	6	6		Position: Situated on third party land. Form: Twin-stemmed at 5m with a well-formed crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Limited inspection, dimensions estimated.	No action required.	Moderate Good Good	High 40+	A +		
T84	Mature London Plane Platanus x hispanica.	21	6	90	4	3	3		Position: Situated on third party land. Form: Multi-stemmed at 4m with a well-formed crown. History: Reduced. Defects: No significant defects. Other: Limited inspection, dimensions estimated.	No action required.	High Good Good	High 40+	A		
					6										

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T85	Mature Lime Tilia sp.	14	7	75	3	3	3		Position: Situated on third party land. Form: Single stemmed and vertical with a well-formed crown. History: Reduced. Defects: Significant decay at base.	Decay detection required.	Moderate Good Fair	High 20-40 B			
										Moderate			1		
T86	Semi-Mature Lime Tilia sp.	15	3.5	46	1	4	4		Position: Street tree. Form: Twin-stemmed at 3m with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	Moderate Good Good	High 40+ A -			
										n/a			3		
T87	Semi-Mature Lime Tilia sp.	15	4	37	2	3	4		Position: Street tree. Form: Single stemmed and vertical with a well-formed crown. History: Occasional pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	Moderate Good Good	High 40+ A -			
										n/a			3		
T88	Semi-Mature Lime Tilia sp.	14	3	41	2	4	5		Form: Twin-stemmed at 6m with a slightly unbalanced crown. History: Multiple pruning wounds due to crown lifting (healing well). Defects: No significant defects.	No action required.	High Good Good	Moderate 40+ B +			
										n/a			3		
T89	Early-Mature Lime Tilia sp.	16	3	32	4	3	4		Form: Twin-stemmed at 2m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	High Good Good	High 40+ A			
										n/a			3		
T90	Semi-Mature Sycamore Acer pseudoplatanus.	9	3	27	4	4	4		Form: Single stemmed and vertical with a compact crown. History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: No significant defects.	No action required.	Moderate Good Good	Low 40+ C			
										n/a			3		
T91	Semi-Mature Sycamore Acer pseudoplatanus.	8	2.5	21	3	3	3		Form: Multi-stemmed at 2m with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	Moderate Good Good	Low 40+ C			
										n/a			3		

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m) 	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
								Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
										Structural Condition		Retention Category	
T92	Semi-Mature Sycamore <i>Acer pseudoplatanus.</i>	5	3	19	3 3 3		Form: Twin-stemmed at 2.5m with a sparse crown (leaning and suppressed). History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: No significant defects.	No action required.	3	Low	Fair	Low	40+
								n/a		Fair		C	
T93	Semi-Mature Swedish Whitebeam <i>Sorbus intermedia.</i>	6	2.5	21	2 3 3		Form: Single stemmed and leaning with an unbalanced crown (suppressed). History: Occasional pruning wounds due to crown lifting (now healed). Defects: No significant defects.	No action required.	3	Moderate	Good	Low	20-40
								n/a		Fair		C	
T94	Mature Silver Maple <i>Acer saccharinum.</i>	20	6	61	4 5 4		Form: Twin-stemmed at 3m with a well-formed crown. History: Reduced on one side. Defects: No significant defects.	No action required.	3	High	Good	High	40+
								n/a		Good		A	
T95	Semi-Mature Silver Maple <i>Acer saccharinum.</i>	16	3	41	3 6 2		Form: Single stemmed with a slight lean and an unbalanced crown (suppressed). History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	Low	Fair	Low	40+
								n/a		Fair		C	
T96	Mature Silver Maple <i>Acer saccharinum.</i>	24	4	80	8 10 8 4		Form: Multi-stemmed at 4m with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	High	Good	High	40+
								n/a		Good		A	
T97	Early-Mature Apple <i>Malus sp.</i>	8	2.5	30	3 5 4		Form: Multi-stemmed at 2.5m with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	High	Good	Low	20-40
								n/a		Good		C	
T98	Early-Mature Apple <i>Malus sp.</i>	11	3	40	3 5 4		Form: Multi-stemmed at 2m with a narrow, upright habit. History: No evidence of significant pruning. Defects: No significant defects.	No action required.	3	High	Good	Low	40+
								n/a		Good		C +	

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m) 	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T99	Mature Lime Tilia sp.	15	7	59	3 3 3		Form: Single stemmed and vertical with a narrow, upright habit. History: Reduced. Defects: No significant defects.	No action required.		High	High
								n/a	3	Good	40+ A-
T100	Mature Lime Tilia sp.	15	7	70	3 3 3		Position: Raised planter. Form: Single stemmed and vertical with a narrow, upright habit. History: Reduced. Defects: No significant defects.	No action required.		Moderate	High
								n/a	3	Good	40+ A
T101	Mature Lime Tilia sp.	13	5	66	2 1 3		Position: Raised planter. Form: Single stemmed and vertical with a narrow, upright habit. History: Reduced. Defects: No significant defects.	No action required.		Moderate	High
								n/a	3	Good	40+ A
T102	Mature Lime Tilia sp.	15	7	42	3 3 3		Position: Raised planter. Form: Single stemmed and vertical with a narrow, upright habit. History: Reduced. Defects: No significant defects.	No action required.		Moderate	High
								n/a	3	Good	40+ A
T103	Mature Lime Tilia sp.	12	4	65	4 4 4		Position: Raised planter. Form: Single stemmed and vertical with a narrow, upright habit. History: Reduced. Defects: No significant defects.	No action required.		Moderate	Moderate
								n/a	3	Good	40+ B