



# PLANNING

29 unobstructed / 2 = Existing VSC of 14.5

27 unobstructed / 2 = Proposed VSC of 13.5

= 7% reduction in VSC = no noticeable change in daylight

Revisions:				Revisions:				Job Name:				<div><div>european urban</div><div>eu</div><div>architecture</div><div>a</div></div>			
Suffix / Date / Drawn by				Suffix / Date / Drawn by				2-4 PROWSE PLACE LONDON, NW1 9PH							
-	.....	----	.....	-	.....	----	.....	Drawing Title:				4TH FLOOR, SOPHIA HOUSE, 32-35 FEATHERSTONE STREET, LONDON, EC1Y 8QX TEL: 020 7250-0090 FAX: 020 7250-0993 www.europeanurban.com			
-	.....	----	.....	-	.....	----	.....	BRE SKYLIGHT INDICATOR TEST GROUND FLOOR OF NO. 3 BONNY STREET							
-	.....	----	.....	-	.....	----	.....	Scale:	Date:	Drawn:	Checked:	Job Ref:	Drawing number:	Revision:	
-	.....	----	.....	-	.....	----	.....	NTS@A4	05/2014	AS	PW	1046R	AL(0) 30	A	
-	.....	----	.....	-	.....	----	.....								
-	.....	----	.....	-	.....	----	.....								