

© COPYRIGHT Mace Group

NOT TO BE REPRODUCED WITHOUT WRITTEN PERMISSION. · BECAUSE OF POSSIBLE SCALING ERRORS IN ELECTRONIC AND HARDCOPY REPRODUCTION DO NOT SCALE FOR CONSTRUCTION PURPOSES.

Safety, Health and Environment Information

The signifigant unusual hazards / risks associated with this type of work are noted as:

OPERATION AND MAINTENANCE

DISMANTLING/DEMOLITION

CONSTRUCTION

NOTE - TO BE READ IN CONJUNCTION WITH RISK REGISTER DEMOLITION

DOOR FRAME AND ARCHITRAVE TO BE REMOVED

= WALLS TO BE REMOVED

SLAB OPENING TO BE CREATED

X ORIGINAL WINDOWS INCLUDING CILL AND WINDOW BOARD TO BE REMOVED. STONE MASON TO REMOVE PORTLAND STONE AND BRICKS BELOW WINDOW TO EXTEND OPENING TO FLOOR LEVEL. TRAVERTINE PANEL (T) TO BE REMOVED AND REUSED IN PROJECT


(000) REFER TO PHOTOGRAPHIC DEMOLITION SURVEY 28731-SOAS-A-REP-XXX-XX-004

E101 DOOR TAGS WITH THE PREFIX E REFER TO PHOTOGRAPHIC DOOR SURVEY 28731-SOAS-A-REP-XXX-XX-003 AND SCHEDULE FOR REUSE AND DISPOSAL OF DOORS 28731-SOAS-A-SHL-GEN-XX-917

ALL NEW WALL OPENINGS SHOWN ARE ARE TO BE 2100 HIGH UNLESS OTHERWISE STATED. SETTING OUT DIMENSIONS FOR WALL OPENINGS AND SLAB OPENINGS ARE TO BE CONFIRMED SUBJECT TO SUBCONTRACTOR REQUIREMENTS.

PRIOR TO COMMENCENT OF WORKS ON SITE, ALL MARBLE AND TRAVERTINE RADIATOR PANELS ARE TO BE CAREFULLY RECORDED, SALVAGED, PROTECTED, AND TEMPORARILY MOVED TO STORAGE FOR REINSTATEMENT FOLLOWING THE COMPLETION OF WORKS. ANY PINNING REPAIRS TO PANELS ARE TO BE UNDERTAKEN PRIOR TO BEING PLACED IN STORAGE.

21.08.14 TRAVERTINE COMMENT ADDED 01.08.14 CONSTRUCTION



CONSTRUCTION

University of London

mace

155 Moorgate, London, EC2M 6XB www.macegroup.com

SOAS INTO SENATE HOUSE MALET STREET

DRAWING TITLE

**DEMOLITION** THIRD FLOOR **PLANNING** 

LONDON, WC1E 7HU

DRAWN BY DL DATE 21.08.14 APPD BY CF DATE 21.08.14

PROJECT CODE DISC. VIEW TYPE VIEW CAT. LEVEL DWG. NO. SOAS - A - PLN - DEM - 03 - 195

ORIG. SHEET SIZE REV. @ A1 C 2 1 of 1 1:100 INFORMATION HANDLING CLASSIFICATION

UNRESTRICTED