




Order Acknowledgement

Customer & Order Information	
Imran Khan Flat 41, Embassy House West end Lane-Cleve Road (Corn	Job No : 5174 Production Date : Delivery Date : Processed Date : 18-Jul-2014 Printed Date : 2-Aug-2014 Order Date : 18-Jul-2014
Denis Windows Limited Unit 8 Trafalgar Trading Estate 82 Jeffreys Road Brimsdown, Enfield EN3 7TY Tel : 0208 988 08 82 Fax: 0871 9970242	London NW6 2NB Tel : 07961754638 Fax : Job Spec Glazed / Supply & fix
Job Reference : Flat 41 Embassy House	


1	70mm Featured Casement RI Qty (3) O/A Sizes 986mm x 1200mm (Style 25)																																																																														
	2nd floor bed(3 Windows)																																																																														
																																																																															
<table><tr><th>Specification</th><th colspan="2">Chk</th><th colspan="2">Chk</th></tr><tr><td>Frame (Head)</td><td>7501 58mm Frame</td><td>[]</td><td>Frame (Cill)</td><td>7501 58mm Frame</td><td>[]</td></tr><tr><td>Frame (Left jamb)</td><td>7501 58mm Frame</td><td>[]</td><td>Frame (Right jamb)</td><td>7501 58mm Frame</td><td>[]</td></tr><tr><td>Transom</td><td>7540/41 63mm T/Z Section</td><td>[]</td><td>Mullion</td><td>7540/41 63mm T/Z Section</td><td>[]</td></tr><tr><td>Sash</td><td>6560/1T/Z Sash</td><td>[]</td><td>Add-on (Head)</td><td>No add-on</td><td>[]</td></tr><tr><td>Add-on (Cill)</td><td>No add-on</td><td>[]</td><td>Add-on (Left jamb)</td><td>No add-on</td><td>[]</td></tr><tr><td>Add-on (Right jamb)</td><td>No add-on</td><td>[]</td><td>Ventilator (Head)</td><td>4000mm2 Trickle Vent</td><td>[]</td></tr><tr><td>Colour</td><td>White</td><td>[]</td><td>Sash colour</td><td>White</td><td>[]</td></tr><tr><td>Bead type</td><td>Feature Black Gasket</td><td>[]</td><td>Handle</td><td>White Espag Handle</td><td>[]</td></tr><tr><td>Casement locking</td><td>Shootbolt Locking</td><td>[]</td><td>Viewed from</td><td>Viewed from outside</td><td>[]</td></tr><tr><td>Open in/out</td><td>Open out</td><td>[]</td><td>Glazed in/out</td><td>Glazed in</td><td>[]</td></tr><tr><td>Reinforcing rule</td><td>Normal Reinforcing</td><td>[]</td><td>Gasket</td><td>Black Gasket</td><td>[]</td></tr><tr><td>Tran/Mull joints</td><td>Welded joint</td><td>[]</td><td></td><td></td><td></td></tr></table>			Specification	Chk		Chk		Frame (Head)	7501 58mm Frame	[]	Frame (Cill)	7501 58mm Frame	[]	Frame (Left jamb)	7501 58mm Frame	[]	Frame (Right jamb)	7501 58mm Frame	[]	Transom	7540/41 63mm T/Z Section	[]	Mullion	7540/41 63mm T/Z Section	[]	Sash	6560/1T/Z Sash	[]	Add-on (Head)	No add-on	[]	Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on	[]	Add-on (Right jamb)	No add-on	[]	Ventilator (Head)	4000mm2 Trickle Vent	[]	Colour	White	[]	Sash colour	White	[]	Bead type	Feature Black Gasket	[]	Handle	White Espag Handle	[]	Casement locking	Shootbolt Locking	[]	Viewed from	Viewed from outside	[]	Open in/out	Open out	[]	Glazed in/out	Glazed in	[]	Reinforcing rule	Normal Reinforcing	[]	Gasket	Black Gasket	[]	Tran/Mull joints	Welded joint	[]			
Specification	Chk		Chk																																																																												
Frame (Head)	7501 58mm Frame	[]	Frame (Cill)	7501 58mm Frame	[]																																																																										
Frame (Left jamb)	7501 58mm Frame	[]	Frame (Right jamb)	7501 58mm Frame	[]																																																																										
Transom	7540/41 63mm T/Z Section	[]	Mullion	7540/41 63mm T/Z Section	[]																																																																										
Sash	6560/1T/Z Sash	[]	Add-on (Head)	No add-on	[]																																																																										
Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on	[]																																																																										
Add-on (Right jamb)	No add-on	[]	Ventilator (Head)	4000mm2 Trickle Vent	[]																																																																										
Colour	White	[]	Sash colour	White	[]																																																																										
Bead type	Feature Black Gasket	[]	Handle	White Espag Handle	[]																																																																										
Casement locking	Shootbolt Locking	[]	Viewed from	Viewed from outside	[]																																																																										
Open in/out	Open out	[]	Glazed in/out	Glazed in	[]																																																																										
Reinforcing rule	Normal Reinforcing	[]	Gasket	Black Gasket	[]																																																																										
Tran/Mull joints	Welded joint	[]																																																																													
Glazing Details & Appertures																																																																															
4-20-4 Clear Low E Softcoat : 20mm Silver Spacer Georgian Bar 18mm Bar White Std Joints Argon Gas Filler																																																																															
A1 - (339 x 246) A4 - (431 x 738) F1 - (339 x 1020)																																																																															

2	70mm Featured Casement RI O/A Sizes 495mm x 1200mm (Style 8)				
	Bedroom 1				
					
Specification			Chk		
Frame (Head)	7501 58mm Frame	☐	Frame (Cill)	7501 58mm Frame	☐
Frame (Left jamb)	7501 58mm Frame	☐	Frame (Right jamb)	7501 58mm Frame	☐
Transom	7540/41 63mm T/Z Section	☐	Sash	6560/1T/Z Sash	☐
Add-on (Head)	No add-on	☐	Add-on (Cill)	No add-on	☐
Add-on (Left jamb)	No add-on	☐	Add-on (Right jamb)	No add-on	☐
Ventilator (Head)	4000mm2 Trickle Vent	☐	Colour	White	☐
Sash colour	White	☐	Bead type	Feature Black Gasket	☐
Handle	White Espag Handle	☐	Casement locking	Shootbolt Locking	☐
Viewed from	Viewed from outside	☐	Open in/out	Open out	☐
Glazed in/out	Glazed in	☐	Reinforcing rule	Normal Reinforcing	☐
Gasket	Black Gasket	☐	Tran/Mull joints	Welded joint	☐
Glazing Details & Appertures					
4-20-4 Clear Low E Softcoat : 20mm Silver Spacer Georgian Bar 18mm Bar White Std Joints Arqon Gas Fillec A1 - (315 x 246) A4 - (315 x 646)					

3	70mm Featured Casement RI O/A Sizes 986mm x 1210mm (Style 25)				
	Kitchen				
					
Specification			Chk		
Frame (Head)	7501 58mm Frame	☐	Frame (Cill)	7501 58mm Frame	☐
Frame (Left jamb)	7501 58mm Frame	☐	Frame (Right jamb)	7501 58mm Frame	☐
Transom	7540/41 63mm T/Z Section	☐	Mullion	7540/41 63mm T/Z Section	☐
Sash	6560/1T/Z Sash	☐	Add-on (Head)	No add-on	☐
Add-on (Cill)	No add-on	☐	Add-on (Left jamb)	No add-on	☐
Add-on (Right jamb)	No add-on	☐	Ventilator (Head)	4000mm2 Trickle Vent	☐
Colour	White	☐	Sash colour	White	☐
Bead type	Feature Black Gasket	☐	Handle	White Espag Handle	☐
Casement locking	Shootbolt Locking	☐	Viewed from	Viewed from outside	☐
Open in/out	Open out	☐	Glazed in/out	Glazed in	☐
Reinforcing rule	Normal Reinforcing	☐	Gasket	Black Gasket	☐
Tran/Mull joints	Welded joint	☐			
Glazing Details & Appertures					
4-20-4 Clear Low E Softcoat : 20mm Silver Spacer Georgian Bar 18mm Bar White Std Joints Arqon Gas Fillec A1 - (339 x 246) A4 - (431 x 748) F1 - (339 x 1030)					

4	70mm Featured Casement RI Qty (2) O/A Sizes 600mm x 1210mm (Style 8)				
	Bathroom(2Windows)				
Specification					
Frame (Head)		7501 58mm Frame	[]	Frame (Cill)	7501 58mm Frame []
Frame (Left jamb)		7501 58mm Frame	[]	Frame (Right jamb)	7501 58mm Frame []
Transom		7540/41 63mm T/Z Section	[]	Sash	6560/1T/Z Sash []
Add-on (Head)		No add-on	[]	Add-on (Cill)	No add-on []
Add-on (Left jamb)		No add-on	[]	Add-on (Right jamb)	No add-on []
Ventilator (Head)		4000mm2 Trickle Vent	[]	Colour	White []
Sash colour		White	[]	Bead type	Feature Black Gasket []
Handle		White Espag Handle	[]	Casement locking	Shootbolt Locking []
Viewed from		Viewed from outside	[]	Open in/out	Open out []
Glazed in/out		Glazed in	[]	Reinforcing rule	Normal Reinforcing []
Gasket		Black Gasket	[]	Tran/Mull joints	Welded joint []
Glazing Details & Appertures					
4-20-4 Obs Low E Softcoat : 20mm Silver Spacer Minster Georgian Bar 18mm Bar White Std Joints Arqon Gas Filler A1 - (420 x 246) A4 - (512 x 748)					

5	70mm Featured Casement RI Qty (2) O/A Sizes 1470mm x 1210mm (Style 47)				
	Bedroom 3-4(2 Windows)				
Specification					
Frame (Head)		7501 58mm Frame	[]	Frame (Cill)	7501 58mm Frame []
Frame (Left jamb)		7501 58mm Frame	[]	Frame (Right jamb)	7501 58mm Frame []
Transom		7540/41 63mm T/Z Section	[]	Mullion	7540/41 63mm T/Z Section []
Sash		6560/1T/Z Sash	[]	Add-on (Head)	No add-on []
Add-on (Cill)		No add-on	[]	Add-on (Left jamb)	No add-on []
Add-on (Right jamb)		No add-on	[]	Ventilator (Head)	4000mm2 Trickle Vent []
Colour		White	[]	Sash colour	White []
Bead type		Feature Black Gasket	[]	Handle	White Espag Handle []
Casement locking		Shootbolt Locking	[]	Viewed from	Viewed from outside []
Open in/out		Open out	[]	Glazed in/out	Glazed in []
Reinforcing rule		Normal Reinforcing	[]	Gasket	Black Gasket []
Tran/Mull joints		Welded joint	[]		
Glazing Details & Appertures					
4-20-4 Clear Low E Softcoat : 20mm Silver Spacer Georgian Bar 18mm Bar White Std Joints Arqon Gas Filler A1 - (336 x 1030) D1 - (363 x 246) D4 - (455 x 748) H1 - (336 x 1030)					

6	70mm Featured Casement RI O/A Sizes 1990mm x 1210mm (Style 42)																																																																																	
	Front room																																																																																	
																																																																																		
<table><tr><th>Specification</th><th colspan="2">Chk</th><th colspan="2">Chk</th></tr><tr><td>Frame (Head)</td><td>7501 58mm Frame</td><td>[]</td><td>Frame (Cill)</td><td>7501 58mm Frame</td><td>[]</td></tr><tr><td>Frame (Left jamb)</td><td>7501 58mm Frame</td><td>[]</td><td>Frame (Right jamb)</td><td>7501 58mm Frame</td><td>[]</td></tr><tr><td>Mullion</td><td>7540/41 63mm T/Z Section</td><td>[]</td><td>Sash</td><td>6560/1T/Z Sash</td><td>[]</td></tr><tr><td>Add-on (Head)</td><td>No add-on</td><td>[]</td><td>Add-on (Cill)</td><td>No add-on</td><td>[]</td></tr><tr><td>Add-on (Left jamb)</td><td>No add-on</td><td>[]</td><td>Add-on (Right jamb)</td><td>No add-on</td><td>[]</td></tr><tr><td>Ventilator (Head)</td><td>4000mm2 Trickle Vent</td><td>[]</td><td>Colour</td><td>White</td><td>[]</td></tr><tr><td>Sash colour</td><td>White</td><td>[]</td><td>Cill colour</td><td>White</td><td>[]</td></tr><tr><td>Bead type</td><td>Feature Black Gasket</td><td>[]</td><td>Handle</td><td>White Espaq Handle</td><td>[]</td></tr><tr><td>Casement locking</td><td>Shootbolt Locking</td><td>[]</td><td>Viewed from</td><td>Viewed from outside</td><td>[]</td></tr><tr><td>Open in/out</td><td>Open out</td><td>[]</td><td>Glazed in/out</td><td>Glazed in</td><td>[]</td></tr><tr><td>Reinforcing rule</td><td>Normal Reinforcing</td><td>[]</td><td>Gasket</td><td>Black Gasket</td><td>[]</td></tr><tr><td>Tran/Mull joints</td><td>Welded joint</td><td>[]</td><td></td><td></td><td></td></tr></table>						Specification	Chk		Chk		Frame (Head)	7501 58mm Frame	[]	Frame (Cill)	7501 58mm Frame	[]	Frame (Left jamb)	7501 58mm Frame	[]	Frame (Right jamb)	7501 58mm Frame	[]	Mullion	7540/41 63mm T/Z Section	[]	Sash	6560/1T/Z Sash	[]	Add-on (Head)	No add-on	[]	Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on	[]	Add-on (Right jamb)	No add-on	[]	Ventilator (Head)	4000mm2 Trickle Vent	[]	Colour	White	[]	Sash colour	White	[]	Cill colour	White	[]	Bead type	Feature Black Gasket	[]	Handle	White Espaq Handle	[]	Casement locking	Shootbolt Locking	[]	Viewed from	Viewed from outside	[]	Open in/out	Open out	[]	Glazed in/out	Glazed in	[]	Reinforcing rule	Normal Reinforcing	[]	Gasket	Black Gasket	[]	Tran/Mull joints	Welded joint	[]			
Specification	Chk		Chk																																																																															
Frame (Head)	7501 58mm Frame	[]	Frame (Cill)	7501 58mm Frame	[]																																																																													
Frame (Left jamb)	7501 58mm Frame	[]	Frame (Right jamb)	7501 58mm Frame	[]																																																																													
Mullion	7540/41 63mm T/Z Section	[]	Sash	6560/1T/Z Sash	[]																																																																													
Add-on (Head)	No add-on	[]	Add-on (Cill)	No add-on	[]																																																																													
Add-on (Left jamb)	No add-on	[]	Add-on (Right jamb)	No add-on	[]																																																																													
Ventilator (Head)	4000mm2 Trickle Vent	[]	Colour	White	[]																																																																													
Sash colour	White	[]	Cill colour	White	[]																																																																													
Bead type	Feature Black Gasket	[]	Handle	White Espaq Handle	[]																																																																													
Casement locking	Shootbolt Locking	[]	Viewed from	Viewed from outside	[]																																																																													
Open in/out	Open out	[]	Glazed in/out	Glazed in	[]																																																																													
Reinforcing rule	Normal Reinforcing	[]	Gasket	Black Gasket	[]																																																																													
Tran/Mull joints	Welded joint	[]																																																																																
Glazing Details & Apertures																																																																																		
4-20-4 Clear Low E Softcoat : 20mm Silver Spacer Georgian Bar 18mm Bar White Std Joints Argon Gas Fillec																																																																																		
A1 - (509 x 1000) D1 - (629 x 1092) H1 - (509 x 1000)																																																																																		

Total	£0.00
VAT @ 20.00%	£0.00
Total (Incl. VAT)	£0.00
Deposit	£0.00
Balance	£0.00

I confirm the details of this order are correct as detailed in this document

Signed

Dated