



(A) EXISTING ENTRANCE DOOR + FRAME + ARCHITRAVES FROM EXISTING DOOR TO BE RELOCATED FROM EXISTING ENTRANCE TO OFFICE 46

Magnetic Door Holder on new Fire Door to Party wall

New Door opening formed to existing party wall
New Entrance Door to Office

HK 2065/01.206
SEE F

HK 2065/01.206
SEE G

Existing Downstand Beam to ceiling

HK 2065/01.205

HK 2065/01.204

(C)

(B)

SEE DRAWING NO
HK 2065/01.197
FOR NO 7 WEST

(B) NEW TIMBER PARTITION WITH 100 x 75 mm TIMBER STUDS, ROCKWOOL RW3 MINERAL WOOL INSULATION AND PANELLED/PLASTER WALL FINISHES TO MATCH EXISTING ADJACENT AREA

(C) NEW PANELLED TIMBER ENTRANCE DOOR AND FRAME

(D) NEW FIRE RATED FD30S PANELLED DOOR AND FRAME THROUGH PARTY WALL. NEW CONCRETE LINTOL OVER DOOR OPENING. TIMBER LINING THROUGH DOOR OPENING

(E) EXISTING WALL PANELLING LINED OUT AND PANELLED TO MATCH CORRIDOR FINISHES.

NEW TIMBER STUD PARTITION INSTALLED WITH MINERAL WOOL INSULATION + DADO/SKIRTINGS TO MATCH EXISTING

Existing Door + Partition removed shown dotted

Existing Corridor
(2660) 47
CARPET

CORRIDOR RETAINED AS EXISTING

HK 2065/01.207

STAIRCASE

TIMBER STAIRCASE

ENTRANCE WEST

ENTRANCE EAST

Existing Office
48 CARPET
(RETAINED AS EXISTING)

NO 7 GRAY'S INN SQUARE (WEST)

EXISTING WINDOWS
NO 7 GRAY'S INN SQUARE (EAST) OPEN AREA

Main Entrance

NO 7 GRAYS INN SQUARE
FOR THE HONOURABLE SOCIETY OF GRAYS INN

PROPOSED LINK TO NO 7 EAST
GROUND FLOOR PLAN

GHK ARCHITECTS
Architects · Designers · Historic Building Specialists

530 Fulham Road, London SW6 5NR
Tel: +44 (0)20 7471 8000 mail@ghkarchitects.co.uk

www.ghkarchitects.co.uk

REV B. NOTES ADDED/PLAN UPDATED 5/8/14
Rev A Plan revised Doors repositioned LM 25/7/2014

DWG NO ; HK 2065/01.196B

SCALE ; 1:50 @ A3

DATE ; 24 JUL 2014

DRAWN ; AM, LM

0 1.0 2.0 3.0 metres
SCALE BAR