



- ② EXISTING TIMBER STUD PANELLED PARTITIONS REMOVED AND WALL PANELLING / DADO / CORNICES / SKIRTINGS
- Ⓨ EXISTING TOILET AND VANITY UNIT REMOVED, PIPES CAPPED OF INSIDE WALL PANELLING FOR FUTURE USE WALL PANELLING / WALL FINISHES MADE GOOD AND REPAIRED TO MATCH EXISTING
- Ⓦ EXISTING DUCT AND WALL PANELLING TO BE LINED OUT WITH 2 LAYERS OF FIRE LINE PLASTERBOARD AND BATTENS 1 hr FIRE RATED

**No 7 GRAYS INN SQUARE**  
 FOR THE HONOURABLE SOCIETY OF GRAYS INN  
 PROPOSED LINK TO NO 7 EAST  
 GROUND FLOOR / NO 7 WEST

**GHK ARCHITECTS**  
 Architects · Designers · Historic Building Specialists

530 Fulham Road, London SW6 5NR  
 Tel: +44 (0)20 7471 8000 mail@ghkarchitects.co.uk  
 www.ghkarchitects.co.uk

DWG NO ; HK 2065/01.197  
 SCALE ; 1:50 DAS  
 DATE ; 28 Jul 2014  
 DRAWN ; AM, LM

0 1.0 2.0 3.0 metres  
 SCALE BAR