

Point 14: The bathroom incorporates ease of access to the bath, WC and wash basin

Point 13: The design does provide a route for a potential hoist
The structure will be designed to accept any future installation

Point 12: Space for a future lift provision

Point 11: Bathroom will be sufficiently capable of firm fixings

Point 10: An accessible WC will be provided at the upper ground accessible level

Point 9: Space for a temporary bedspace will be provided on the upper ground accessible level

Point 7: The dining room and living room have space for a 1500mm in diameter and adequate circulation
Clear width of 750mm provided at both sides and foot of the bed.


Point 5: N/A No communal stair/lift requirement.
Each dwelling is self-contained.

Point 4: All entrances meet the following three points namely:
- All entrances are illuminated
- All entrances have level access over the threshold and have a covered main entrance.
- All thresholds do not exceed 15mm.

Point 3: Level approach to the entrance by the public pavement
Access from street level


Point 2: N/A

Point 1: N/A



Revisions:		Revisions:	
Suffix / Date / Drawn by		Suffix / Date / Drawn by	

PLANNING

Job Name: 195-199 GRAYS INN ROAD LONDON WC1		european urban architecture 				
Drawing Title: GROUND FLOOR PLAN - HOUSE 199 Lifetime Homes Compliance						
Scale: 1:50@A3	Date: 11/2013	Drawn: GCF	Checked: PW	Job Ref: 1177P	Drawing number: AL(00)35	Revision: C