



- ① Frameless 60/0 fire rated glass screen in safety glass to meet AD K. Glass to be in three equal panels each side with returns as required at corners.
- ② Automatic glass double door supported from polished stainless steel posts each side. Double door to be FD30SS fire rated and connected to fire alarm system to act as self closing fire door in event of fire.
- ③ Sloping area of landing to be 1/21 max. (exact incline to be determined on site). Slope formed from timber firrings/battens or as recommended by flooring manufacturer.
- ④ Office area to have new 600 x 600 suspended floor laid on existing structural slab. FFL to be 100mm above structural slab.
- ⑤ New HW flooring to landing laid on existing structural slab according to manufacturers recommendations.
- ⑥ Timber to stairs to be carefully removed and replaced with new HW flooring to match landings. Each tread to have black rubber insert. Existing stone riser to remain and new timber nosing profile replaced TME.
- ⑦ Lift doors to be replaced as services engineers specifications.
- ⑧ Lift cars to be refurbished as services engineers specifications with new stone flooring to match ground floor landing stonework and new SS ceiling by lift car manufacturer.
- ⑨ Glazed lift shaft to be refurbished throughout with existing painted surfaces to be repainted. Existing georgian wired panels to upper part of shaft to be carefully removed and replaced by clear safety glass to meet AD K. Lower panels to be retained. Where lower panels have been replaced by georgian wired glass in the past, this is to be carefully removed and new glass to match the original as far as possible to be fitted.
- ⑩ 100 dia. x 1200mm high polished SS post housing card swipe.
- ⑪ 100 dia. x 1200mm high polished SS post housing call point to reception.

**NOTES:**

1. READ IN CONJUNCTION WITH ARCHITECTS DRAWING C(0)108
2. READ IN CONJUNCTION WITH ARCHITECTS SPECIFICATIONS AND SCHEDULES AND WITH RELEVANT DOCUMENTS FROM OTHER CONSULTANTS. REPORT ANY DISCREPANCIES FOUND TO ARCHITECT AT TIME OF PRICING.

**jmarchitects**

PROJECT	JOB No.	DRAWING No.	REVISION
Heals Refurbishment Phase 2	5354	C(0)107	5354
TITLE	SCALE	DRAWN BY	CHECKED BY
3rd & 4th floor stairwell sections & details	1:50@A3	AR	AM
CLIENT	STATUS	DATE	
Threadneedle Property Investments Ltd	Tender/Planning	June 2014	

2nd Floor  
 Threeways House  
 40-44 Clipstone Street  
 London  
 W1W 5DW  
 T: 0207 580 5330  
 F: 0207 436 5348  
 Ion@jmarchitects.net  
 www.jmarchitects.net