

Sent: 23 June 2014 16:30



To: Tydeman, Ian

Subject: RE: Dome camera for Lantern.

Ian

I would recommend the Small Windsor lantern. (that's a reasonably small camera 6"), so would fit in quite nicely within the lantern, we might have to drop the gear tray slightly but would discuss with you if this goes to order. Indicative price for the lantern would be IP 65 £554:00 for the lantern and the bracket can be fabricated to take the cables, if you can advise the cable size we have a few options available but no more than £200 tops, I would suggest that the lantern is suspended as shown below in a square frame. Delivery would be around £23:00-30 leadtime would be about 5-7 weeks maybe quicker depends on factory loading and availability of the camera to us.


As soon as you know if your client is happy I will raise a formal quote and you can order direct from us



PROPOSED STYLE

Best Regards,

Nigel Rutherford
National Sales Manager



Product Features

This traditional lantern is hand crafted in copper and replicates the Victorian Heritage styling of the original while offering two standards of ingress protection and depending on the application will meet current luminaire design standards. The Windsor lanterns with their square optical control meet present day lighting standards across a wide range of applications and lamp combinations.

Features

The small, medium and large Windsor have a complete glazing available in polycarbonate, as standard with optional acrylic. This improves the lifespan, protection, safety of the fitting to IP65, fog proof, dust and watertight, reducing maintenance and cleaning cycles.

The lanterns are mounted as standard on galvanneal powder coated frog. The frog takes stress from its competitors as the side fits are reinforced with stainless steel rods thus speeding the weight and wind loading across the structure of the luminaire offering continued durability in service.

Control Gear

The gear is mounted in the left canopy either side of the optic and in this way we can accommodate the full range of exchange lamps and gear. We can now also include compact fluorescent lamps with gear. The table below gives details relative to the individual options available.



Specialist Lighting

Sussex Manor Business Park

Galwick Road

Crawley

West Sussex

BH10 9GD

England

Telephone: +44 (0)1293 540 111

Fax: +44 (0)1293 540 114

E-mail: sales@sugglighting.co.uk



2004

Options

Mounting Options

Fixed mounted galvanneal steel powder coated black polyester for 70mm and 90mm shafts. Cast aluminium adaptor powder coated black polyester for 70mm shafts. Both of these options are suitable for column and track mounting. Gasket fitted luminaires are also available for wall, column and corner mounting.

Photocell

Single and two pin electronic photocells are available as standard.

Finish variations

Nature primed copies that will age as the environment is a direct mirror of the product and for added copper effect (RAL solution) can be incorporated but this is subject to approval.

Lantern construction

Options of lamp fit with the IP65 version and/or an access door with the IP54 version.

Materials

Lantern

Copper frame and spigots, sets double, hinges of the fit and two in long mechanism ensure easy access for reshaping, joint and gasket maintenance.

Glazing

Polycarbonate as standard optional acrylic and structural grade.

Frog

Galvanneal steel which is powder coated.

