

Email: planning@camden.gov.uk
Phone: 020 7974 4444
Fax: 020 7974 1680

Development Management
Camden Town Hall Extension
Argyle Street
London WC1H 8EQ

Application for tree works: works to trees subject to a tree preservation order
(TPO) and/or notification of proposed works to trees in a conservation area.
Town and Country Planning Act 1990

Publication of applications on planning authority websites.

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website.
If you require any further clarification, please contact the Authority's planning department.

1. Applicant Name, Address and Contact Details

| | | | | | | |
|---|--------------------|-------------|-------|-------------------|-----------------|------------------|
| Title: | Ms | First name: | Ellis | Surname: | Flyte | |
| Company name: | hart tree surgeons | | | | | |
| Street address: | manor cottage | | | Country Code | National Number | Extension Number |
| | vale of health | | | Telephone number: | | |
| | | | | Mobile number: | | |
| Town/City: | london | | | Fax number: | | |
| County: | london | | | Email address: | | |
| Country: | United Kingdom | | | | | |
| Postcode: | nw31bb | | | | | |
| Are you an agent acting on behalf of the applicant? <input checked="" type="radio"/> Yes <input type="radio"/> No | | | | | | |

2. Agent Name, Address and Contact Details

| | | | | | | |
|-----------------|------------------|-------------|--------|-----------------------|-----------------|------------------|
| Title: | Mr | First Name: | jasper | Surname: | hart | |
| Company name: | harttreesurgeons | | | | | |
| Street address: | 134 Catt Hill | | | Country Code | National Number | Extension Number |
| | Barnet | | | Telephone number: | | 0208 216 3603 |
| | | | | Mobile number: | 079 | 56391400 |
| Town/City: | Herts | | | Fax number: | | |
| County: | | | | Email address: | | |
| Country: | United Kingdom | | | | | |
| Postcode: | en48hu | | | jasper.hart@yahoo.com | | |

3. Trees Location

Please provide the address of the site where the tree(s) stands (full address if possible):

House:

Suffix:

House name:

Street address:

Town/City:

County:

Postcode:

If the location is unclear or there is not a full postal address, either describe as clearly as possible where it is (for example, 'Land to rear of 12 to 18 High Street' or 'Woodland adjoining Elm Road') or provide an Ordnance Survey grid reference:

Description:

Beech

Fagus Sylvatica

291610LMFair/good

Inclusion on north side in upper crown area @5m.

South side has hollow area around root plate small area

Hollow cavity on North side of in excess of 350mm

No fruiting bodies present

Reduce south side of upper crown by 30% to reduce stress on inclusion and natural branch grafting.

To balance proportions.

To Reduce wind resistance to large crown area.

Hand dig south side hollow pocket soil area

Remove large deadwood from upper crown over public area@ 7m over 4" diameter

Within 12months

0503

Beech

Fagus Sylvatica

4. Trees Ownership

The applicant is the owner of the trees

5. What Are You Applying For?

Are you seeking consent for works to a tree(s) subject to a TPO?

☐ Yes☒ No

Are you wishing to carry out works to tree(s) in a conservation area?

☒ Yes☐ No

6. Tree Preservation Order Details

If you know which TPO protects the tree(s) enter its title or number below

7. Identification Of Tree(s) And Description Of Works

Please identify the tree(s) and provide a full and clear specification of the works you want to carry out. Continue on a separate sheet if necessary. You might find it useful to contact an arborist (tree surgeon) for help with defining appropriate work. Where trees are protected by a TPO, please number them as shown in the First Schedule to the TPO where this is available. Use the same numbers on your sketch plan (see guidance notes).

Please provide the following information below : tree species (and the number used on the sketch plan) and description of works. Where trees are protected by a TPO you must also provide reasons for the work and, where trees are being felled, please give your proposals for planting replacement trees (including quantity, species, position and size) or reasons for not wanting to replant.

E.g. Oak (T3) - fell because of excessive shading and low amenity value. Replant with 1 standard ash in the same place.

| | | | | | | |
|--|----------|--|-----|-----------|---|--|
| Beech | | | | | | |
| Fagus Sylvatica | 29 | 1610 | LM | Fair/good | Inclusion on north side in upper crown area @5m. | |
| South side has hollow area around root plate small area | | | | | | |
| Hollow cavity on North side of in excess of 350mm | | | | | | |
| No fruiting bodies present | | Reduce south side of upper crown by 30% to reduce stress on inclusion and natural branch grafting. | | | | |
| To balance proportions. | | | | | | |
| To Reduce wind resistance to large crown area. | | | | | | |
| Hand dig south side hollow pocket soil area | | | | | | |
| Remove large deadwood from upper crown over public area@ 7m over 4" diameter | | | | | | |
| Within 12months | | | | | | |
| 0503 | | | | | | |
| Beech | | | | | | |
| Fagus Sylvatica | 29 | 1380 | LM | Fair/good | Previous reduction to crown in the past | No Treatment at present |
| 0507 Sweet chestnut | | | | | | |
| Castina sativa | 5.5 | 700 | M | poor | Old pollard | |
| Habitat value | | Low risk, maintain new growth from stem to prevent break out | | | | |
| 12-24 months | | | | | | |
| 1506 | Tilia | | | | | |
| Lime | 16 | 540 | M | poor | Perhaps storm damage, new leader formed leaning over garden Prune crown 30% to reduce wind resistance and | |
| prevent break out over garden. | | | | | | |
| 0- 18 Months | | | | | | |
| 0509 | | | | | | |
| Chestnut | | | | | | |
| Aesculus hippocastanum | 16 | 870 | M | fair | Leaning large limbs over public domain south side. | Prune lever arm up to 3m over public |
| area to reduce stress and possible break out. | | | | | | |
| Within 0-12 months | | | | | | |
| 0511 | | | | | | |
| | Lime | | | | | |
| | 21 | 1000 | M | fair | Spiralling stem | Remove Deadwood in crown |
| ASAP | | | | | | |
| 0510 Tilia | | | | | | |
| Lime Spp. | 17 | 660 | M | Fair | DWD | Removal of Dead wood |
| ASAP | | | | | | |
| Westerly position in garden | | Sycamore | | | | |
| Gypsy caravan | | | | | | |
| | 21 | 670 | M | Fair | Past reduction to entire crown area | Prune crown to avoid break out of new growth from crown . |
| 0-18 Months | | | | | | |
| 0568 | Sycamore | 17 | 900 | M | Fair | |
| No work required at present | | | | | | |
| Close to 0567 | Lime | 19 | 630 | M | Fair | Previous crown management Prune new growth to maintain safety to prevent break out |
| 0-18 Months | | | | | | |
| Close to 0567 | | | | | | |
| | Lime | 19 | 770 | M | Fair | Previous crown management Prune new growth to maintain safety to prevent break out |
| 0562 | Robinia | 17 | 470 | M | Fair | Leaning towards the East to neighbouring property |
| Historic root plate movement | | Consider Felling/heavy reduction to crown ,avoiding failure at root plate | | | | |
| Medium risk | | | | | | |
| 12 Months | | | | | | |
| Near to Caravan | | | | | | |
| | Birch | 12 | | | | |
| | 415 | | | | | |
| | M | | | | | |
| | Fair | | | | | |
| Leaning to the East ,no soil movement | | | | | | |
| May fail into private garden area ,monitor | | | | | | |
| Low risk | | | | | | |
| Salix over pond | | Willow | | | | |
| Salix spp. | 8 | 380 | M | Fair | Heavily leaning stem, Root area raised and moved in the past | |
| Underside of stem propped with wood | | May fail into pond if left unmanaged reduction of crown by 50%will assist the imbalance of weight | | | | |
| 12 months | | | | | | |

8. Trees - Additional Information

For all trees

A sketch plan clearly showing the position of trees listed in Question 7 must be provided when applying for works to trees covered by a TPO. A sketch plan is also advised when notifying the LPA of works to trees in a conservation area (see guidance notes). It would also be helpful if you provided details of any advice given on site by an LPA officer.

For works to trees covered by a TPO

Please indicate whether the reasons for carrying out the proposed works include any of the following. If so, your application must be accompanied by the necessary evidence to support your proposals. (See guidance notes for further details)

1. Condition of the tree(s) - e.g. it is diseased or you have fears that it might break or fall:

If YES, you are required to provide written arboricultural advice or other diagnostic information from an appropriate expert.

☐ Yes ☒ No

| | | | | |
|-------------------------------------|--------|---|------|---|
| Salix over pond | Willow | | | |
| Salix spp. 8 | 380 | M | Fair | Heavily leaning stem, Root area raised and moved in the past |
| Underside of stem propped with wood | | | | May fail into pond if left unmanaged reduction of crown by 50%will assist the imbalance of weight |
| 12 months | | | | |

9. Authority Employee/Member

With respect to the Authority, I am:

- (a) a member of staff
- (b) an elected member
- (c) related to a member of staff
- (d) related to an elected member

Do any of these statements apply to you?

☐

Yes

☒

No

10. Trees - Declaration

I/we hereby apply for planning permission/consent as described in this form and the accompanying plans/drawings and additional information. I/we confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.



Date:

20/11/2014