		SIGNA	GE SCHEDULE - "	S"	
DESIGN ID	COUNT	DESCRIPTION	RESP.	BULB	COMMENTS
SIGNAGE - D	NSK				
13157	1	NEW VINYL LOGO TO EXISTING SUSPENDED ROUNDEL	SBUX		SIGN RELOCATED
XS004	2	NEW LOGO TO EXISTING BLADE SIGN	SBUX		
SIGNAGE - H	IAND PAIN	TED			
XS001	1	SIGN - HANDPAINTED WORDMARK - 250MM HIGH LETTERS - COLOUR DULUX 40YY 60/103	SBUX		
XS002	1	HANDPAINTED - EST. 1971 - 90MM LETTER HEIGHT - COLOUR DULUX 40YY 60/103	SBUX		
XS003	1	HANDPAINTED - STREET ADRESS - 90MM LETTER HEIGHT - COLOUR DULUX 40YY 60/103	SBUX		



DESIGN ID	AREA	DESCRIPTION	RESP.	COMMENTS
EXTERNAL	WALL TILE			
XQ001	6 m²	TILE - VICTORIAN GREENFIELD TILE 150X150MM		BY ORIGINALSTYLE.COM, MATCHING VICTORIAN SKIRTING TILE AT CERTAIN LEVEL - TBC. GROUT: MAPEI 120 NERO



Rev. 0 - 02-11-2014.rvt

set

ПО

- pac

set\12318 -

C:\1

9:00

12/2014 21:



The Traditional Victorian Sunblind

400000

22mm black iron rms and slide

Position 2

Position

black iron

144 x 33 Douglas Fir

m Sunblind i

onstructed from the finest seasoned tin btained from certified, managed source

The product is mmufactured using the same methods and materials as those w were used by craftsmen over 100

#### SHEET NOTES

# 1. HANDPAINTED WORDMARK ILLUMINATED BY EXISTING TROUGH LIGHT REFINISHED IN BLACK.

1A. HANDPAINTED TEXT. 1B. HANDPAINTED STREET ADDRESS.

2. EXISTING ROUNDEL. NEW VINYLS & SIGN RELOCATED.

3. EXISTING BLADE SIGN NEW VINYLS & EXISTING TROUGH LIGHTS.

4. ENTRANCE DOORS SANDED BACK TO NATURAL OAK FINISH AND FINISH WITH CLEAR LACQUER, MATCH TO KAHRS EICHE STRAW NATURAL. NEW BRONZE IRONMONGERY TO MATCH MT0005.

5. TILED STALL RISER, TRADITIONAL STYLE GLAZED TILES. SEE WALL FINISH SCHEDULE @ I-1111 FOR QUANTITY TO BE ORDERED.

5A. NEW NON SLIP FLOOR TILES TO ENTRANCE. SEE FLOOR FINISH SCHEDULE @ I-1109 FOR QUANTITY TO BE ORDERED.

6. BARRIERS TIMBER FINISH BRANDED BARRIERS TO END OF SEATING AREAS FOR ADDITIONAL VISIBILITY. ITEMS REQUIRE REVIEWDUE TO LOCATION ON SOPING STREET.

6A. PLANTERS ON LOCKABLE CASTERS, TIMBER FINISH. ITEMS REQUIRE REVIEWDUE TO LOCATION ON SOPING STREET.

7. NEW BLACK OUTDOOR FURNITURE. 8. NEW TRADITIONAL AWNING.

9. PAINT FRONT FASCADE, PILASTERS & SHOPFRONT FRAMING - DULUX SATINWOOD WEATHERSHIELD 50BG

NORMAL TILE

SKIRTING TILE

NORMAL THE CUT TO FIT

`/////////

9A. PAINT SIGNAGE FASCIA - DULUX SATINWOOD WEATHERSHIELD 00NN 05/000.

10. PAINT OUT ALARM BOX TO FASCIA (NOT THE ILLUMINATED SECTION) AS PER STOREFRONT COLOUR

### EXTERIOR ELEVATION NOTES

A. GENERAL CONTRACTOR TO COORDINATE AND SCHEDULE SIGNAGE INSTALLATION WITH THE SIGNAGE CONTRACTOR PROVIDING A MINIMUM SCHEDULING NOTICE OF 4 WEEKS AND 1 WEEK PRIOR TO SCHEDULED DATE OF INSTALLATION. STARBUCKS CONSTRUCTION MANAGER TO PROVIDE GENERAL CONTRACTOR WITH SIGNAGE CONTRACTOR CONTACT INFORMATION.

B. GENERAL CONTRACTOR SHALL COORDINATE WITH ELECTRICAL CONTRACTOR TO FURNISH AND INSTALL ELECTRICAL CONTRACTOR TO FURNISH AND INSTALL CONNECTIONS, AND BREAKER AT PANEL BOARD NECESSARY TO SERVE SIGNAGE.


C. GENERAL CONTRACTOR TO PROVIDE FIRE TREATED WOOD STUD BLOCKING, OR EQUIVALENT TO SUPPORT SIGNAGE.

D. SIGNAGE CONTRACTOR SHALL VERIFY SIZE AND LOCATION OF ANY AND ALL ALLOWABLE MONUMENT OR POLE SIGNAGE WITH LANDLORD AND PROVIDE SHOP DRAWING(5) PRIOR TO FABRICATION TO STARBUCKS DESIGNER FOR APPROVAL.

E. SIGNAGE CONTRACTOR TO INSTALL SIGNAGE IN COMPLIANCE WITH LOCAL CODES AND OBTAIN PERMIT AND LANDLORD APPROVAL.

F. SIGNAGE CONTRACTOR TO SUPPLY SHOP DRAWINGS TO STARBUCKS CONSTRUCTION MANAGER AND TO THE GENERAL CONTRACTOR AS NEEDED. GENERAL CONTRACTOR TO NOTIFY STARBUCKS CONSTRUCTION MANAGER IMMEDIATELY IF SHOP DRAWINGS OR INSTALLATION IS IN DISCOBLANCY WITH STADPILICYS INSTALLATION IS IN DISCREPANCY WITH STARBUCKS ARCHITECTURAL DRAWINGS.

G. GENERAL CONTRACTOR TO CLEAN, PATCH AND REPAIR EXISTING EXTERIOR AS REQUIRED



///

///

2 STOREFRONT SECTION State: 1:25

LION U C Ľ Ó Z O υ Ŷ 0 Ш ۵ Ш ۵ Ζ Ш ΕZ F 0 Z 1 ≻ UZ 0 OPMENT Ш > Ш ۵ Ζ 0 ō Ш Δ




DESIGN ID	COUNT	DESCRIPTION	RESP.	COMMENTS	
DESIGNID	COUNT	DESCRIPTION	RESP.	COMMENTS	
XF02A	1	CUSTOM BANQUETTE - L SHAPE 7420X4985MM	SBUX	FINISH: TIMBER BASE - EXPOSED GRAIN NATURAL OAK (SAMPLE REQUIRED FOR SIGN OFF), UPHOLSTERY - F0073 AGED BROWN WARM LEATHER FROM BAYERN LEDER SAUVAGE COGNAC LEATHER	
XF02B	1	CUSTOM BANQUETTE - STRAIGHT 3450X605MM	SBUX	FINISH: TIMBER BASE - EXPOSED GRAIN NATURAL OAK (SAMPLE REQUIRED FOR SIGN OFF)	
XF02C	1	CUSTOM BANQUETTE - U SHAPE 3000x5310MM	SBUX	FINISH: TIMBER BASE - EXPOSED GRAIN NATURAL OAK (SAMPLE REQUIRED FOR SIGN OFF)	
CHAIR				,	
12146	20	CHAIR - CAFE SLATTED METAL SUITE WITH ARMS - BLACK MT0028	SBUX		
14714	6	CHAIR - LOUNGE CLUB WITH ROUNDED BACK - BLACK AND BROWN BLACK FLAT WD0061 F0086	SBUX		
14728	25	CHAIR - CAFE HORIZONTAL RUNGS UPHOLSTERED - NATURAL MEDIUM BROWN AND DARK BROWN FLAT WD0059 F0004	SBUX		
14850	5	CHAIR - LOUNGE BEAN - DARK TEAL WOVEN F0107	SBUX		
OTTOMAN				1	
14712	13	OTTOMAN - WITH WOOD BASE ROUND - 18IN 455MM - BLACK AND AGED WARM BROWN WD0061 F0073	SBUX		
TABLE					
12184	14	TABLE - BASE CAFE DOME ACCENT - 12X28IN 305X710MM - HOT ROLLED STEEL MT0011	SBUX		
12187	24	TABLE - BASE CAFE DOME ACCENT - 18X28IN 455X710MM - HOT ROLLED STEEL MT0011	SBUX		
14709	4	TABLE - TOP METAL ROUND - 18IN 450MM - HOT ROLLED STEEL MT0011	SBUX		
14710	22	TABLE - TOP METAL ROUND - 24IN 600MM - HOT ROLLED STEEL MT0011	SBUX		
14746	5	TABLE - BASE CAFE X BASE 23X28IN 580X710MM - BLACK MT0028	SBUX		
14761	10	TABLE - TOP ROUND - 18IN 455MM - GOLDEN BLONDE WD0054	SBUX	PAIRED WITH ARMCHAIRS	
14852	5	TABLE - TOP WITH DECORATIVE EDGE ROUND - 24IN 610MM - BLACK WITH FLECKS CP0005	SBUX		
XE001	1	COMMUNITY TABLE TOP - 1730Lx1030Wx60T	SBUX	FINISH: GOLDEN BLONDE WD0054	

	SPECIALTY EQUIPMENT SCHEDULE - "E"				
DESIGN ID	COUNT	DESCRIPTION	RESP.	COMMENTS	
COOLING					
10473	1	FRIDGE UNDERCOUNTER 2 DOOR - 48IN 1220MM	SBUX		
EQUIPMENT					
12508	2	BLENDER QUIET MODEL ON COUNTER	SBUX		
XE002	1	PITCHER KIT. CONSISTS OF 3 DAIRY, 1 NON-DAIRY, 1 SOY.	SBUX	SKU NO: 011008197	
FOOD CASE					
12878	1	FOOD CASE - 1 BAY SELF SERVE CHILLED - 35IN 900MM	SBUX		
12912	1	FOOD CASE - 1 BAY SERVICE AMBIENT - 35IN 900MM	SBUX		
ICE				1	
10344	1	ICE - BIN DROP IN 90LB 40KG	SBUX		
OTHER					
10091	1	CUP DISPENSER TALL HOT VERTICAL	SBUX		
10396	1	CUP DISPENSER SHORT HOT VERTICAL	SBUX		
10791	2	CUP DISPENSER GRANDE VENTI COLD VERTICAL	SBUX		
10855	2	CUP DISPENSER GRANDE VENTI HOT VERTICAL	SBUX		
10858	1	CUP DISPENSER TALL COLD VERTICAL	SBUX		
11115	1	SOAP DISPENSER SINK MOUNTED	SBUX		
13330	1	MOBILE CUP DISPENSER CADDY	SBUX		
13584	1	CUP DISPENSER TRENTA COLD VERTICAL	SBUX		
XE003	2	FIRE EXTINGUSHER - CHROME FINISH	GC		

		SITE SCHEDULE - "Y		
DESIGN ID	COUNT	DESCRIPTION	RESP.	COMMENTS
XY002	1	CUSTOM AWNING - TRADITIONAL VICTORIAN SUNBLIND	SBUX	CANVAS TO MATCH DULUX 50BG 08/021 - SAMPLE REQUIRED FROM SUPPLIER FOR SIGN OFF
SITE				•
XY001	5	TIMBER PLANTERS ON LOCKABLE CASTERS - 1000L X 350W X 520H	SBUX	FINISH: LARCH TIMBER. SUPPLIER TO BE CONFIRMED
XY004	2	STARBUCKS SCREEN - BLACK WORDMARK TO ONE SIDE	SBUX	BY IGMA. LARCH TIMBER & 35MM BLACKENED METAL BOX SECTION WITH MATT LACQUER FINISH

LAMP SCHEDULE - "L"				
DESIGN ID	COUNT	DESCRIPTION	RESP.	COMMENTS
LAMP				
12314		FLOOR LAMP SPLIT METAL BASE - BLACKENED STEEL WITH LINEN SHADE MT0019 F0040		LAMPS TO BE WIRED DIRECTLY INTO WALL ON SPUR



#### SHEET NOTES

. GENERAL CONTRACTOR TO REVERSE DOOR HINGE ON UNDER COUNTER REFRIGERATOR TO LEFT-HAND SWING, AS SHOWN.
2. SECURE STORAGE RACKS TO WALL WHERE RELOCATED.
. PLACE FIRE EXTINGUISHER IN WORKROOM PER FIRE

INSPECTOR. NEW CHROME FIRE EXTINGUSHERS TO CUSTOMER AREAS.

4. SPEAKERS TO BE MOUNTED AT MAXIMUM HEIGHT T/US OF HIGH LEVEL CEILING.

5

## FF AND E PLAN NOTES

A. GENERAL CONTRACTOR TO SCHEDULE WITH LOCAL REFRIGERATION CONTRACTOR TO CONDUCT INITIAL FOOD CASE START-UP AND TESTING. FOR APPROVED CONTRACTOR, CONTACT VENDOR.

B. THE SPACE IS SERVED BY THE MUNICIPAL WATER AND SEWER SYSTEM UNLESS OTHERWISE NOTED.

C. ALL EQUIPMENT AND INSTALLATION WILL MEET NATIONAL SANITATION FOUNDATION STANDARDS OR EQUIVALENT.

D. EQUIPMENT UNITS SHALL CONTAIN NO EXPOSED THREADS, EMBELLISHMENTS OR OVERHANGING EDGES THAT SERVE AS PLACES FOR ACCUMULATION OF DUST, DIRT AND DEBRIS.


E. WARMING OVEN(S) SHOWN FOR PERMITTING PURPOSES. INSTALLATION AT STORE OPENING TO BE VERIFIED BY STARBUCKS CONSTRUCTION REPRESENTATIVE.

F. EACH HAND WASHING SINK WILL HAVE A SINGLE SERVICE TOWEL AND SOAP DISPENSER, AND ALL HAND SINKS TO HAVE A COMBINATION FAUCET OR PREMIXING FAUCET.

G. FOR PLUMBING FIXTURES, REFER TO THE PLUMBING DESIGN PLAN. FOR DATA DEVICE SCHEDULE, REFER TO THE ELECTRICAL DESIGN PLAN

Z 0 Ē U C Ľ F Ś Ž 0 Ŭ Ŷ 0 Ш ۵ Ш ٥ Ζ Ш FZ F 0 Z Т ≻ ONLO VELOPMENT Ш́О Ζ Ū Ō Ш Δ





5

