

David Whittington
Savills
33 Margaret Street
London
W1G 0JD

Application Ref: **2013/7195/P**
Please ask for: **Gavin Sexton**
Telephone: 020 7974 **3231**

23 October 2014

Dear Sir/Madam

DECISION

Town and Country Planning Act 1990 (as amended)

Full Planning Permission Granted Subject to a Section 106 Legal Agreement

Address:
**99A Frognal
London
NW3 6XR**

Proposal:
Erection of a three storey dwelling house (Class C3) with basement following demolition of existing dwelling.

Drawing Nos: Drawings:

Demolition: FROg dm100, dm300-301, dm302-303;

Existing: FROg ga 98, ex100, ex101, ex102, ex300-301, ex302-303;

Proposed: FROg ga : Basement 99C, Ground Floor 100A, 1st Floor 101A, 2nd Floor 102A, Roof 103C, SectionAA 200C, SectionCC 201C, Front/Rear Elevations 300C, Side Elevations 301C. Details through roof perimeter SK 36A.

Supporting documents:

Basement Impact Assessment Report ref J13053 May 2013 by GEA; Basement Impact Assessment Report ref J13053A Feb 2014 by GEA with 4 no. Appendices; Cover letter ref J13053A/HD/01 from Hannah Dashfield (GEA) re letter from Neil Millward dated 20th Jan 2014; Damage Assessment report of neighbouring structures by MNP ref 214073 dated March 2014; Assessment of Basement Accumulative Groundwater Effects by Chord Environmental dated 25th March 2014; Letter ref SP/Ib/214071 from Stuart Pledge of MNP (dated 31st March 2014) re CGL letter, with enclosures Wallp calculations by Foundation



Piling and GEA extract of north wall props); Email from Cliff Willis (Harrison Varma) dated 15 May 2014 relating to Wallap runs; Updated Appendix 3 (Summary Sheets from retaining wall design calculations) by GEA; Arboricultural Impact Assessment Report by Landmark trees rev HVC/FRG/AIA/03 dated 20th Sept 2013; Lifetime Homes Statement 99a Frogna; Planning statement by Savills; Environmental noise assessment Oct 2013 by Acoustics Plus ref 102572.ph.Issue 1; Planning brief for the Mechanical and Electrical services by Harrison Varma 15/10/2013; Sustainability Statement by Metropolis Green Job ref 5215 dated 05/08/2013 including Pre-assessment estimate; Design and Access Statement by AD Design Concepts.

The Council has considered your application and decided to grant permission subject to the following condition(s):

Condition(s) and Reason(s):

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.

Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 The development hereby permitted shall be carried out in accordance with the following approved plans:

Drawings:

Demolition: FROg dm100, dm300-301, dm302-303;

Existing: FROg ga 98, ex100, ex101, ex102, ex300-301, ex302-303;

Proposed: FROg ga : Basement 99C, Ground Floor 100A, 1st Floor 101A, 2nd Floor 102A, Roof 103C, SectionAA 200C, SectionCC 201C, Front/Rear Elevations 300C, Side Elevations 301C. Details through roof perimeter SK 36A.

Supporting documents:

Basement Impact Assessment Report ref J13053 May 2013 by GEA; Basement Impact Assessment Report ref J13053A Feb 2014 by GEA with 4 no. Appendices; Cover letter ref J13053A/HD/01 from Hannah Dashfield (GEA) re letter from Neil Millward dated 20th Jan 2014; Damage Assessment report of neighbouring structures by MNP ref 214073 dated March 2014; Assessment of Basement Accumulative Groundwater Effects by Chord Environmental dated 25th March 2014; Letter ref SP/lb/214071 from Stuart Pledge of MNP (dated 31st March 2014) re CGL letter, with enclosures Wallp calculations by Foundation Piling and GEA extract of north wall props); Email from Cliff Willis (Harrison Varma) dated 15 May 2014 relating to Wallap runs; Updated Appendix 3 (Summary Sheets from retaining wall design calculations) by GEA; Arboricultural Impact Assessment Report by Landmark trees rev HVC/FRG/AIA/03 dated 20th Sept 2013; Lifetime Homes Statement 99a Frogna; Planning statement by Savills; Environmental noise assessment Oct 2013 by Acoustics Plus ref 102572.ph.Issue 1; Planning brief for the Mechanical and Electrical services by Harrison Varma 15/10/2013; Sustainability Statement by Metropolis Green Job ref 5215 dated 05/08/2013

including Pre-assessment estimate; Design and Access Statement by AD Design Concepts.

The development hereby permitted shall be carried out in accordance with the approved plans listed in schedule [inset name or number of schedule of plans]

Reason:

For the avoidance of doubt and in the interest of proper planning.

- 3 No lights, meter boxes, flues, vents or pipes, and no telecommunications equipment, alarm boxes, television aerials or satellite dishes shall be fixed or installed on the external face of the buildings, without the prior approval in writing of the local planning authority.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policy CS14 of the London Borough of Camden Local Development Framework Core Strategy and policy DP24 and DP25 of the London Borough of Camden Local Development Framework Development Policies.

- 4 Detailed drawings, and/or samples of materials as appropriate, in respect of the following, shall be submitted to and approved in writing by the Council before the relevant part of the work is begun:

a) Typical plan, elevation and section drawings, including jambs, head and cill, of all new external windows, doors and rooflights at a scale of 1:10 with typical glazing bar details at 1:1.

b) Typical details of new metal louvres and glazed balustrades at a scale of 1:10, including method of fixing.

c) Samples and manufacturer's details of all facing materials including natural stonework, windows and door frames, glazing, balustrades and roofing. A sample panel of all facing materials should be erected on-site and retained until the works have been completed.

The relevant part of the works shall then be carried in accordance with the approved details.

Reason: In order to ensure a satisfactory standard of development that safeguards the character and appearance of the area in accordance with the requirements of policy CS14 of the London Borough of Camden Local Development Framework Core Strategy and policies DP24 and DP25 of the London Borough of Camden Local Development Framework Development Policies.

- 5 No development shall take place until full details of hard and soft landscaping and means of enclosure of all un-built, open areas have been submitted to and approved by the local planning authority in writing. Such details shall include details of any proposed earthworks including grading, mounding and other changes in

ground levels. The relevant part of the works shall not be carried out otherwise than in accordance with the details thus approved.

Reason: To ensure that the development achieves a high quality of landscaping which contributes to the visual amenity and character of the area in accordance with the requirements of policy CS14, CS15 of the London Borough of Camden Local Development Framework Core Strategy and policy DP24 of the London Borough of Camden Local Development Framework Development Policies.

- 6 All hard and soft landscaping works shall be carried out to a reasonable standard in accordance with the approved landscape details, by not later than the end of the planting season prior to the occupation of the development or any phase of the development, whichever is the sooner. Any areas of planting which, within a period of 5 years from the completion of the development, die, are removed or become seriously damaged or diseased, shall be replaced as soon as is reasonably possible and, in any case, by not later than the end of the following planting season, with others of similar size and species, unless the Council gives written consent to any variation.

Reason: To ensure that the landscaping is carried out within a reasonable period and to maintain a high quality of visual amenity in the scheme in accordance with the requirements of policies CS14 and CS15 of the London Borough of Camden Local Development Framework Core Strategy and policy DP24 of the London Borough of Camden Local Development Framework Development Policies.

- 7 Prior to the commencement of any works on site, details demonstrating how trees to be retained shall be protected during construction work shall be submitted to and approved by the Council in writing. Such details shall follow guidelines and standards set out in BS5837:2012 "Trees in Relation to Construction". All trees on the site, or parts of trees growing from adjoining sites, unless shown on the permitted drawings as being removed, shall be retained and protected from damage in accordance with the approved protection details. Any trees which, within a period of 5 years from the completion of the development, die, are removed or become seriously damaged or diseased, shall be replaced as soon as is reasonably possible and, in any case, by not later than the end of the following planting season, with others of similar size and species, unless the Council gives written consent to any variation.

Reason: To ensure that the development will not have an adverse effect on existing trees and in order to maintain the character and amenity of the area in accordance with the requirements of policy CS15 of the London Borough of Camden Local Development Framework Core Strategy.

- 8 Before the use commences, the air-conditioning plant shall be provided with sound attenuation measures in accordance with the recommendations of the Environmental Noise Assessment hereby approved such that the noise from the plant shall not exceed 26dBA at 1m from the nearest noise sensitive facade outside of the site boundary. All such measures shall thereafter be retained and maintained in accordance with the manufacturers' recommendations for as long as

the plant remains in use.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policy CS5 of the London Borough of Camden Local Development Framework Core Strategy and policies DP26 and DP28 of the London Borough of Camden Local Development Framework Development Policies.

- 9 Notwithstanding the provisions of Article 3 of the Town and Country Planning (General Permitted Development) Order 1995 as amended by the (No. 2) (England) Order 2008 or any Order revoking and re-enacting that Order, no development within Part 1 (Classes A-H) [and Part 2 (Classes A-C)] of Schedule 2 of that Order shall be carried out without the grant of planning permission having first been obtained from the Council.

Reason: To safeguard the visual amenities of the area and to prevent over development of the site by controlling proposed extensions and alterations in order to ensure compliance with the requirements of policy CS5 of the London Borough of Camden Local Development Framework Core Strategy and policies DP26 and DP28 of the London Borough of Camden Local Development Framework Development Policies.

- 10 Prior to the commencement of use of the roof terrace the 1.7m high obscure glazed screen shall be installed on the North side of the 1st floor terrace as shown on the approved drawings. The screen shall be permanently retained thereafter.

Reason: In order to prevent unreasonable overlooking of neighbouring premises in accordance with the requirements of policy CS5 of the London Borough of Camden Local Development Framework Core Strategy and policy DP26 of the London Borough of Camden Local Development Framework Development Policies.

- 11 Prior to commencement of development details of a Sustainable Urban Drainage system (SUDs) shall be submitted to and approved in writing by the local planning authority. Such system shall be based on a 1:100 year event with 30% provision for climate change, demonstrating a reduction in existing runoff of at least 50%. The system shall be implemented as part of the development and thereafter retained and maintained.

Reason: To reduce the rate of surface water run-off from the buildings and limit the impact on the storm-water drainage system in accordance with policies CS13 and CS16 of the London Borough of Camden Local Development Framework Core Strategy and policies DP22, DP23 and DP32 of the London Borough of Camden Local Development Framework Development Policies.

- 12 The lifetime homes features and facilities, as indicated on the drawings and documents hereby approved shall be provided in their entirety prior to the first occupation of any of the new residential units.

Reason: To ensure that the internal layout of the building provides flexibility for the

accessibility of future occupiers and their changing needs over time, in accordance with the requirements of policy CS6 of the London Borough of Camden Local Development Framework Core Strategy and policy DP6 of the London Borough of Camden Local Development Framework Development Policies.

- 13 The development hereby approved shall not commence until such time as a suitably qualified chartered engineer with membership of the appropriate professional body has been appointed to inspect, approve and monitor the critical elements of both permanent and temporary basement construction works throughout their duration to ensure compliance with the design which has been checked and approved by a building control body. Details of the appointment and the appointee's responsibilities shall be submitted to and approved in writing by the local planning authority prior to the commencement of development. Any subsequent change or reappointment shall be confirmed forthwith for the duration of the construction works.

Reason: To safeguard the appearance and structural stability of neighbouring buildings and the character of the immediate area in accordance with the requirements of policy CS14 of the London Borough of Camden Local Development Framework Development Policies and policy DP27 (Basements and Lightwells) of the London Borough of Camden Local Development Framework Development Policies.

- 14 The basement structure shall be designed and constructed in accordance with the recommendations, methodologies, construction sequences, details and mitigation measures set out in the Basement Impact Assessment (and supporting documents) hereby approved. Any deviations from these methodologies, recommendations or mitigation measures shall be submitted to the local planning authority for approval in writing prior to the work commencing.

Reason: To safeguard the appearance and structural stability of neighbouring buildings and the character of the immediate area in accordance with the requirements of policy CS14 of the London Borough of Camden Local Development Framework Development Policies and policy DP27 (Basements and Lightwells) of the London Borough of Camden Local Development Framework Development Policies.

- 15 Full details in respect of the green roof, to include details of substrate and sections showing areas of localised mounding, planting species and a scheme of maintenance, for the area indicated on the approved roof plan shall be submitted to and approved by the local planning authority before the relevant part of the development commences. The buildings shall not be occupied until the approved details have been implemented and these works shall be permanently retained and maintained thereafter.

Reason: In order to ensure the development undertakes reasonable measures to take account of biodiversity and the water environment in accordance with policies CS13, CS15 and CS16 of the London Borough of Camden Local Development Framework Core Strategy and policies DP22, DP23 and DP32 of the London Borough of Camden Local Development Framework Development Policies.

Informative(s):

- 1 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts which cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Argyle Street WC1H 8EQ, (tel: 020-7974 6941).
- 2 Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You are advised to consult the Council's Compliance and Enforcement team [Regulatory Services], Camden Town Hall, Argyle Street, WC1H 8EQ (Tel. No. 020 7974 4444 or on the website <http://www.camden.gov.uk/ccm/content/contacts/council-contacts/environment/contact-the-environmental-health-team.en> or seek prior approval under Section 61 of the Act if you anticipate any difficulty in carrying out construction other than within the hours stated above.
- 3 The Mayor of London introduced a Community Infrastructure Levy (CIL) to help pay for Crossrail on 1st April 2012. Any permission granted after this time which adds more than 100sqm of new floorspace or a new dwelling will need to pay this CIL. It will be collected by Camden on behalf of the Mayor of London. Camden will be sending out liability notices setting out how much CIL will need to be paid if an affected planning application is implemented and who will be liable.

The proposed charge in Camden will be £50 per sqm on all uses except affordable housing, education, healthcare, and development by charities for their charitable purposes. You will be expected to advise us when planning permissions are implemented. Please use the forms at the link below to advise who will be paying the CIL and when the development is to commence. You can also access forms to allow you to provide us with more information which can be taken into account in your CIL calculation and to apply for relief from CIL.

<http://www.planningportal.gov.uk/planning/applications/howtoapply/whattosubmit/cil>

We will then issue a CIL demand notice setting out what monies needs to paid when and how to pay. Failure to notify Camden of the commencement of development will result in a surcharge of £2500 or 20% being added to the CIL payment. Other surcharges may also apply for failure to assume liability and late payment. Payments will also be subject to indexation in line with the construction costs index.

Please send CIL related documents or correspondence to CIL@Camden.gov.uk

- 4 Your proposals may be subject to control under the Party Wall etc Act 1996 which covers party wall matters, boundary walls and excavations near neighbouring

buildings. You are advised to consult a suitably qualified and experienced Building Engineer.

- 5 Your attention is drawn to the fact that there is a separate legal agreement with the Council which relates to the development for which this permission is granted. Information/drawings relating to the discharge of matters covered by the Heads of Terms of the legal agreement should be marked for the attention of the Planning Obligations Officer, Sites Team, Camden Town Hall, Argyle Street, WC1H 8EQ.
- 6 Under Section 25 of the GLC (General Powers) Act 1983, the residential accommodation approved is not permitted for use as holiday lettings or any other form of temporary sleeping accommodation defined as being occupied by the same person(s) for a consecutive period of 90 nights or less. If any such use is intended, then a new planning application will be required which may not be approved.

In dealing with the application, the Council has sought to work with the applicant in a positive and proactive way in accordance with paragraphs 186 and 187 of the National Planning Policy Framework.

You can find advice about your rights of appeal at:

<http://www.planningportal.gov.uk/planning/appeals/guidance/guidancecontent>

Yours faithfully



Ed Watson
Director of Culture & Environment